

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0011 seconds.)

```
CREATE VIEW department_summary AS SELECT d.dept_name, COUNT(e.emp_no) AS  
total_employees FROM departments d LEFT JOIN dept_emp e ON d.dept_no = e.dept_no  
GROUP BY d.dept_name;
```

[[Edit inline](#)] [[Edit](#)] [[Create PHP code](#)]

✓ Showing rows 0 - 0 (1 total, Query took 0.0012 seconds.)

```
SELECT AVG(emp_count) AS avg_employees FROM ( SELECT COUNT(emp_no) AS emp_count  
FROM dept_emp GROUP BY dept_no ) AS sub;
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

✓ Showing rows 0 - 24 (32 total, Query took 0.0021 seconds.)

```
SELECT * FROM dept_emp WHERE dept_no = ( SELECT dept_no FROM dept_emp GROUP BY  
dept_no ORDER BY COUNT(emp_no) DESC LIMIT 1 );
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

✓ Showing rows 0 - 24 (110 total, Query took 0.0011 seconds.)

```
SELECT e.emp_no, d.dept_name FROM dept_emp e RIGHT JOIN departments d ON  
e.dept_no = d.dept_no;
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

✓ Showing rows 0 - 24 (110 total, Query took 0.0011 seconds.)

```
SELECT e.emp_no, d.dept_name FROM dept_emp e LEFT JOIN departments d ON  
e.dept_no = d.dept_no;
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

✓ Showing rows 0 - 24 (110 total, Query took 0.0011 seconds.)

```
SELECT e.emp_no, d.dept_name FROM dept_emp e INNER JOIN departments d ON  
e.dept_no = d.dept_no;
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]