Exp: 4

Date: 30/07/24

CONFIGURE A LAN (Local area Network) USING A SWITCH AND ETHERNET CABLES

AIM :-

To setup and configure a LAN (local Area Network) using a switch and ethernet Cables in your lab.

STEPS :-

1.) Plan and Design an appropriate network topology taking into accounts network requirements & equipment location

2.) Take 4 Computers, a switch with 8, 16 or 24 ports which is sufficient for networks of these sizes and 4 ethernet cables.

3.) Connect the computers to network switch via an ethernet cable into the computer and the other end into the network switch.

4.) Assign IP address to your PC's

(i) Log on to the client computer as Administrator or as Owner.

(ii.) Click Network and Internet Connections.


(iii.) Right click Local Area Connection / Ethernet → Go to properties → Select Internet Protocol (TCP/IPV4) → Click on properties → Select use the following IP address option and assign ipaddress.

5.) Configure a network switch :

(i.) Connect the computer to the switch : To access the switch's web interface, it will need to connect the computer to the switch using an ethernet cable.

Exp: 4

Date: 30



(ii.) Log in to the web interface :
(iii.) Configure basic settings :
iv.) Assign IP address as :

6.) Check the connectivity between switch and other machine by using ping command in the command prompt of the device.

7.) Select a folder → go to properties → click sharing tab → share it with everyone on the same LAN.

8.) Try to access the shared folder from others computers of the network.

RESULT :-

The LAN (local Area Network) using a switch and ethernet cables are configured successfully.