

Rajalakshmi Engineering College

Name: Jishnu Raj
Email: 241801109@rajalakshmi.edu.in
Roll no: 241801109
Phone: 9342455706
Branch: REC
Department: I AI & DS FB
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 4

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

Input Format

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

Output Format

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 5

10 20 30 40 50

Output: 10 20 30 40 50

Answer

```
// You are using GCC
```

```
#include<stdio.h>
```

```
#include<stdlib.h>
```

```
struct node{
```

```
    int id;    struct
```

```
node* prev;    struct
```

```
node* next;
```

```
};
```

```
struct node* head=NULL;
```

```
void append(int id){    struct node* newnode=(struct  
node*)malloc(sizeof(struct node));    newnode->id=id;
```

```
newnode->prev=NULL;    newnode->next=NULL;    if(head==NULL){
```

```
        head=newnode;
```

```
    }
```

```
    else{
```

```
        struct node* temp=head;
```

```
        while(temp->next!=NULL){
```

```
            temp=temp->next;
```

```
        }
```

```
        temp->next=newnode;
```

```
        newnode->prev=temp;
```

```
    } } void display(){  
    struct node* temp=head;
```

```
        while(temp!=NULL){  
            printf("%d ",temp->id);  
            temp=temp->next;
```

```
        }  
        printf("\n");  
    }
```

```
    int main(){    int n,id;  
    scanf("%d",&n);  
    for(int i=0;i<n;i++){  
        scanf("%d",&id);  
        append(id);    }
```

```
        display();  
    }
```

Status : Correct

Marks : 10/10