


Inter VLAN



```
PuTTY (inactive)
VPC1> ping 40.0.0.10
10.0.0.1 icmp_seq=1 ttl=255 time=1.069 ms (ICMP type:3, code:1, Destination hos
c unreachable)
10.0.0.1 icmp_seq=2 ttl=255 time=1.089 ms (ICMP type:3, code:1, Destination hos
c unreachable)
10.0.0.1 icmp_seq=3 ttl=255 time=1.220 ms (ICMP type:3, code:1, Destination hos
c unreachable)
10.0.0.1 icmp_seq=4 ttl=255 time=1.090 ms (ICMP type:3, code:1, Destination hos
c unreachable)
10.0.0.1 icmp_seq=5 ttl=255 time=1.057 ms (ICMP type:3, code:1, Destination hos
c unreachable)
VPC1> ping 20.0.0.10
64 bytes from 20.0.0.10 icmp_seq=1 ttl=63 time=2.714 ms
64 bytes from 20.0.0.10 icmp_seq=2 ttl=63 time=1.210 ms
64 bytes from 20.0.0.10 icmp_seq=3 ttl=63 time=2.135 ms
64 bytes from 20.0.0.10 icmp_seq=4 ttl=63 time=1.320 ms
64 bytes from 20.0.0.10 icmp_seq=5 ttl=63 time=1.974 ms
VPC1> ping 30.0.0.10
64 bytes from 30.0.0.10 icmp_seq=1 ttl=62 time=2.309 ms
64 bytes from 30.0.0.10 icmp_seq=2 ttl=62 time=1.859 ms
64 bytes from 30.0.0.10 icmp_seq=3 ttl=62 time=2.478 ms
64 bytes from 30.0.0.10 icmp_seq=4 ttl=62 time=2.919 ms
64 bytes from 30.0.0.10 icmp_seq=5 ttl=62 time=2.451 ms
VPC1> ping 40.0.0.10
64 bytes from 40.0.0.10 icmp_seq=1 ttl=62 time=3.048 ms
64 bytes from 40.0.0.10 icmp_seq=2 ttl=62 time=1.951 ms
64 bytes from 40.0.0.10 icmp_seq=3 ttl=62 time=1.854 ms
64 bytes from 40.0.0.10 icmp_seq=4 ttl=62 time=1.698 ms
64 bytes from 40.0.0.10 icmp_seq=5 ttl=62 time=1.686 ms
VPC1> ping 1.0.0.1
64 bytes from 1.0.0.1 icmp_seq=1 ttl=255 time=0.593 ms
64 bytes from 1.0.0.1 icmp_seq=2 ttl=255 time=1.193 ms
```

```
VPC2> ping 20.0.0.1

64 bytes from 20.0.0.1 icmp_seq=1 ttl=255 time=0.510 ms
64 bytes from 20.0.0.1 icmp_seq=2 ttl=255 time=0.795 ms
64 bytes from 20.0.0.1 icmp_seq=3 ttl=255 time=1.013 ms
64 bytes from 20.0.0.1 icmp_seq=4 ttl=255 time=0.870 ms
64 bytes from 20.0.0.1 icmp_seq=5 ttl=255 time=0.936 ms

VPC2> ping 30.0.0.10

64 bytes from 30.0.0.10 icmp_seq=1 ttl=62 time=1.716 ms
64 bytes from 30.0.0.10 icmp_seq=2 ttl=62 time=1.780 ms
64 bytes from 30.0.0.10 icmp_seq=3 ttl=62 time=1.745 ms
64 bytes from 30.0.0.10 icmp_seq=4 ttl=62 time=1.519 ms
64 bytes from 30.0.0.10 icmp_seq=5 ttl=62 time=1.703 ms

VPC2> ping 40.0.0.10

64 bytes from 40.0.0.10 icmp_seq=1 ttl=62 time=1.831 ms
64 bytes from 40.0.0.10 icmp_seq=2 ttl=62 time=1.881 ms
64 bytes from 40.0.0.10 icmp_seq=3 ttl=62 time=1.656 ms
64 bytes from 40.0.0.10 icmp_seq=4 ttl=62 time=1.533 ms
64 bytes from 40.0.0.10 icmp_seq=5 ttl=62 time=1.578 ms

VPC2> 
```

```
VPC3> ping 10.0.0.10

64 bytes from 10.0.0.10 icmp_seq=1 ttl=62 time=2.285 ms
64 bytes from 10.0.0.10 icmp_seq=2 ttl=62 time=1.591 ms
64 bytes from 10.0.0.10 icmp_seq=3 ttl=62 time=1.709 ms
64 bytes from 10.0.0.10 icmp_seq=4 ttl=62 time=1.661 ms
64 bytes from 10.0.0.10 icmp_seq=5 ttl=62 time=1.639 ms

VPC3> ping 20.0.0.10

64 bytes from 20.0.0.10 icmp_seq=1 ttl=62 time=1.979 ms
64 bytes from 20.0.0.10 icmp_seq=2 ttl=62 time=2.418 ms
64 bytes from 20.0.0.10 icmp_seq=3 ttl=62 time=2.083 ms
64 bytes from 20.0.0.10 icmp_seq=4 ttl=62 time=2.402 ms
64 bytes from 20.0.0.10 icmp_seq=5 ttl=62 time=2.227 ms

VPC3> ping 40.0.0.10

64 bytes from 40.0.0.10 icmp_seq=1 ttl=63 time=1.104 ms
64 bytes from 40.0.0.10 icmp_seq=2 ttl=63 time=1.741 ms
64 bytes from 40.0.0.10 icmp_seq=3 ttl=63 time=0.986 ms
64 bytes from 40.0.0.10 icmp_seq=4 ttl=63 time=1.046 ms
64 bytes from 40.0.0.10 icmp_seq=5 ttl=63 time=0.919 ms

VPC3> 
```

```
VPC4> ping 40.0.0.1

64 bytes from 40.0.0.1 icmp_seq=1 ttl=255 time=0.442 ms
64 bytes from 40.0.0.1 icmp_seq=2 ttl=255 time=0.698 ms
64 bytes from 40.0.0.1 icmp_seq=3 ttl=255 time=0.906 ms
64 bytes from 40.0.0.1 icmp_seq=4 ttl=255 time=1.029 ms
64 bytes from 40.0.0.1 icmp_seq=5 ttl=255 time=1.210 ms

VPC4> ping 10.0.0.10

64 bytes from 10.0.0.10 icmp_seq=1 ttl=62 time=2.738 ms
64 bytes from 10.0.0.10 icmp_seq=2 ttl=62 time=2.799 ms
64 bytes from 10.0.0.10 icmp_seq=3 ttl=62 time=2.524 ms
64 bytes from 10.0.0.10 icmp_seq=4 ttl=62 time=1.746 ms
64 bytes from 10.0.0.10 icmp_seq=5 ttl=62 time=2.337 ms

VPC4> ping 20.0.0.10

64 bytes from 20.0.0.10 icmp_seq=1 ttl=62 time=2.916 ms
64 bytes from 20.0.0.10 icmp_seq=2 ttl=62 time=1.987 ms
64 bytes from 20.0.0.10 icmp_seq=3 ttl=62 time=2.257 ms
64 bytes from 20.0.0.10 icmp_seq=4 ttl=62 time=1.855 ms
64 bytes from 20.0.0.10 icmp_seq=5 ttl=62 time=1.786 ms

VPC4> 
```

```

L2-SW-1
VLAN Name                Status    Ports
-----
1    default                active    Et0/3
10   hr                      active    Et0/0
20   sales                   active    Et0/1
1002 fddi-default           act/unsup
1003 token-ring-default    act/unsup
1004 fddinet-default       act/unsup
1005 trnet-default         act/unsup
L2-SW-1#

```

```

L2-SW-2
L2-SW-2#show vlan brief

VLAN Name                Status    Ports
-----
1    default                active    Et0/3
10   hr                      active    Et0/0
20   sales                   active    Et0/1
1002 fddi-default           act/unsup
1003 token-ring-default    act/unsup
1004 fddinet-default       act/unsup
1005 trnet-default         act/unsup
L2-SW-2#

```

```

CORE
CORE#show vlan brief

VLAN Name                Status    Ports
-----
1    default                active    Et0/2, Et0/3
10   VLAN0010               active
20   VLAN0020               active
1002 fddi-default           act/unsup
1003 token-ring-default    act/unsup
1004 fddinet-default       act/unsup
1005 trnet-default         act/unsup
CORE#

```

```

ROUTER
ROUTER#
*Sep 18 07:04:32.822: %SYS-5-CONFIG_I: Configured from console by console
ROUTER#show ip int brief
Interface                IP-Address      OK? Method Status    Prot
-----
Loopback0                10.0.0.1        YES manual  up        up
Ethernet0/0               unassigned      YES TFTP   up        up
Ethernet0/0.1             30.0.0.1        YES manual  up        up
Ethernet0/0.2             40.0.0.1        YES manual  up        up
Ethernet0/1               1.0.0.2         YES manual  up        up
Ethernet0/2               unassigned      YES TFTP   down      down
Ethernet0/3               unassigned      YES TFTP   down      down
ROUTER#

```