


GRE VPN



```

HO-EDGE
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PFR

Gateway of last resort is 20.0.0.2 to network 0.0.0.0

S* 0.0.0.0/0 [1/0] via 20.0.0.2
    1.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    1.0.0.0/8 is directly connected, Tunnell
L    1.0.0.1/32 is directly connected, Tunnell
    10.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    10.0.0.0/8 is directly connected, Ethernet0/0
L    10.0.0.1/32 is directly connected, Ethernet0/0
    20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    20.0.0.0/8 is directly connected, Ethernet0/1
L    20.0.0.1/32 is directly connected, Ethernet0/1
S    192.168.1.0/24 is directly connected, Tunnell
HO-EDGE#

DC-EDGE
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PFR

Gateway of last resort is 30.0.0.1 to network 0.0.0.0

S* 0.0.0.0/0 [1/0] via 30.0.0.1
    1.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    1.0.0.0/8 is directly connected, Tunnell
L    1.0.0.2/32 is directly connected, Tunnell
S    10.0.0.0/8 is directly connected, Tunnell
    30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    30.0.0.0/8 is directly connected, Ethernet0/1
L    30.0.0.2/32 is directly connected, Ethernet0/1
    192.168.1.0/24 is variably subnetted, 2 subnets, 2 masks
C    192.168.1.0/24 is directly connected, Ethernet0/0
L    192.168.1.1/32 is directly connected, Ethernet0/0
DC-EDGE#
DC-EDGE#
    
```

```
VPC2>
VPC2> ping 192.168.1.20

84 bytes from 192.168.1.20 icmp_seq=1 ttl=62 time=4.735 ms
84 bytes from 192.168.1.20 icmp_seq=2 ttl=62 time=3.429 ms
84 bytes from 192.168.1.20 icmp_seq=3 ttl=62 time=3.533 ms
84 bytes from 192.168.1.20 icmp_seq=4 ttl=62 time=2.964 ms
84 bytes from 192.168.1.20 icmp_seq=5 ttl=62 time=2.922 ms

VPC2> ping 192.168.1.10

84 bytes from 192.168.1.10 icmp_seq=1 ttl=62 time=3.912 ms
84 bytes from 192.168.1.10 icmp_seq=2 ttl=62 time=3.623 ms
84 bytes from 192.168.1.10 icmp_seq=3 ttl=62 time=4.859 ms
84 bytes from 192.168.1.10 icmp_seq=4 ttl=62 time=3.775 ms
84 bytes from 192.168.1.10 icmp_seq=5 ttl=62 time=2.487 ms

VPC2> 
```

