


Server and Services Without DNS



```
ROUTER#show ip interface brief
```

Interface	IP-Address	OK?	Method	Status	Prot
Ethernet0/0	172.16.0.1	YES	NVRAM	up	up
Ethernet0/1	8.0.0.1	YES	NVRAM	up	up
Ethernet0/2	50.0.0.1	YES	NVRAM	up	up
Ethernet0/3	unassigned	YES	NVRAM	down	down

```
ROUTER#
```



The screenshot shows a QEMU (Linux-1) window with a taskbar at the top. The taskbar contains icons for various applications, including a file explorer, a terminal, and a network icon. The main window displays the following network configuration parameters:

```
ENABLE=yes  
NAME=Ethernet  
IPADDRESS=172.16.0.10  
CIDRLEN=16  
NETWORK=172.16.0.0  
NETMASK=255.255.0.0  
GATEWAY=172.16.0.1  
BROADCAST=172.16.255.255  
DHCP=no
```

A screenshot of a QEMU (Linux-1) window. The window title bar shows the QEMU logo and the text "QEMU (Linux-1)". Below the title bar is a toolbar with icons for file operations (copy, paste, save, etc.) and a search bar. The main area of the window is a black terminal with the text "Hi This is MJ" displayed in white. The terminal output is preceded by several lines of "mu" characters, which are likely artifacts from the QEMU boot process.

