





GROUND FLOOR PLAN
AREA: 90.00 SQ.M.*(968.40 SQ.F.)*
all dimension are in cm




FIRST FLOOR PLAN
AREA: 95.18 SQ.M.*(1024.13 SQ.F.)*
all dimension are in cm




SECOND FLOOR PLAN
AREA: 85.74 SQ.M.*(922.56 SQ.F.)*
all dimension are in cm



EAST SIDE ELEVATION

WEST SIDE ELEVATION



NORTH SIDE ELEVATION



SOUTH SIDE ELEVATION




TRENCH LAYOUT PLAN




FOUNDATION LAYOUT PLAN



TYP. ISOLATE FOOTING PLAN



ISOLATE FOOTING SECTION At a -a

| FOOTING | SIZE ( LXB) | D | Ast, BOTHWAY |
|---|---|---|---|
| F1 | 2.30 m x 2.30 m | 0.40 m | 12Ø @ 125 mm C/C Top & Bottom Bar |
| F2 | 2.00 m x 2.00 m | 0.40 m | 12Ø @ 150 mm C/C Top & Bottom Bar |
| F3 | 1.80 m x 1.80 m | 0.40 m | 12Ø @ 150 mm C/C Top & Bottom Bar |




TYP. ECCENTRIC FOUNDATION PLAN



ECCENTRIC FOOTING SECTION AT A- A




FOUNDATION BEAM LAYOUT PLAN




STRAP BEAM LAYOUT PLAN




COLUMN LAYOUT PLAN
For Ground Floor



TYPICAL FOUNDATION BEAM SECTION
Scale 1:40



SECTION B-B
Scale 1:25



TOP WALL DETAIL



STRAP BEAM (SB1) PLAN
Scale 1:40



SECTION AT X1
Scale 1:40



SECTION AT X2
Scale 1:40



STRAP BEAM (SB) PLAN
Scale 1:40



SECTION AT X1
Scale 1:40



SECTION AT X2
Scale 1:40



Footing Detailing of Joint of Face Columns

COLUMN DETAIL B.
Concrete Grade: M20
Steel Grade: Fe 500
Scale 1:24

| FLOOR / TYPE | COLUMN C1 Size 350mmx350mm | COLUMN C2 Size 350mmx350mm | COLUMN C3 Size 350mmx350mm | COLUMN C4 Size 350mmx350mm |
|---|---|---|---|---|
| GROUND FLOOR | 4# 20 | 4# 20,2#16#16 | 8#16 | |
| FIRST FLOOR | | 4# 20,2#16#16 | 8#16 | 4# 16,4#12#8 |
| SECOND FLOOR | | | 8#16 | 4# 16,4#12#8 |
| THIRD FLOOR | | | | 4# 16,4#12#8 |
| LATERAL TIE | 8#8 @ 100mm c/c at edges and 8#8 @ 125 mm c/c at middle | | | |




COLUMN LAYOUT PLAN
For First Floor




COLUMN LAYOUT PLAN
For Second Floor




COLUMN LAYOUT PLAN
For Top Floor




PLINTH BEAM LAYOUT PLAN







MAIN BEAM PLAN
For Ground Floor




MAIN BEAM PLAN
For First & Second Floor




MAIN BEAM PLAN
For Top Floor




BEAM ALONG TO GRID 1-1, 2-2 3-3 & 4-4




BEAM ALONG TO GRID A-A, B-B C-C & D-D




SLAB REINFORCEMENT PLAN (BOTTOM BAR)
Slab Thickness (D)=5"




SLAB REINFORCEMENT PLAN (TOP BAR)
Slab Thickness (D)=5"