## Date: 05/03/2021 Spring Boot 9AM

Mr. RAGHU

Mini Project Stages

```
Stage#1 Register Employee [Done]
Stage#2 Display Data [Done]
Stage#3 Delete By Id [Done]
Stage#4 Edit Page and Update Data [DONE]
Stage#5 UI BootStrap Design
Stege#6 UI-JQuery Validation
Stage#7 AJAX validation
Stage#8 Error Page Handling
Stage#9 Exception Handling
Stage#10 Log Implementation
______
BootStrap: It is a readymade CSS API given by Twitter.
---EmployeeRegister.html--
<!DOCTYPE html>
<html xmlns:th="https://www.thymeleaf.org/">
<meta charset="ISO-8859-1">
<title>Insert title here</title>
<link rel="stylesheet"</pre>
       href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/boot
strap.min.css" />
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js">
</script>
<script
       src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/u
md/popper.min.js"></script>
<script
       src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootst
rap.min.js"></script>
</head>
<body>
<!-- Menubar start -->
<nav class="navbar navbar-expand-lg navbar-light bg-info">
  <a class="navbar-brand text-white" href="#">EMPLOYEE APP</a>
  <button class="navbar-toggler" type="button" data-toggle="collapse"</pre>
data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
   <span class="navbar-toggler-icon"></span>
 </button>
  <div class="collapse navbar-collapse" id="navbarSupportedContent">
   <a class="nav-link text-white"</pre>
th:href="@{/employee/register}">REGISTER</a>
```

```
<a class="nav-link text-white" th:href="@{/employee/all}">VIEW
ALL</a>
      </div>
</nav>
<!-- Menubar end -->
        <div class="container">
                <div class="card">
                        <div class="card-header bg-primary text-white</pre>
text-center">
                                <h2>EMPLOYEE REGISTER PAGE</h2>
                        </div>
                        <div class="card-body">
                                <!-- <a th:href="@{/employee/all}"
class="btn btn-info"> >> VIEW ALL >> </a> -->
                                <form th:action="@{/employee/save}"</pre>
method="POST">
                                         <div class="row">
                                                 <div class="col-3">
<label>NAME</label>
                                                 </div>
                                                 <div class="col-4">
                                                         <input
type="text" name="empName" class="form-control" />
                                                 </div>
                                                 <div class="col-5">
                                                         <span
id="Error"></span>
                                                 </div>
                                         </div>
                                         <div class="row">
                                                 <div class="col-3">
<label>SALARY</label>
                                                 </div>
                                                 <div class="col-4">
                                                         <input
type="text" name="empSal" class="form-control"/>
                                                 </div>
                                                 <div class="col-5">
                                                         <span
id="Error"></span>
                                                 </div>
                                         </div>
                                         <div class="row">
                                                 <div class="col-3">
```

```
<label>DEPARTMENT</label>
                                                 </div>
                                                 <div class="col-4">
                                                          <select
name="empDept" class="form-control">
<option value="">-SELECT-</option>
<option value="DEV">DEV</option>
<option value="QA">QA</option>
<option value="BA">BA</option>
<option value="MS">MS</option>
                                                          </select>
                                                 </div>
                                                 <div class="col-5">
                                                          <span
id="Error"></span>
                                                 </div>
                                         </div>
                                         <div class="row">
                                                 <div class="col-3">
<label>ADDRESS</label>
                                                 </div>
                                                 <div class="col-4">
                                                          <textarea
name="empAddr" class="form-control"></textarea>
                                                 </div>
                                                 <div class="col-5">
                                                         <span
id="Error"></span>
                                                 </div>
                                         </div>
                                         <input type="submit"</pre>
value="Add Employee" class="btn btn-success"/>
                                 </form>
                        </div>
                        <div th:if="${message!=null}" class="card-</pre>
footer bg-info text-white">
                                 <span th:text="${message}"></span>
                        </div>
                </div>
                <!-- card end -->
        </div>
        <!-- container End -->
</body>
</html>
-----EmployeeData.html-----
<html xmlns:th="https://www.thymeleaf.org/">
```

```
<head>
<link rel="stylesheet"</pre>
       href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/boot
strap.min.css" />
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js">
</script>
<script
       src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/u
md/popper.min.js"></script>
<script
       src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootst
rap.min.js"></script>
</head>
<body>
<!-- Menubar start -->
<nav class="navbar navbar-expand-lg navbar-light bg-info">
 <a class="navbar-brand text-white" href="#">EMPLOYEE APP</a>
 <button class="navbar-toggler" type="button" data-toggle="collapse"</pre>
data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
   <span class="navbar-toggler-icon"></span>
 </button>
 <div class="collapse navbar-collapse" id="navbarSupportedContent">
   <a class="nav-link text-white"</pre>
th:href="@{/employee/register}">REGISTER</a>
     <a class="nav-link text-white" th:href="@{/employee/all}">VIEW
ALL</a>
     </div>
</nav>
<!-- Menubar end -->
       <div class="container">
              <div class="card">
                      <div class="card-header bg-primary text-white</pre>
text-center">
                             <h2>EMPLOYEE DATA PAGE</h2>
                      </div>
                      <div class="card-body">
                             <!-- < a
th:href="@{/employee/register}" class="btn btn-success"> >> ADD
EMPLOYEE >> </a> -->
```

```
white">
                                         ID
                                         NAME
                                         SAL
                                         DEPT
                                         ADDR
                                         HRA
                                         TA
                                         OPERATIONS
                                  <td
th:text="${ob.empId}">
                                         <td
th:text="${ob.empName}">
                                         <td
th:text="${ob.empSal}">
                                         <td
th:text="${ob.empDept}">
                                         <td
th:text="${ob.empAddr}">
                                         <td
th:text="${ob.empHra}">
                                         <td
th:text="${ob.empTa}">
                                         th:href="@{/employee/delete(id=${ob.empId})}" class="btn btn-danger">
DELETE </a> |
th:href="@{/employee/edit(id=${ob.empId})}" class="btn btn-success">
EDIT </a>
                                  </div>
                    <div th:if="${msg!=null}" class="card-footer</pre>
bq-info text-white">
                           <span th:text="${msg}"></span>
                    </div>
              </div>
       </div>
</body>
</html>
-----EmployeeEdit.html---
<!DOCTYPE html>
<html xmlns:th="https://www.thymeleaf.org/">
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
<link rel="stylesheet"</pre>
      href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/boot
strap.min.css" />
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js">
</script>
<script
```

```
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/u
md/popper.min.js"></script>
<script
       src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootst
rap.min.js"></script>
</head>
<body>
<!-- Menubar start -->
<nav class="navbar navbar-expand-lg navbar-light bg-info">
  <a class="navbar-brand text-white" href="#">EMPLOYEE APP</a>
  <button class="navbar-toggler" type="button" data-toggle="collapse"</pre>
data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
   <span class="navbar-toggler-icon"></span>
  </button>
  <div class="collapse navbar-collapse" id="navbarSupportedContent">
   <a class="nav-link text-white"</pre>
th:href="@{/employee/register}">REGISTER</a>
     <a class="nav-link text-white" th:href="@{/employee/all}">VIEW
ALL</a>
     </div>
</nav>
<!-- Menubar end -->
       <div class="container">
               <div class="card">
                       <div class="card-header bg-primary text-white</pre>
text-center">
                              <h2>EMPLOYEE EDIT PAGE</h2>
                       </div>
                       <div class="card-body">
                               <form th:action="@{/employee/update}"</pre>
method="POST" th:object="${employee}">
                                      <div class="row">
                                              <div class="col-3">
<label>ID</label>
                                              </div>
                                              <div class="col-4">
                                                      <input
type="text" th:field="*{empId}" class="form-control" readOnly/>
```

```
</div>
                                                 <div class="col-5">
                                                         <span
id="Error"></span>
                                                 </div>
                                         </div>
                                         <div class="row">
                                                 <div class="col-3">
<label>NAME</label>
                                                 </div>
                                                 <div class="col-4">
                                                         <input
type="text" th:field="*{empName}" class="form-control" />
                                                 </div>
                                                 <div class="col-5">
                                                         <span
id="Error"></span>
                                                 </div>
                                         </div>
                                         <div class="row">
                                                 <div class="col-3">
<label>SALARY</label>
                                                 </div>
                                                 <div class="col-4">
                                                         <input
type="text" th:field="*{empSal}" class="form-control"/>
                                                 </div>
                                                 <div class="col-5">
                                                         <span
id="Error"></span>
                                                 </div>
                                         </div>
                                         <div class="row">
                                                 <div class="col-3">
<label>DEPARTMENT</label>
                                                 </div>
                                                 <div class="col-4">
                                                         <select
th:field="*{empDept}" class="form-control">
<option value="">-SELECT-</option>
<option value="DEV">DEV</option>
<option value="QA">QA</option>
<option value="BA">BA</option>
<option value="MS">MS</option>
```

```
</select>
                                                  </div>
                                                  <div class="col-5">
                                                          <span
id="Error"></span>
                                                  </div>
                                         </div>
                                         <div class="row">
                                                  <div class="col-3">
<label>ADDRESS</label>
                                                  </div>
                                                  <div class="col-4">
                                                          <textarea
th:field="*{empAddr}" class="form-control"></textarea>
                                                  <div class="col-5">
                                                          <span
id="Error"></span>
                                                  </div>
                                         </div>
                                          <input type="submit"</pre>
value="Update Employee" class="btn btn-success"/>
                                 </form>
                         </div>
                </div>
                <!-- card end -->
        </div>
        <!-- container End -->
</body>
</html>
```