Status	Finished
Started	Wednesday, 21 October 2026, 5:58 PM
Completed	Wednesday, 21 October 2026, 6:28 PM
Duration	30 mins
Grade	**11.00** out of 15.00 (**73.33**%)

Question **1**

Incorrect

Mark 0.00 out of 1.00

Suppose d = {"john":40, "peter":45}, to delete the entry for "john" what command do we use?

a. d.delete("john")

b. del d("john":40) ✗

c. del d["john"]

d. d.delete("john":40)

Question **2**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

a. delete

b. pop

c. clear

d. del ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Keys of dictionary must be _____.

a. unique ✓

b. integers

c. antique

d. mutable

Question **4**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

- a. A dictionary can have two same values with different keys. ✓
- b. A dictionary can have two same keys with different values.
- c. A python, a dictionary can neither have two same keys nor two same values.
- d. A dictionary can have two same keys or same values but cannot have two same key-value pair

Question **5**

Incorrect

Mark 0.00 out of 1.00

Which statement is used to create an empty dictionary?

- a. d1 = { }
- b. d1 = [ ]
- c. d1 = dict{ }
- d. d1 =  ✗

Question **6**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

- a. {'b': [2, 3, 4], 'a': 1} ✓
- b. Error
- c. {'b': [2], 'a': [3]}
- d. {'b': [2], 'a': 1}

Question **7**

Incorrect

Mark 0.00 out of 1.00

We can repeat the values of Key in Dictionary?

- a. False ✗
- b. True

Question **8**

Correct

Mark 1.00 out of 1.00

Which function helps to merge dictionary 'D1' and 'D2'?

- a. get
- b. append
- c. merge
- d. update ✓

Question **9**

Correct

Mark 1.00 out of 1.00

clear() method is used to delete the dictionary.

- a. False ✓
- b. True

Question **10**

Correct

Mark 1.00 out of 1.00

Dictionary is a ____ data type.

- a. None of the mentioned
- b. Ordered
- c. Sequence
- d. Mapping ✓

Question **11**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

a. values
b. get ✓
c. del
d. update

Question **12**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.Items) ✓
b. print(A.values)
c. print(A.get)
d. print(A.keys)

Question **13**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **14**

Incorrect

Mark 0.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Janice', 'Emily', 'John', 'Eleanor']

b. ['Janice', 'John', 'Erik'] ✗

c. ['Emily', 'John', 'Erik']

d. ['Janice', 'Emily', 'John']

Question **15**

Correct

Mark 1.00 out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

a. True ✓

b. False