Status	Finished
Started	Wednesday, 21 October 2026, 6:05 PM
Completed	Wednesday, 21 October 2026, 6:35 PM
Duration	30 mins
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

a. 89 and 94

b. 90 and 99 ✓

c. 90 and 94

d. 89 and 99

Question **2**

Correct

Mark 1.00 out of 1.00

What happens when the element is found in linear search?

a. The search stops immediately ✓

b. The search starts over from the beginning

c. The search backtracks to find duplicate elements

d. The search continues until the end of the list

Question **3**

Correct

Mark 1.00 out of 1.00

What is searching in the context of computer science?

a. Deleting elements from a list

b. Determining whether an element is present in a list ✓

c. Sorting elements in a list

d. Inserting elements into a list

Question **4**

Correct

Mark 1.00 out of 1.00

Which method of searching involves sequentially comparing each element until a match is found?

- a. Linear search ✓
- b. Binary search
- c. Jump search
- d. Hashing

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following is a limitation of binary search?

- a. It does not work with negative numbers
- b. It is slower than linear search for small lists
- c. It can only be applied to large lists
- d. It requires the list to be sorted ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is a type of searching method?

- a. Linear search ✓
- b. Quick search
- c. Merge search
- d. Bubble search

Question **7**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

- a. 90 and 99 ✓
- b. 90 and 100
- c. 94 and 99
- d. 89 and 94

Question **8**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Complexity

b. Selection

c. Insertion

d. Bubble ✓

Question **9**

Correct

Mark 1.00 out of 1.00

What is the advantage of binary search over linear search?

a. Binary search works on unsorted lists

b. Binary search has a lower time complexity on large, sorted lists ✓

c. Binary search does not require dividing the list

d. Binary search can find multiple instances of the target element

Question **10**

Correct

Mark 1.00 out of 1.00

In which type of search is the list divided into smaller sublists during the search process?

a. Binary search ✓

b. Hash search

c. Sequential search

d. Linear search

Question **11**

Correct

Mark 1.00 out of 1.00

What is the time complexity of binary search in the worst case?

a. O(n log n)

b. O(log n) ✓

c. O(1)

d. O👎

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following is not a limitation of binary search algorithm?

- a. Binary search algorithm is not efficient when the data elements more than 1500 ✓
- b. Requirement of sorted array is expensive when a lot of insertion and deletions are needed
- c. There must be a mechanism to access middle element directly
- d. Must use a sorted array

Question **13**

Correct

Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

- a. Searching ✓
- b. Finding
- c. Mining
- d. Discovering

Question **14**

Correct

Mark 1.00 out of 1.00

During a linear search, what is the maximum number of comparisons needed to find an element in a list of size n?

- a. n ✓
- b. log n
- c. n-1
- d. n/2

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following statements about linear search is true?

- a. Linear search divides the list into halves.
- b. Linear search requires the list to be sorted.
- c. Linear search can be applied to both sorted and unsorted lists. ✓
- d. Linear search is more efficient than binary search on large lists.