| | |
|---|---|
| **Status** | Finished |
| **Started** | Wednesday, 21 October 2026, 5:19 PM |
| **Completed** | Wednesday, 21 October 2026, 5:49 PM |
| **Duration** | 30 mins |
| **Grade** | **14.00** out of 15.00 (**93.33**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

```
L=[0.5 * x for x in range(4)]
print(L)
```

Answer: [0.0, 0.5, 1.0, 1.5] ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Find the output?

```
list1 = [1, 2, 3, 4,1,2,3]
list1.sort()
list1.pop()
list1.reverse()
print(list1)
```

- a. [3, 3, 2, 2, 1, 1] ✓
- b. [3, 2, 1, 3, 2, 1]
- c. [4, 3, 3, 2, 2, 1, 1]
- d. [4, 3, 3, 2, 2, 1]

Question **3**

Correct

Mark 1.00 out of 1.00

Suppose list1 is [2, 33, 222, 14, 25], What is list1[-3]?

- a. 14
- b. 25
- c. 222 ✓

Question **4**

Incorrect

Mark 0.00 out of 1.00

Find the output?

list1 = list('REC_CSE_ECE')

print(list1.index('_'))

a. -4

b. 3 ✗

c. AttributeError: 'list' object has no attribute 'find'

d. 4

Question **5**

Correct

Mark 1.00 out of 1.00

1. `def f(values):`
2. `    values[0] = 44`
3. `v = [1, 2, 3]`
4. `f(v)`
5. `print(v)`

Answer: [44, 2, 3] ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following can add only one value to a list?

a. push()

b. append() ✓

c. extend()

d. add()

Question **7**

Correct

Mark 1.00 out of 1.00

Find the output?

list1 = list('REC_CSE_ECE')

print(list1.count('_'))

- a. 3
- b. -4
- c. Error
- d. 2 ✓

Question **8**

Correct

Mark 1.00 out of 1.00

Suppose list1 is [35, 55, 25, 11, 3], what is min(list1)?

- a. 35
- b. 3 ✓
- c. 11

Question **9**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

1. `>>>names = ['Amir', 'Bear', 'Charlton', 'Vaishali']`
2. `>>>print(names[-1][-1])`

- a. Vaishali
- b. i ✓
- c. A

Question **10**

Correct

Mark 1.00 out of 1.00

Choose a correct statement

a. 🪆 is used to represent the list

b. List are immutable

c. List is data structure in python used to store the sequence of same types.

d. List is data structure in python used to store the sequence of various types. ✓

Question **11**

Correct

Mark 1.00 out of 1.00

To shuffle the list(say list1) what function do we use?

a. random.shuffle(list1) ✓

b. list1.shuffle()

c. random.shuffleList(list1)

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output after the following statements?
m = [50, 25, 65, 0, 99]
n = max(m)
print👎

a. 25

b. 99 ✓

c. 0

d. (50, 25, 65, 0, 99)

Question **13**

Correct

Mark 1.00 out of 1.00

What will be the output after the following statements?
m = 'A'
n = 'B'
o = 'C'
p = [m, n, o]
print(p)

- a. [‘A’, ‘B’, ‘C’] ✓
- b. [‘C’, ‘A’, ‘B’]
- c. ‘C’, ‘A’, ‘B’
- d. [‘C’, ‘B’, ‘A’]

Question **14**

Correct

Mark 1.00 out of 1.00

Choose a correct representation of list

- a. 10,20,30,REC
- b. {10,20,30,'REC'}
- c. [10,20,30,'REC'] ✓
- d. (10,20,30,'REC')

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output when we execute list(“welcome”)

- a. a) [‘w’, ‘e’, ‘l’, ‘c’, ‘o’, 'm', 'e'] ✓
- b. c)['emoclew']
- c. b) [‘welcome’]