



NUS
National University
of Singapore



GRADUATE CERTIFICATE

INTELLIGENT REASONING SYSTEM (IRS)

PROJECT REPORT



- Enhancing Birdwatching with AI

GROUP MEMBERS

Ashiwin Rajendran (A0291191E)

Jithin Krishnan (A0249481W)

Prem Varijakzhan (A0291913B)

Shankar Sai Ganesh (A0168149U)

TABLE OF CONTENTS

1. Executive Summary	4
Preface.....	4
Problem.....	4
Opportunity.....	4
Solution	4
Design Techniques.....	4
Closing Thoughts	5
2. Project Background	6
Market Context.....	6
Problem Statement.....	6
Objective.....	6
3. System Design	8
Application Features	8
Bird Informational Queries	8
Text Based Bird Identification	8
Image Based Bird Identification	9
Bird Sighting Prediction	10
Park Recommendation	11
Heat Map	11
Operational Flow	12
System Architecture	13
Architectural Diagram	13
System Components	14
4. Implementation	16
Application Frameworks and User Interfaces.....	16
Backend API.....	16
Web User Interface	16
Mobile Application (Android).....	17
Large Language Models Integration	18
User Intent detection to use respective ML models.	18
Model creation for each Features.....	19
Bird Informational Queries	19
Text Based Bird Identification	23
Image Based Bird Identification	26
Bird Sighting Prediction	29
Park Recommendation	32
Data preparation.....	34

Heatmap	37
Data Preparation.....	37
Model Creation	37
5. Version Control and Deployment	40
Version Control with Git and GitHub.....	40
Deployment and Hosting in Heroku Cloud.....	40
Continuous Integration/Continuous Deployment (CI/CD)	40
6. Testing and Validation	41
7. Conclusion	45
8. Recommendations	46
9. References.....	47
APPENDIX A: PROJECT PROPOSAL	48
APPENDIX B: PROJECT PROGRESS TRACKING	49
APPENDIX C: INDIVIDUAL REPORT	50
APPENDIX D: MAPPED SYSTEM FUNCTIONALITIES AGAINST KNOWLEDGE OF COURSES KNOWLEDGE OF COURSE.....	69
APPENDIX E: INSTALLATION AND USER GUIDE.....	70

1. EXECUTIVE SUMMARY

PREFACE

Singapore's diverse avian population often goes unnoticed during urbanization. To address this, we introduce an innovative AI chatbot application called WingSpan designed to enhance birdwatching experiences. This report outlines the problem, the opportunity it presents, our proposed solution, design techniques employed, and closing thoughts on the project.

PROBLEM

Despite Singapore's rich bird species, there is a lack of accessible tools for bird identification and locating birdwatching spots. Traditional methods are time-consuming and require expertise, while information on bird hotspots is often scattered and outdated and is not easily accessible.

OPPORTUNITY

Advancements in AI, including GPT-4 and ML models, offer an opportunity to revolutionize birdwatching. By leveraging these technologies, we can create a user-friendly platform that simplifies bird identification and enables easy discovery of birdwatching spots, fostering greater appreciation for Singapore's natural environment.

SOLUTION

Our solution is an AI chatbot called WingSpan, which offers comprehensive functionalities:

- **Bird Information:** This feature provides users with extensive information about various bird species, including their habitat and conservation status, enabling users to expand their ornithological knowledge.
- **Bird Identification by Description:** Users can input descriptions of birds they encounter, and the system will assist in identifying the species, aiding in the exploration and discovery of avian life.
- **Bird Identification from Photos:** This feature allows users to upload photos of birds for identification, leveraging visual data for species recognition.
- **Bird Spotting Predictions:** Utilizing historical data, the application predicts the likelihood of spotting specific birds, aiding enthusiasts in planning their birdwatching activities.
- **Park Recommendation:** By analysing data on bird populations and activity, the system recommends parks for birdwatching.
- **Bird Abundance Heatmap in Singapore:** An interactive heatmap feature displays areas of high bird abundance within Singapore, serving as a strategic tool for birdwatching planning.

DESIGN TECHNIQUES

WingSpan incorporates several design techniques to ensure a seamless and enjoyable birdwatching experience:

- **User-Friendly Interface:** The chatbot interface is designed to be intuitive and easy to navigate, allowing users to interact effortlessly with the application.

- **Natural Language Processing:** Leveraging GPT-4's language understanding capabilities, WingSpan interprets user queries and descriptions accurately, enhancing the interaction experience.
- **Image Recognition:** WingSpan utilizes GPT-4 Vision Preview's image recognition capabilities to accurately identify bird species from user-uploaded images, providing instant results.
- **Personalized Recommendations:** WingSpan offers personalized recommendations for bird sightings and park locations based on user preferences, ensuring tailored suggestions for each user.
- **Data-Driven Bird Heat Map:** WingSpan provides a bird heat map generated by ML models that predict where birds will be sighted based on historical data for each week. While not real-time, this feature offers valuable insights into bird activity patterns.

CLOSING THOUGHTS

WingSpan represents a significant step forward in leveraging AI and machine learning to enhance birdwatching experiences. By addressing the existing challenges of bird identification and locating birdwatching spots, WingSpan empowers both seasoned enthusiasts and newcomers to explore and appreciate Singapore's avian diversity.

Through intuitive design and advanced technology, WingSpan not only simplifies the process of bird identification but also encourages users to engage with nature in a meaningful way. By fostering greater accessibility and interest in birdwatching, WingSpan contributes to the conservation and appreciation of Singapore's natural environment.

As we continue to refine and expand WingSpan's capabilities, we are excited about the potential to inspire more people to connect with the natural world and contribute to the preservation of our avian habitats. With ongoing updates and enhancements, WingSpan will remain a valuable tool for birdwatchers, promoting conservation efforts and enriching the experience of exploring Singapore's vibrant birdlife.

2. PROJECT BACKGROUND

WingSpan is envisaged as an innovative solution at the intersection of artificial intelligence and user experience design, specifically tailored for the bird-watching community in Singapore. This project is borne out of the observation that despite the rich biodiversity and the popularity of bird watching as a recreational activity, enthusiasts face considerable barriers that diminish their experience and engagement. These barriers include difficulties in species identification, lack of predictive insights for bird sightings, and absence of an integrated, user-friendly platform for accessing relevant information. WingSpan proposes a comprehensive AI-driven application that leverages machine learning algorithms, data analytics, and advanced user interface designs to overcome these challenges, thereby enhancing the bird-watching experience.

MARKET CONTEXT

Trends: Birdwatching in Singapore is experiencing a surge in popularity, fueled by a broader interest in eco-tourism and environmental conservation ^[1]. This increase in engagement is part of a global trend that sees both casual observers and dedicated ornithologists contributing to the understanding and preservation of avian species ^[1]. Despite the enthusiasm, bird-watchers face significant challenges in identifying species, predicting sightings, and locating birds, often relying on disparate sources that lack real-time data and predictive capabilities.

Key Payers and Shortcomings: Current platforms like BirdCast ^[2] offer insights into migration patterns but do not provide location-specific predictions in Singapore. Ebird ^[3], another platform, while enabling users to update their sightings, lacks predictive functionality, and the Singapore Bird Database ^[4], although it contains extensive historical data, does not offer forecasts of bird sightings.

Market Demand: These gaps in functionality underscore a broader market need. There is no application specifically tailored to Singapore's unique habitats that predicts bird sightings, which is a significant limitation noted by the community. Enthusiasts frequently discuss the difficulties they encounter in locating and accurately identifying birds ^[5] ^[6], which indicates a strong demand for a solution that integrates real-time data and predictive analytics.

PROBLEM STATEMENT

Despite the availability of online databases and mobile applications for bird identification and logging, bird watchers in Singapore and globally face significant hurdles. These include the difficulty of identifying bird species from physical characteristics or photographs, the unpredictability of bird sightings, and the lack of personalized, location-specific advice for optimal bird-watching experiences. Furthermore, existing tools often do not account for temporal and environmental variables that significantly influence bird presence and behavior. These gaps in the current bird-watching landscape underscore the need for a holistic, data-driven solution.

OBJECTIVE

The overarching goal of WingSpan is to develop a multifaceted, AI-enhanced application that streamlines the bird-watching process, from species identification to sighting prediction, while providing a rich, educational user experience. Specifically, the project aims to:

1. Implement bird information enquiries.
2. Utilize image recognition technology for accurate species identification from user-uploaded photographs.

3. Implement the prediction of bird presence based on location, date, and environmental factors, utilizing comprehensive historical datasets.
4. Generate dynamic heatmaps reflecting bird sighting probabilities across Singapore, leveraging linear regression models and historical sighting data.
5. Offer personalized park recommendations using a content-based recommendation system, enhancing the user's bird-watching itinerary planning.
6. Create an engaging and user-friendly interface with a sophisticated LLM-powered chatbot for user interaction, capable of handling a variety of queries and guiding users through the application's features.

Through these objectives, WingSpan aspires to not only enrich the bird-watching experience but also contribute valuable data to bird conservation efforts, promote environmental education, and encourage public engagement with nature.

3. SYSTEM DESIGN

APPLICATION FEATURES

Following are the key application features in detail:

BIRD INFORMATIONAL QUERIES

OBJECTIVE:

To provide following information about various birds based on trained data:

- Scientific Name, name in different Languages (Chinese and Malay), Locations found across the globe, Taxonomy, Subspecies, Local Subspecies, Size, Identification details, Behavior and Ecology, Local Status and Conservation Status

TECHNOLOGY/ALGORITHMS USED:

- Python script using the Selenium library for web scraping and data preparation.
- 'GPT-4-turbo-preview' model for contextual understanding and searching data, providing bird information to the user.
- Open AI's Assistant API feature, fine-tuned with bird information data.

WORKING MECHANISM:

- **User Interaction:** Users make requests through a chat interface to provide the information they need.
- **Backend Reception:** The request is received at the backend API endpoint.
- **Intent Recognition:** The user's intent is identified by the LLM model, taking the conversation history into consideration.
- **Data Integration and Prompt Crafting:** Respective methods to communicate with the Assistant API are called with a crafted prompt to search the attached data and provide the bird information requested.
- **Querying the data:** The Assistant API that uses 'GPT-4-turbo-preview' model, already having the information of common birds as an attachment, receives a carefully crafted prompt to fetch the information. It searched the attached data to fetch the bird information.
- **Response Formulation:** The model formulates a response based on the retrieved information, which includes the details about the bird.
- **User Response Delivery:** This response is delivered back to the user through the interface, completing the identification process.

TEXT BASED BIRD IDENTIFICATION

OBJECTIVE:

To identify bird species based on textual descriptions or queries.

TECHNOLOGY/ALGORITHMS USED:

- GPT-4 LLM model for contextual understanding and identification based on textual input and additional prompts and data.
-

WORKING MECHANISM:

- **User Interaction:** Users make requests through a chat interface to provide the information they need.
- **Backend Reception:** The request is received at the backend API endpoint.
- **Intent Recognition:** The user's intent is identified by the LLM model, taking the conversation history into consideration.
- **Data Integration and Prompt Crafting:** Alongside the contextual analysis, the model integrates additional data provided for bird identification. This includes a specialized dataset of bird species characteristics. A specialized prompt is crafted using input data and contextual analysis. This prompt is designed to extract the most relevant information from the database for bird identification. The GTP4-model used in the assistant API uses the crafted prompt to retrieve information from its data sources that can help identify the bird species mentioned in the user's query.
- **Response Formulation:** The model formulates a response based on the retrieved information, which includes the bird's species name, characteristics, and potentially other relevant details.
- **User Response Delivery:** This response is delivered back to the user through the interface, completing the identification process.

IMAGE BASED BIRD IDENTIFICATION

OBJECTIVE:

To identify bird species from user-uploaded images.

TECHNOLOGY/ALGORITHMS USED:

- GPT-4-vision LLM model for contextual understanding and identification based on image analysis and additional prompts and data.
-

WORKING MECHANISM:

- **User Interaction:** A user uploads an image of a bird through the chat interface to request identification.
- **Backend Reception:** The uploaded image is received at the backend API endpoint, where it is prepared for analysis. The GPT-4-vision LLM model assesses the image's content, considering any conversation history that might provide context for the identification request.
- **Intent Recognition:** The user's intent is identified by the LLM model, taking the conversation history into consideration.
- **Bird Identification:** Using advanced image recognition capabilities of GTP-4 Vision model, the model conducts a contextual analysis of the image to detect features specific to bird species, such as color patterns, size, and shape. Concurrently, the model integrates additional data pertinent to bird identification. This data includes a curated list of common birds in Singapore. Utilizing the generated

prompt, the GPT-4-vision LLM model queries its data sources to find a match for the bird species in the image.

- **Response Formulation:** Once a match is found, the model formulates a response. This response will include the identified bird's species name, visual characteristics that led to the identification, and other pertinent details.
- **User Response Delivery:** The identification details are communicated back to the user via the chat interface, thus completing the bird species identification process based on the image provided.

BIRD SIGHTING PREDICTION

OBJECTIVE:

To leverage advanced machine learning techniques to predict the presence of bird species at a specific location and date, enhancing the bird-watching experience by providing accurate, data-driven insights.

TECHNOLOGY/ALGORITHMS USED:

- **Random Forest Classifier:** A machine learning algorithm known for its accuracy and robustness in classification tasks.
- **Data Collection & Preprocessing Techniques:** Selenium to extract data from sources and pre-processing. Includes normalization, outlier detection, and encoding to prepare the dataset for analysis.
- **Hyperparameter Tuning:** Techniques such as grid search and cross-validation to find the optimal settings for the model.
- **Environmental Data:** Incorporating current and forecasted weather data like temperature, humidity, and precipitation levels.
- **User Interaction:** GPT-4 LLM Assistant API model for contextual understanding from the user prompt and query handling to extract the relevant input features for the prediction model.

WORKING MECHANISM:

- **Advanced Preprocessing and Feature Engineering:** Sophisticated preprocessing techniques to standardize and normalize the data and removal of inconsistencies to ensure that ML algorithm can interpret it effectively.
- **Incorporation of Temporal and Spatial Analysis:** Utilizes temporal data analysis to understand seasonal patterns. Spatial analysis helps in understanding geographical distribution and location preferences, also integration of Environmental Variables is done for real-time and historical weather data as predictive variables. All these add a layer of prediction accuracy.
- **Machine Learning Model Optimization:** Detail the use of ensemble learning techniques, such as Random Forest, emphasizing their advantage in reducing overfitting and improving prediction robustness. Discuss the implementation of grid search and cross-validation in hyperparameter tuning, elaborating on how these techniques methodically explore various parameter combinations to identify the most effective model settings.
- **Data Handling and Prediction:** The chat handling mechanism for bird prediction integrates GPT-4 LLM to understand user queries and answer accordingly. It utilizes NLP techniques to interpret and extract data from queries effectively. It involves:
 - **Data Extraction:** Extracting relevant information (location, date) from user inputs using entity recognition and extraction of weather information from weather forecast API.

- **Response Generation:** Leveraging the prediction model to provide specific bird species predictions and presenting the information in a user-friendly manner through the chat interface.
- This approach ensures a seamless, interactive experience, guiding users with precision and efficiency.

PARK RECOMMENDATION

Objective:

To recommend parks that are most likely to feature specific bird species based on historical sighting data, enhancing the bird-watching experience for enthusiasts.

Technology/Algorithms Used:

- **Data Collection & Preprocessing Techniques:** Selenium to extract data from sources and pre-processing
- **Item-based Collaborative Filtering with KNNBasic:** Employs collaborative filtering techniques to predict the presence of bird species in various parks. This approach personalizes park recommendations based on historical data.
- **Hyperparameter Tuning:** Utilizes cross-validation to optimize the collaborative filtering model for better prediction accuracy.
- **GPT-4 LLM model** for contextual understanding of user intent and identifying the specific bird's name for prediction to feed to the model, providing bird information to the user.

Working Mechanism:

- **Data Handling and Preprocessing:** The system retrieves and preprocesses bird sighting data, normalizing counts and detecting outliers to prepare for collaborative filtering.
- **Model and Prediction:** Utilizes the KNNBasic algorithm to generate predictions based on similarities between parks and historical sightings data. The model is tuned through cross-validation to ensure robustness and accuracy.
- **User Interaction and Response Generation:** Users can query the system via a chat interface to request park recommendations for bird watching. The system uses natural language processing to understand and extract relevant information from user queries.
- **Recommendation Delivery:** The system provides a list of recommended parks, sorted by the likelihood of spotting the queried bird species. The recommendations are presented in a user-friendly format, making it easy for bird watchers to plan their visits.

HEAT MAP

Objective:

A heat map of the bird abundance is generated for the current week based on the predicted count of birds across Singapore.

Technology/Algorithms Used:

- Python Selenium to extract data
- Python with pandas for data preprocessing and manipulation

- scikit-learn for model training and evaluation (Linear Regression, Random Forest Regressor, Gradient Boosting Regressor, Support Vector Regressor, K-Nearest Neighbours Regressor).
- Joblib for model persistence.
- Django REST framework for API development.
- OpenAI ChatGPT Assistant API for conversational interface.
- Plotly for heatmap visualization

Working Mechanism:

- **Chat Interface with Assistant API:**
 - Users send queries (e.g. "I want a heat map") through the chat interface.
 - Django backend interacts with the OpenAI ChatGPT Assistant API to process the query.
 - The backend retrieves the trained model for predicting bird counts.
 - Current week and location data are prepared based on user input or current time.
 - Predictions are generated using the trained model.
 - Plotly creates a heatmap based on predicted counts and location data.
 - The heatmap is returned to the user interface for display.
- **Heatmap Visualization:**
 - Latitude, longitude, and current week data are collected.
 - Distance is calculated from latitude and longitude.
 - Trained model predicts bird populations based on features.
 - Plotly generates a density heatmap using latitude, longitude, and predicted counts.
 - The map is centered around the mean latitude and longitude of the locations.
 - Heatmap is returned to the user interface for display.
- **Model Loading:**
 - Trained model is loaded from the file path.
 - Current week and location data are prepared for prediction.
 - Predictions are generated using the loaded model.

OPERATIONAL FLOW

The integrated workflow of our application encapsulates the intricate collaboration between various technological components to deliver a seamless user experience and provide accurate responses to bird-related queries. User interactions are initiated via an Android application or a Web UI, both of which connect to our Django backend hosted on Heroku Cloud.




Figure 1 Operational Flow Chart

1. Users send a chat either through an Android or Web App.
 2. User intent is identified using GPT-4 Large Language Model.
 3. If it is a bird information request, the query is processed with a chat API using an OpenAI GPT-4 Language Model.
 4. For text-based identification, the query is processed in a similar fashion.
 5. If image-based identification is needed, the system utilizes GPT-4 with a Vision Model.
 6. For sighting prediction, the workflow checks if all features are available. a. If yes, it proceeds to prediction using a Random Forest ML model. b. If no, the dialogue continues with the user.
 7. For park recommendations, an algorithm provides top park suggestions if all features for prediction are available.
 8. Viewing a heatmap involves generating it using Gradient Boosting Regression Model if all data is available.
 9. The output from the ML models is processed as natural language with GPT-4.
 10. The final response is sent to the user.

SYSTEM ARCHITECTURE

ARCHITECTURAL DIAGRAM




Figure 2 System Architectural Diagram

SYSTEM COMPONENTS

USER INTERFACES

There are both Web and Android mobile User interfaces for the application. Both interfaces are designed to offer a seamless user experience, allowing users to input text or upload images for bird identification and access various bird-related information and services.

- **Android Device**: Users interact with the system through an Android application, which serves as one of the primary interfaces for the service.
- **Desktop Device**: Alternatively, users can engage with the application via a web-based user interface (UI) powered by the Django application, facilitating access from desktop devices.

BACKEND SERVER

- **Django Application Hosted in Heroku Cloud**: The backend logic of the application is handled by a Django application. This Python-based framework is known for its simplicity and flexibility. The entire application is hosted on Heroku Cloud, providing scalable server infrastructure with easy deployment processes.
- **Chat GPT Assistant API**

LLM MODELS

Leveraging the GPT-4 model, the Chat GPT Assistant API processes natural language inputs from users. This component is responsible for understanding user queries and generating appropriate responses.

Two specialized Large Language Models (LLMs) are employed:

- **GPT-4/GPT-4 Turbo:** Used for processing and responding to text-based user queries.
- **GPT-4 Vision:** Specifically utilized for analyzing images uploaded by users to identify bird species.

These models are crucial for enabling intelligent and context-aware interactions, capable of understanding and providing information or performing bird identification based on user inputs.

MACHINE LEARNING MODELS

- **Machine Learning Models:** A suite of machine learning models is incorporated into the system for various predictive and analytical tasks:
- **Random Forest:** This is used for prediction bird sighting based on user inputs.
- **Gradient Boosting Regression Model:** Utilized for generating heatmaps for bird abundance.
- **Recommendation Algorithm:** To provide park recommendations for the birds using interest to watch.
- These models are central to providing advanced services beyond simple information retrieval, such as predictive analytics and personalized recommendations.

DATA STORAGE

- **SQLite Database:** Serving as the application's data repository, the SQLite database stores conversation history within HTTP sessions. This storage solution enables the system to maintain context during interactions, enhancing the user experience by allowing the application to reference previous inquiries and user data.

4. IMPLEMENTATION

APPLICATION FRAMEWORKS AND USER INTERFACES

This section details the software architecture of the application, highlighting the Backend API, Web User Interface, and the Mobile Application for Android.

BACKEND API

The backend of the application is built using Django, a high-level Python web framework that encourages rapid development and clean, pragmatic design. The application is using Django version 5.0.3, which follows the Model-View-Controller (MVC) architectural pattern.

The backend manages several API endpoints, in its Controller class (Views.py file), providing various functionalities:

- **Querying the data with LLM:** Utilizes classes such as BirdInformationBot, BirdIdentificationBot, and related services for each feature to provide information and identify birds based on user queries.
- **LLM based Image Processing:** The ImagelidentificationBot handles image-based bird identification. Images are managed to ensure the server maintains only the latest files, with a limit of five images at a time.
- **Predictive Analytics:** Using BirdPredictionBot and BirdHeatMapBot, the application predicts bird spotting opportunities and generates heat maps for bird activity.
- **Location Services:** LocationRecommendationBot suggests optimal bird-watching locations.

WEB USER INTERFACE

The web interface is designed using HTML templates integrated within the Django framework, enhanced by Bootstrap 5 for a rich user interface and custom CSS for styling. AJAX requests are employed to send user queries to the backend, facilitating a dynamic and responsive user experience without reloading the page.

KEY FEATURES

- **AJAX Integration:** Enhances user experience by making asynchronous requests to the server, allowing for live updates of content without reloading the webpage.
- **Responsive Design:** Bootstrap 5 ensures that the application is accessible and visually appealing across different devices and screen sizes.



Figure 3 Web User Interface

MOBILE APPLICATION (ANDROID)

The mobile application is developed using Kotlin in Android Studio, focusing on providing a seamless mobile user experience. It primarily utilizes WebView to embed the mobile-responsive web interface within the app. This approach ensures that all functionalities available on the web are also accessible on mobile devices.

KEY COMPONENTS

- **WebView:** Allows embedding of web content within the mobile app, ensuring feature parity with the web interface.
- **File Upload Handling:** Integrated support for file uploads, particularly for image-based bird identification, using Android's WebChromeClient and handling file chooser intents.




Figure 4 Mobile User Interface (Screenshot from Android Studio Emulator)

Mobile User Interface (Screenshot from Android Studio Emulator)

LARGE LANGUAGE MODELS INTEGRATION

The application leverages OpenAI's large language models (LLMs) to enhance its functionality by providing advanced natural language processing capabilities. This integration allows the application to understand and respond to user queries with high accuracy and contextual relevance.

INTEGRATION DETAILS

- **API Key Configuration:** The integration starts with setting up the OpenAI API key. The key is securely stored in the environment variables of the server where the Django application is hosted. This approach not only protects the key from unauthorized access but also makes it easy to manage across different deployment stages (development, testing, production).
- **Client Initialization:** In the Django application, the OpenAI client is initialized using the API key retrieved from the environment variables. This client acts as the gateway for sending requests to OpenAI's servers and receiving responses. The code snippet below demonstrates the initialization process:

USER INTENT DETECTION TO USE RESPECTIVE ML MODELS.

The User Intent Detection system is a sophisticated component of the application that uses OpenAI's large language model (LLM), specifically GPT-4, to accurately understand and respond to user inquiries. It is a crucial intermediary that connects the user's natural language requests with the appropriate machine learning models for handling specific tasks.

INTENT DETECTION WORKFLOW:

- **User Interaction:** The user interacts with the application via a web or mobile interface. They may pose a question, describe a bird, upload a photo, or ask for recommendations or predictions, as displayed in the UI screenshot.
- **API Endpoint Invocation:** When the user submits their query, an AJAX call is made to the handleRequest API endpoint on the backend, which triggers the intent detection process.
- **Session Management:** A user's conversation history is maintained in the session storage, which helps in understanding the context of the user's current intent.
- **Intent detection and processing logic:** First the system verifies if there is an image attached to the user's request. If an image is present, image-based identification logic is processed. The 'handle_message' method in ImgelidentificationBot processes it for identification.
- If no image is present, the user's input is then sent to the GTP-4 model with any relevant conversation history to identify the intent. The intent is identified based on the message content and the role labels 'system' and 'user', which provide context to the LLM. The identified intent is categorized as one of the following the following:
 - Greeting
 - Bird Information
 - Bird Identification
 - Spotting Prediction
 - Hotspot Map
 - Park Recommendation
 - Unclear Intent

Once the intent is identified, the system decides which specialized ML model to use:

- **Bird Information:** Inquiries about bird facts, habitat, and conservation status are managed by the BirdInformationBot class. Its handle_message method is called upon identifying the intent as 'Bird Information'.
- **Bird Identification by Description:** Requests for bird identification by description are handled by BirdIdentificationBot. The class's handle_message method is activated when the intent is recognized as 'Bird Identification'.
- **Bird Spotting Predictions:** The BirdPredictionBot is responsible for predicting bird spotting opportunities once the intent 'Spotting Prediction' is identified.
- **Bird Abundance Heatmap:** The HotspotMap generates a heatmap showing bird abundance and activity. The intent associated with this function is 'Hotspot Map', and the HotspotMap class's handle_message method is called to produce the heatmap.
- **Park Recommendation:** Users seeking the best parks for birdwatching are supported by LocationRecommendationBot. For requests with the intent 'Park Recommendation', the LocationRecommendationBot class's handle_message method is invoked to provide recommendations.
- **Response Generation:** After processing the user's request through the respective ML model, a response is generated and sent back to the user. The conversion history is added to the HTTP session and saved in the database to keep track of the subsequent request from same user.

MODEL CREATION FOR EACH FEATURES

BIRD INFORMATIONAL QUERIES

DATA COLLECTION

Using Python with the Selenium library, we automated the scraping of bird species information from the "Singapore Birds Project" website. Our script systematically navigated the site, extracting data from individual species pages. To maintain ethical web scraping

practices, we incorporated delays between page requests to minimize server load. Data on available 415 common birds in Singapore were collected.

Northern Shoveler
Scientific Name: *Spatula clypeata*
Malay Name: Itik-Sudu Utara
Chinese Name: 虎嘴鸭
Alternative Name(s): Shoveller, Common Shoveller, Red Shoveller
Range: Found from Europe to North Africa, temperate Asia and North America, wintering to Equatorial Africa, Indian subcontinent, southern China, Korea, Japan, mainland Southeast Asia, Philippines, Central and South America.
Taxonomy: Monotypic.
Size: 43-52 cm
Identification: Male has long, wide, spatula-shaped bill, dark green head and upper neck, white breast, chestnut flanks and black tail-coverts. Female and juvenile can be easily distinguished from other duck species from the distinctive bill shape.
Habitat: Lakes, rivers, marshes and various wetland habitats.
Behaviour/Ecology: Feeds in very shallow water, using its bill to sift through the mud for minute aquatic animals, plants and seeds.
Local Status: Vagrant
Conservation Status: Least Concern (BirdLife International 2019)

Figure 5 Sample of collected Data.

DATA CONVERSION AND STORAGE

The data was then stored systematically for easy retrieval, as an offline resource to be used later by the chat GPT assistant API with 'GPT-4-turbo-preview.'

This processed dataset was then structured in a format that could be efficiently queried by the GPT-4 LLM model during live user interactions, facilitating prompt and accurate data retrieval.

MODEL CREATION

The core of the bird information system is built on the 'GPT-4-turbo-preview' LLM model, enhanced with a fine-tuning process using the prepared bird data. This model creation step involved training the model to understand and generate contextually relevant responses based on user queries. The fine-tuning process utilized the Open AI's Assistant API feature, where the bird data collected was converted to text file and integrated as a searchable attachment.




Figure 6 ChatGPT Assistant API for Bird information with attached data

During model creation, along with the Instructional prompt for Assistant API, custom prompts were crafted to do a semantic search in the attached document and fetch the information asked.




Figure 7 Figure 6 Instructional prompt for Assistant API

```
Codumate: Options | Test this method
def handle_message(self, request):
    conversation_history = request.session.get("conversation_history", [])
    # Get the last 10 items of the conversation history
    conversation_history_recent = conversation_history[-10:]
    try:
        user_query = request.data.get("query", "")
        extended_prompt = f"message: '{user_query}'. Your goal is to get \
            accurate bird information from the attached 'Birds_Information.txt' \
            data with a semantic search. If my intention isn't clear, \
            please ask for more details on the kind of support I need from \
            your chat service regarding birds. Make the conversation so \
            realistic and give clarity so that I can provide correct \
            information. Do not tell what document use, i.e., the file name \
            'Birds_Information.txt' to the user in your reply. \
            Format your response to sound natural. Take Conversation \
            history:{conversation_history_recent} into consideration to \
            understand what I am saying \
            Don't include source and References from the attachment \
            in your response. Don't mention any technical detail or \
            attachment used as well"
        response = self.talk_to_assistant(extended_prompt)
        return {"response": response}

    except Exception as e:
        print(f"An error occurred: {e}")
        return "An error occurred while processing your request."
```

Figure 8 Extended prompt to query the attached data along with conversational history

MODEL PERFORMANCE

- The model's performance was assessed using Python test scripts designed to submit a series of bird-related informational queries to the model through an API call. (Refer to Application root folder>Test>'bird_information_test.py' for the test script)
- A pre-prepared list of correct answers was used for comparison.
- The model's responses were evaluated against these answers by a manual comparison, achieving an impressive accuracy rate of 95%.

Questions	Answers	Model Answers	Pass/Fail
What is the conservation status of the Long-toed Stint?	Least Concern (BirdLife International 2016).	{"response": "The Long-toed Stint is currently listed as being of Least Concern according to the BirdLife International 2016 assessments."}	Pass
Where can the Red-necked Stint be spotted in Singapore?	Locations include Marina East Drive, Sungei Buloh Wetland Reserve, and Seletar Dam .	{"response": "The Red-necked Stint can be spotted in various locations throughout Singapore. Some of the notable places where this uncommon migratory bird can be seen are Marina East Drive, Sungei Buloh Wetland Reserve, Seletar Dam, Pulau Tekong, Chek Jawa at Pulau Ubin, and Tuas South."}	Pass
What is the identifying feature of the Spoon-billed Sandpiper?	It has a spatulate bill .	{"response": "The identifying feature of the Spoon-billed Sandpiper is its distinctive spatulate bill. This unique trait sets it apart from other small waders such as the Red-necked Stint and Little Stint with which it shares similarities in size and appearance."}	Pass
What is the local status of the Arctic Warbler in Singapore?	It is a very common migrant.	{"response": "The Arctic Warbler is considered a very common migrant in Singapore. It is known for its yellowish-white supercilium, olive-green crown, and upperparts with subtle wing bars. You might find them in a variety of habitats, including forests, wooded areas, and urban parks and gardens. The conservation status of the Arctic Warbler, based on BirdLife International 2016, is listed as 'Least Concern,' highlighting its stable population at a global scale."}	Pass

Figure 9 Samples from the output CSV file.

TEXT BASED BIRD IDENTIFICATION

DATA COLLECTION

We utilized the same bird informational data that was discussed in the Bird Informational Queries section. This dataset includes size, identification information, behavior, and other details for 415 common birds found in Singapore.

DATA CONVERSION AND STORAGE

The data was stored in Attachment E to be later used by the ChatGPT Assistant API with the 'GPT-4-turbo-preview' model.

MODEL CREATION

The text-based bird identification model employs the 'GPT-4-turbo-preview' LLM, enhanced through a fine-tuning process with the prepared bird data. This step involved training the model to understand and generate contextually relevant responses based on user queries. We utilized OpenAI's Assistant API feature, where the collected bird data was converted into a text file and integrated as a searchable attachment. Additionally, a carefully crafted instructional prompt was provided to the assistant API.

Drawing from the attached text data on bird species of Singapore, which encompasses scientific and common names in multiple languages, geographical ranges, taxonomy (including subspecies), physical dimensions, distinguishing characteristics, comparison with similar species, habitats, behaviors, ecological roles, local stats and conservation Status please address the inquiry below:

A user is in pursuit of identifying a bird or acquiring exhaustive details about a particular species. They may offer insights regarding the bird's physical traits, size, preferred environments, or behavioral patterns. Employ the extensive knowledge you've been endowed with to achieve the following:

Identify the Bird: Ascertain the bird species from the user's description, paying attention to unique identifiers or resemblances to other species.

Detail the Range: Provide comprehensive info on the bird's habitat range, encompassing breeding and nonbreeding locales, alongside notable subspecies distinctions.

Describe Physical Features: Elaborate on the bird's visual attributes, emphasizing key markers that aid in differentiation from closely related species.

Discuss Ecology and Behavior: Relay information on preferred habitats, typical activities, and the bird's role within its ecosystem.

Status and Conservation: Note the species' local prevalence (e.g., common resident, rare visitor). Aim for responses that are enlightening, accessible, and precise, designed to either educate the user about the bird in focus or assist in pinpointing the observed bird. Should the provided details be insufficient or applicable to several species, initiate a comparative analysis to refine the identification.

Moreover, if the initial description falls short for a definitive identification, continue the dialogue by asking more questions. After four questions if a definite answer is not found, propose potential matches based on the available data, encouraging an interactive discovery process. Your response should not be more than 200 characters while trying to identify birds.

Figure 10 Figure 9 Instructional prompt for Assistant API

For user queries about bird identification, an extended prompt with conversation history was also employed to fine-tune the identification process.

```

def handle_message(self, request):
    conversation_history = request.session.get("conversation_history", [])
    # Get the last 10 items of the conversation history
    conversation_history_recent = conversation_history[-10:]

    try:
        user_query = request.data.get("query", "")
        # From General predictionn chat to Identifying the prediction mode type

        extended_prompt = f"Based on the message: '{user_query}', your goal is to\
        accurately identify a bird using a semantic search of the \
        'Birds_Information.txt' data provided. If it seems like I'm\
        looking for general bird information instead, please clarify\
        what specific details or support I need regarding bird \
        identification. Keep our conversation realistic and clear, \
        so I can provide the correct information. Remember, avoid \
        mentioning the document name directly in your response. \
        Let's make our exchange as natural as possible\
        take Conversation history:{conversation_history_recent} into\
        consideration to understand what i am saying\
        Don't include source and References from the attachment \
        in your response. Don't mention any technical detail or\
        attachment used as well"
        response = self.talk_to_assistant(extended_prompt)
        return {"response": response}

    except Exception as e:
        print(f"An error occurred: {e}")
        return "An error occurred while processing your request."

```

Figure 11 Extended prompt for the attached data along with conversational history.

MODEL PERFORMANCE

- The model's performance was assessed using Python test scripts designed to submit a series of bird-related identification queries through an API call. (Refer to Application root folder>Test>'bird_identification_Text_Test.py' for the test script).
- A pre-prepared list of correct answers was used for comparison.
- The model's responses were evaluated against these answers through manual comparison, achieving an good accuracy rate of 80%.

Questions	Answer	Model Answers	Pass/Fail
I spotted a bird that is smaller than similar species, with broad yellowish-white supercilium and two broad yellowish-white wing bars	Arctic Warbler	{"response": "The bird you described sounds like the Yellow-browed Warbler. It is notably smaller with broad yellowish-white supercilium and two broad yellowish-white wing bars, distinguishing it from similar species like the Arctic Warbler and Eastern Crowned Warbler. This bird inhabits forests, forest edges, wooded areas, parks, and gardens and is an uncommon migrant."}	Pass
I saw a bird with dark to greyish-brown upperparts without any pale wing bars and buffish wash on breast-sides	Dusky Warbler	{"response": "The bird you described matches the Dusky Warbler. Found from eastern Eurasia to Siberia, it prefers open, often wetter areas. It has dark to greyish-brown upperparts, buffish wash on breast-sides, and lacks pale wing bars."}	Pass
I noticed a bird that resembles Arctic Warbler but has yellow-green upperparts and a pale median coronal stripe	Eastern Crowned Warbler	{"response": "Based on your description, the bird you've observed is likely the Eastern Crowned Warbler. It's distinguished by the yellow-green upperparts and a pale median coronal stripe, which closely matches the details you've provided. This warbler frequents forests, mangroves, gardens, parks, and wooded areas. It's a common migrant noted for foraging in the canopy. In Singapore, it can be seen in locations such as Central Catchment Forest and Sungai Buloh."}	Pass
I observed a bird resembling Arctic Warbler but with dark greyish crown and warmish olive-brown rump	Sakhalin Leaf Warbler	{"response": "The bird you observed, resembling the Arctic Warbler but with a dark greyish crown and warmish olive-brown rump, is likely the Pale-legged Leaf Warbler. This species, similar in appearance to the Arctic Warbler, is differentiated by its unique crown and rump colors, and its unique song or call frequency."}	Pass

Figure 12 Sample from the output CSV file

IMAGE BASED BIRD IDENTIFICATION

DATA COLLECTION

We downloaded common bird names from '<https://records.singaporebirds.com/checklist/>' and compiled them into text files. These files are used alongside user-submitted images to assist in bird identification communications.

Ducks, Geese, Swans (Anatidae)
1 Lesser Whistling Duck Dendrocygna javanica
2 Cotton Pygmy Goose Nettapus coromandelianus
3 Garganey Spatula querquedula
4 Northern Shoveler Spatula clypeata
5 Gadwall Mareca strepera
6 Eurasian Wigeon Mareca penelope
7 Northern Pintail Anas acuta
8 Tufted Duck Aythya fuligula
Pheasants & Allies (Phasianidae)
9 Red Junglefowl Gallus gallus
10 King Quail Syoenicus chinensis

Figure 13 Sample of data in the text file.

DATA CONVERSION AND STORAGE

The bird's name list was stored in the Application root folder under "Data" > "Singapore_Bird_Name_List.txt".

MODEL CREATION

For the image-based bird identification, we implemented an interactive bot using Python and the Django framework. The bot employs OpenAI's **gpt-4-vision-preview** model to interpret and respond to user-submitted bird images. Here's a step-by-step breakdown of the model's operation:

Image and Data Handling: When a user submits an image and a query for bird identification:

- The image path is combined with the server settings to access the actual file.
- A list of bird names is read from a text file to assist in generating contextually relevant responses.
- The image is resized to 200x200 pixels, converted to JPEG format, and encoded in base64 for processing.

Query Processing: The bot constructs a detailed prompt that includes the user's text query, the encoded image, the list of common bird names, and conversation history to the **gpt-4-vision** model.

```
def handle_message(self, request, image_path):
    # Retrieve the full conversation history from the session
    conversation_history = request.session.get("conversation_history", [])
    # Get the last 10 items of the conversation history
    conversation_history_recent = conversation_history[-10:]
    try:
        user_query = request.data.get("query", "")

        extended_prompt = f"Based on the message: '{user_query}', and the attached\\
            image determine if I'm trying to identify a specific bird.\\
            My goal is to accurately identify a bird using image provided.\\
            Please look into the attached 'Singapore_Bird_Name_List.txt' \\
            to look for the possible birds Remember, avoid mentioning the\\
            document name directly in your response. Let's make the response\\
            as natural as possible\\
            take Conversation history:{conversation_history_recent} into \\
            consideration to understand what i am saying "
        response = self.identify_bird(extended_prompt, image_path)
        return {"response": response}

    except Exception as e:
        print(f"An error occurred: {e}")
        return "An error occurred while processing your request."
```

Figure 14 Prompt for image-based bird identification.

```
messages=[  
    {  
        "role": "user",  
        "content": [  
            {  
                "type": "text",  
                "text": f"{user_query}. Give me the possible answers if you do not have a definite answer.\nHere are possible birds: {birds_list}. Do not mention the documents/record used or the locations in it in the response",  
            },  
            {  
                "type": "image_url",  
                "image_url": {  
                    "url": f"data:image/jpeg;base64,{base64_image}"  
                },  
            },  
        ],  
    }]
```

Figure 15 API call with prompt, bird list, and image.

Response Generation: The model processes the inputs and returns a response, which is either a direct identification of the bird or a list of possible birds based on the query and image content.

Conversation Context Management: The bot manages and utilizes conversation history to better understand and respond to ongoing user interactions, ensuring responses are as accurate and relevant as possible.

MODEL PERFORMANCE

We assessed the model's performance using Python test scripts that submit various bird images to the model through an API call. (Refer to Application root folder>Test> 'bird_identification_image_test.py' for the test script).

- A pre-prepared list of correct answers was used for comparison.
- The model's responses were evaluated against these answers through manual comparison, achieving a good accuracy rate of 82%.
- This approach ensures that the image-based bird identification system is robust and efficient, leveraging advanced AI capabilities for accurate bird identification.

Actual Bird	Identified Bird	Result
1 Indian cuckoo 1.jpg	{"response":"The bird in the image is a cuckoo, specifically the Asian Koel (Eudynamys scolopaceus). This is evident from the distinctive plumage and overall shape typical of this species. The Asian Koel is known for its dark plumage and prominent white spots and streaks."}	Pass
4 ruddy breasted crake 2.jpeg	{"response":"The bird in the image you've provided appears to be a Ruddy-breasted Crake (Zapornia fusca), which is characterized by its warm brown plumage on the upperparts, paler ruddy on the breast, and bright red legs and eyes. This species is among the list you referenced, under the family of Rails, Crakes & Coots (Rallidae). It's a bird commonly found in wetland areas across parts of Asia."}	Pass
5 ruddy breasted crake.jpg	{"response":"The bird in the image is a Ruddy-breasted Crake (Zapornia fusca). Its identifying features are the reddish-brown plumage on the breast and upperparts, the grey face and throat, and the bright red legs. This species is consistent with one of the birds from the provided list of birds."}	Pass
Asian koel.webp	{"response":"The bird in the image is an Asian Koel (Eudynamys scolopaceus), which is characterized by its glossy black plumage and distinctive red eye. It is a member of the cuckoo family and is known for its loud, distinctive calls. This bird can be found in many parts of Asia and is often heard during the breeding season."}	Pass

Figure 16 Sample from the output CSV file

BIRD SIGHTING PREDICTION

DATA PREPARATION

Overview

Efficient data preparation is pivotal in constructing a reliable predictive model for bird sighting predictions. This section outlines the systematic process of preparing data to be fit for Random Forest modeling.

Data Collection

Initial data collection involved gathering extensive records of bird sightings, which included date, time, environmental factors, and species observed. This data is sourced from Singapore bird databases, and from the Singapore Weather data records and from public submission platforms like eBird.

Data Cleaning and Preprocessing

Given the nature of observational data, it typically requires rigorous cleaning^[7]. This includes:

- Removing duplicates: Ensuring unique entries for analysis.
- Handling missing values: Imputing or discarding missing data based on the extent and nature of the gaps.
- Data transformation: Converting timestamps into usable date-time formats, categorizing continuous variables where necessary, and encoding categorical variables, such as bird species and locations.

Feature Engineering

Feature engineering involves creating new variables from existing data to enhance the model's predictive power:

- Time features: Extracting day of the week, day of the year and month from date records, as these can influence bird visibility.
- And eliminating certain environmental weather data which doesn't contribute much to the model performance.

Data Splitting

The dataset is then divided into training and test sets. This allows the model to be trained on one subset of the data and validated on another to evaluate its performance and generalize ability. 70% of the data has been assigned for training sets and 30% of data has been assigned to test sets.

	A Species	B Location	C Observation_Date	D Year	E Month	F Day	G tempmax	temp
1								
2	Black Hornbill	Pulau Ubin	2018-10-05	2018	10	5	33.9	27.6
3	Little Grebe	Lorong Halus Wetland	2018-10-05	2018	10	5	33.9	27.6
4	Barred Eagle-Owl	Dairy Farm Nature Park	2018-10-05	2018	10	5	33.9	27.6
5	Barred Eagle-Owl	Dairy Farm Nature Park	2018-10-06	2018	10	6	32.9	26.6
6	Black Hornbill	Pulau Ubin	2018-10-06	2018	10	6	32.9	26.6
7	Little Grebe	Lorong Halus Wetland	2018-10-06	2018	10	6	32.9	26.6
8	Little Grebe	Lorong Halus Wetland	2018-10-07	2018	10	7	30.9	25.9
9	Black Hornbill	Pulau Ubin	2018-10-07	2018	10	7	30.9	25.9
10	Barred Eagle-Owl	Dairy Farm Nature Park	2018-10-07	2018	10	7	30.9	25.9
11	Black Hornbill	Pulau Ubin	2018-10-08	2018	10	8	32.2	25.7
12	Barred Eagle-Owl	Dairy Farm Nature Park	2018-10-08	2018	10	8	32.2	25.7
13	Little Grebe	Lorong Halus Wetland	2018-10-08	2018	10	8	32.2	25.7
14	Barred Eagle-Owl	Dairy Farm Nature Park	2018-10-09	2018	10	9	29.6	24.1
15	Black Hornbill	Pulau Ubin	2018-10-09	2018	10	9	29.6	24.1
16	Little Grebe	Lorong Halus Wetland	2018-10-09	2018	10	9	29.6	24.1
17	Barred Eagle-Owl	Dairy Farm Nature Park	2018-10-10	2018	10	10	31.4	24.1
18	Black Hornbill	Pulau Ubin	2018-10-10	2018	10	10	31.4	24.1
19	Chinese Egret	Pulau Tekong	2018-10-10	2018	10	10	31.4	24.1
20	Little Grebe	Lorong Halus Wetland	2018-10-10	2018	10	10	31.4	24.1
21	Black Hornbill	Pulau Ubin	2018-10-11	2018	10	11	32.3	25

Figure 17 Sample snap from the dataset prepared for prediction

MODEL CREATION

Overview

After evaluating various classification models, the Random Forest classifier was identified as the most effective for bird sighting predictions.

Comparison with Other Models

- **Logistic Regression and SVM:** Struggle with non-linear data and require normalization.
- **Neural Networks:** Need extensive preprocessing and are prone to overfitting without large datasets.
- **k-Nearest Neighbors (k-NN):** Highly sensitive to data scale and irrelevant features.

Advantages of Random Forest

Random Forest excels in handling complex ecological datasets due to its robustness against overfitting and its ability to manage high-dimensional data [8]. It also offers clear insights into feature importance. More detailed analysis of model training and evaluation has been discussed in the below sections.

Model Theoretical Framework

The Random Forest model integrates multiple decision trees to improve prediction accuracy and control overfitting. It builds on the concept of ensemble learning, where multiple models (trees) are trained, and their predictions aggregated.

Building Decision Trees

Each tree in a Random Forest works on a bootstrap sample drawn from the original data. For each node:

- A subset of features is randomly selected to decide the best split based on criteria like Gini Impurity or Entropy.
- Gini Impurity for a set is calculated as ^[9]

$$G = 1 - \sum_{i=1}^n p_i^2$$

where p_i , represents the probability of an instance being classified to a specific class.

- Entropy, which measures the purity of a split, is computed as ^[10]

$$H = - \sum_{i=1}^n p_i \log_2(p_i)$$

Aggregation and Prediction Making

In classification tasks, the prediction from the forest is the mode of the predictions made by individual trees.

Classification:

$$\hat{y} = \text{mode}(\{h_1(X), h_2(X), \dots, h_N(X)\})$$

FEATURE IMPORTANCE AND MODEL TUNING

Feature importance is assessed to understand the impact of different variables on prediction accuracy. The importance of a feature is indicated by how much the tree nodes that use that feature reduce impurity on average across all trees in the forest. Model hyperparameters like the number of trees, the number of features to consider at each split, and the maximum depth of trees are tuned to optimize the performance.




Figure 18 The Feature importance in the Bird prediction model

```
ashwin@ashwin-LOQ-16IRH8: ~/test_rf
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=10, n_estimators=300; total time= 4.2s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=10, n_estimators=300; total time= 4.1s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=15, n_estimators=100; total time= 1.3s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=15, n_estimators=100; total time= 1.3s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=15, n_estimators=100; total time= 1.3s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=15, n_estimators=200; total time= 2.7s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=15, n_estimators=200; total time= 2.6s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=15, n_estimators=200; total time= 2.5s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=15, n_estimators=300; total time= 3.0s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=15, n_estimators=300; total time= 3.7s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=15, n_estimators=300; total time= 3.9s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=20, n_estimators=100; total time= 1.3s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=20, n_estimators=100; total time= 1.3s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=20, n_estimators=100; total time= 1.1s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=20, n_estimators=200; total time= 2.1s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=20, n_estimators=200; total time= 2.1s
CV] END max_depth=30, max_features=sqrt, min_samples_leaf=2, min_samples_split=20, n_estimators=200; total time= 2.1s
```

Figure 19 Hyperparameter tuning to optimize settings for enhanced performance

VALIDATION AND PERFORMANCE METRICS

The model's performance is evaluated using the test set and metrics such as accuracy, precision, recall, and F1-score for classification tasks. The overall **training accuracy** is measured to be around **90%** and the overall **testing accuracy** is measured to be around **77%**.

	precision	recall	f1-score	support
Amur Falcon	0.75	1.00	0.86	3
Amur Stonechat	0.03	0.02	0.02	51
Ashy Drongo	0.91	0.93	0.92	90
Ashy-headed Green Pigeon	1.00	1.00	1.00	1
Asian Emerald Cuckoo	0.83	0.83	0.83	12
Asian Openbill	0.92	0.95	0.93	243
Barn Swallow	0.50	0.33	0.40	3
Barred Eagle-Owl	0.94	0.97	0.96	277
Bat Hawk	0.00	0.00	0.00	1
Besra	0.00	0.00	0.00	3
Besra/Shikra	0.00	0.00	0.00	1
Black Drongo	0.70	0.70	0.70	50

Figure 20 The Precision, Recall, F1 score and Support values for the sample test data

accuracy			0.77	4176
macro avg	0.49	0.47	0.47	4176
weighted avg	0.75	0.77	0.75	4176

Figure 21 Overall accuracy observed in test data

CONCLUSION

In deploying the Random Forest model for bird sighting prediction, the combined strategy of robust data preparation and sophisticated ensemble modeling ensures a balance between complexity and performance, yielding better accuracy and insightful predictions.

PARK RECOMMENDATION

OVERVIEW

The park recommendation is another key feature we have proposed for our project. The goal of this system is to suggest parks where a particular bird, identified by its name, has been observed or is likely to be seen. This enhances the user's birdwatching experience.

In developing the park recommendation system, we employed a novel approach by adapting the user-based collaborative filtering (CF) methodology commonly used in recommendation systems to the context of bird watching. This section of the report outlines the creation of the model, which predicts the likelihood of bird sightings in various parks. The data for this recommendation algorithm was prepared with above mentioned methodology and saved as csv files for training and testing.

Advantages and Disadvantages of Novel CF Methodology vs. Traditional Algorithms

Advantages	Disadvantages
<p>Novel CF vs. Item-Based CF: The novel approach may provide more personalized recommendations because it considers the specific preferences of similar 'users' (bird species in this case), rather than relying on the general popularity of 'items' (parks).</p>	<p>Novel CF vs. Item-Based CF: The novel CF method suffers more significantly from the cold start problem, as it requires sufficient data on new bird species to provide accurate recommendations.</p>
<p>Novel CF vs. Apriori Algorithm: Unlike Apriori, which is designed for uncovering frequent itemsets and association rules, the novel CF method directly focuses on the user's interests, potentially leading to more tailored suggestions.</p>	<p>Novel CF vs. Apriori Algorithm: The Apriori algorithm can be more scalable for transactional datasets but may not be as effective for rating-based recommendation systems.</p>
<p>Novel CF vs. Classification Algorithms: Classification algorithms predict categorical class labels, whereas the novel CF method can recommend a list of parks, providing a ranked set of options rather than a single classification.</p>	<p>Novel CF vs. Classification Algorithms: Classification algorithms can often make predictions with limited data, whereas CF needs a larger dataset to find neighbors effectively.</p>

Table 1 Advantages and Disadvantages of Novel CF Methodology vs. Traditional Algorithms

Finally, the novel (user-based) collaborative filtering model was chosen for its ability to deliver personalized and dynamically updated recommendations, ideal for suggesting the top 5 parks based on a user-specified bird. Leveraging extensive historical sighting data, the model effectively mimics individual bird preferences, ensuring recommendations are reflective of the latest and most accurate patterns. This approach is well-suited for our application, providing birdwatchers with tailored park suggestions that enhance their experience and align closely with the specific intent of observing a chosen bird species in its natural habitat.

DATA COLLECTION

For the park recommendation, we collected historical data of bird sighting across different parks in Singapore from 'Singapore Bird Database' website. The original data contains records of bird sightings, including the species, date of sighting, and location. This data is stored in a CSV file named Park_Recommendation_Data.csv.

Species	Date	Location
Amur Falcon	26-Nov-17	Changi Coast
Amur Falcon	16-Dec-16	Seletar Dam
Amur Stonechat	11-Apr-21	Raffles Marina
Ashy Drongo	18-Nov-18	Kranji Marshes
Ashy Drongo	18-Mar-23	Mount Faber Park
Ashy Drongo	2-Aug-23	Nanyang Technological University
Ashy Drongo	8-Dec-16	Old Bidadari cemetery
Ashy Drongo	12-May-23	Pulau Ubin
Ashy Drongo	6-Jun-18	Punggol Promenade Nature Walk
Ashy Drongo	6-Mar-23	Singapore Botanic Gardens
Ashy Drongo	24-Mar-19	Telok Blangah Hill Park
Asian Dowitcher	28-Aug-22	Marina East Drive
Asian Dowitcher	16-Sep-23	New reclamation land at P. Tekong
Asian Dowitcher	1-Sep-16	Pulau Tekong
Asian Dowitcher	9-Sep-17	Pulau Tekong
Asian Dowitcher	3-Oct-18	Pulau Tekong
Asian Dowitcher	3-Sep-23	Sungei Buloh Wetland Reserve

Figure 22 Screenshot of collected data for the recommendation system.

DATA PREPARATION

In the data preparation phase, bird sightings are grouped by species and park, with a count calculated to gauge sighting frequencies across locations. These counts are then normalized to a 1 to 10 range using MinMaxScaler from sklearn.preprocessing, ensuring uniform data for the collaborative filtering model and mitigating bias due to count variability.

given an original count x , the scaled count x_scaled is computed as ^[11]

$$\begin{aligned} X_{std} &= (X - X.\min(axis=0)) / (X.\max(axis=0) - X.\min(axis=0)) \\ X_{scaled} &= X_{std} * (\text{max} - \text{min}) + \text{min} \end{aligned}$$

where min , max = feature range.

Following normalization, counts are rounded up to integers, creating a simpler rating system for the model's interpretation. The original date of sightings is reintegrated into the transformed data for context, while the Data Frame undergoes cleaning to rename columns for clarity and remove duplicates, thus retaining only unique bird-park combinations which are pivotal for precise recommendations. The final step involves exporting this curated dataset to a new CSV file, `final_count_dataframe.csv`, ready to be ingested by the collaborative filtering algorithm.

bird	park	count
Common Tern	Singapore Straits	10
White-throated N	Henderson Waves	10
White-throated N	Bukit Timah Nature	9
Cinnamon-heade	Pulau Ubin	7
Black-winged Flyc	Pulau Ubin	6
Common Kestrel	Tuas South	6
Northern Boobook	Tuas South	6
Parasitic Jaeger	Singapore Straits	6
Short-tailed Shear	Singapore Straits	6
Booted Eagle	Henderson Waves	5
Pied Harrier	Henderson Waves	5
Pied Harrier	Mount Faber Park	5
Silver-backed Nee	Bukit Timah Nature	5
Barn Swallow	Turut Track	4
Black-and-red Br	Pulau Ubin	4
Blue Rock Thrush	Pinnacle@Duxton	4

Figure 23 Transformed data.

MODEL CREATION

As mentioned above we adopted innovative adaptation of the User-Based Collaborative Filtering (CF) algorithm, utilizing bird species as 'users' and parks as 'items'. The idea is to predict which parks a given bird is likely to be observed in based on past sightings, leveraging the similarities in sighting patterns across different birds.

- **Training and Test Split:** We partitioned the dataset into a training set, which accounted for 90% of the data, and a test set comprising the remaining 10%. This division allowed us to train the model on a substantial portion of the data while reserving a segment for evaluating the model's predictive performance.
- **Model Training with KNNBasic Algorithm:** Using the KNNBasic algorithm from the Surprise library, we trained the model based on the premise of collaborative filtering. We configured the algorithm to identify the 40 nearest neighbors using cosine similarity, thereby leveraging the parallel between birds with similar sighting patterns.

The mechanism behind the user-based collaborative filtering (CF) model implemented here involves several key concepts from statistics and machine learning:

- **Nearest Neighbors Algorithm:** The model uses the K-Nearest Neighbors (KNN) algorithm. It operates on the principle of finding the 'k' closest users (in this case, bird species) to the target user (target bird species), based on their 'ratings' (sighting counts) across a set of items (parks). Mathematically, for a given bird species b , the algorithm searches for k , other bird species that have the most similar sighting patterns across all parks. The similarity is measured using a distance metric, which in this case is the cosine similarity.
- **Cosine Similarity:** Cosine similarity measures the cosine of the angle between two vectors in a multidimensional space. In this context, each vector represents a bird species' sighting pattern across various parks. Mathematically, for two bird species b_1 and b_2 , with sighting patterns represented by vectors v_1 and v_2 , cosine similarity is calculated as:

$$\text{similarity } (\vec{v^1}, \vec{v^2}) = (\vec{v^1} \cdot \vec{v^2}) / (\|\vec{v^1}\| \|\vec{v^2}\|)$$

PREDICTIONS AND RATING ESTIMATION:

The algorithm estimates the 'rating' (predicted sighting count) for a target park by aggregating the ratings of the k nearest bird species to that park.

The predicted count for bird b at park p is calculated as a weighted sum of the ratings of the k nearest birds, with weights being the similarity measures.

MODEL PERFORMANCE

The model uses RMSE (Root Mean Square Error) and MAE (Mean Absolute Error) as evaluation metrics.

Evaluating RMSE, MAE of algorithm KNNBasic on 5 split(s).							
	Fold 1	Fold 2	Fold 3	Fold 4	Fold 5	Mean	Std
RMSE (testset)	1.5062	0.7897	1.2937	0.8994	1.2153	1.1409	0.2623
MAE (testset)	0.7801	0.5684	0.7445	0.5819	0.7132	0.6776	0.0864
Fit time	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Test time	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Figure 24 CF model performance matrix.

In the performance evaluation of our collaborative filtering model, we utilized RMSE and MAE metrics across a 5-fold cross-validation to ensure a robust assessment of the algorithm's accuracy. RMSE values ranged from 0.7897 to 1.5602, with a mean of 1.1409, indicating that while our model predicts with reasonable accuracy, there are variations attributable to the specific characteristics of each data fold. The standard deviation of RMSE, 0.2623, signifies a moderate fluctuation in error magnitudes across the folds, which could be a focal point for model improvement.

MAE, a measure less sensitive to large errors than RMSE, presented lower scores with a mean of 0.6776 and a standard deviation of 0.0864. The consistency in MAE suggests that the model's average error does not drastically vary, supporting the model's reliability in predicting the count of bird sightings. Notably, the zero values reported for 'Fit time' and 'Test time' imply a high computational efficiency, although these figures should be approached with caution as they may not accurately reflect the actual computational time due to measurement resolution limitations.

EVALUATION OF OTHER RECOMMENDATION MODELS FOR COMPARISON

We initially considered a content-based recommendation system for birdwatching experiences for our project case. This model analyzes the features of items, such as the types of birds and their associated locations. We implemented Python libraries such as pandas for data manipulation, scikit-learn for data preprocessing and similarity calculations, and the MultiLabelBinarizer for converting species data into a binary matrix. The model uses the Jaccard similarity as the similarity calculation. The Jaccard similarity is used to show the common park it is observed in. The Jaccard similarity is computed as below:

$$J(A, B) = \frac{|A \cap B|}{|A \cup B|}$$

```
Current directory: C:\Users\User\Desktop\IS06\WingSpan\ML_Park_Recommendation
Data path: C:\Users\User\Desktop\IS06\WingSpan\ML_Park_Recommendation\Data\final_count_dataframe.csv
C:\Users\User\.conda\envs\wingspan\Lib\site-packages\sklearn\metrics\pairwise.py:2317: DataConversionWarning: Data
was converted to boolean for metric jaccard
warnings.warn(msg, DataConversionWarning)
Top 3 recommended parks for Black Hornbill: ['Pulau Ubin', 'Bidadari Park', 'Rifle Range Link']
Precision: 0.3333, Recall: 1.0000, F1 Score: 0.5000

(wingspan) C:\Users\User\Desktop\IS06\WingSpan\ML_Park_Recommendation>
```

Figure 25 content-based recommendation system results.

Above show the outcome of the recommendation system which is the parks where the bird species were sighted:

These equations enabled us to measure the model's precision at 0.3333, indicating that one-third of the recommended parks were indeed relevant for the "Black Hornbill". The recall was 1.0000, showing that all pertinent parks were recommended, while the F1 score balanced the two at 0.5000.

A primary issue we faced was the model's inability to effectively recommend parks for bird species which were only observed once. The Jaccard similarity's reliance on common attributes meant that singular sightings received no scores, making them not to be recommended and displaying no data found. Thus, we did not proceed with the recommendation system and pivoted it to the Collaborative filtering.

HEATMAP

In this section, we detail the data preparation and model creation process for generating the bird heat map. Our objective is to predict bird sightings based on historical data and geographical coordinates, enabling users to identify areas with a high probability of bird presence.

DATA PREPARATION

The dataset used for training the heat map model comprises historical bird sightings records. Each record includes information such as bird species, latitude, longitude, and the count of bird sightings.

A crucial step in data preparation is feature engineering, where we calculate the Euclidean distance based on latitude and longitude. This distance metric serves as a feature in our model. The intuition behind this feature is that nearby geographical locations may share similar bird habitats and thus have similar bird sighting patterns.

```
# Calculate Euclidean distance
data['Distance'] = ((data['Latitude'] - data['Longitude'])**2)**0.5
```

MODEL CREATION

We experimented with various regression algorithms to predict the count of bird sightings. The models considered are Linear Regression, Random Forest Regressor, Gradient Boosting Regressor, Support Vector Regressor (SVR), and K-Nearest Neighbors Regressor.

We evaluate the models based on the Mean Squared Error (MSE) and R-squared (R^2), which measure the average squared difference between the actual and predicted counts of bird sightings. Lower MSE indicates better model performance.

MSE Formula:

$$MSE = \frac{1}{n} \sum_{i=1}^n (y_i - \hat{y}_i)^2$$

R-squared Formula:

$$R^2 = 1 - (\sum_{i=1}^n (y_i - \hat{y}_i)^2) / (\sum_{i=1}^n (y_i - \bar{y}_i)^2)$$

where:

- y_i represents the actual count,
- \hat{y}_i represents the predicted count,
- n is the number of samples, and
- \bar{y} is the mean of the actual counts.

Model	MSE	R-Squared
Linear Regression	2.700	-0.003
Random Forest Regressor	1.183	0.545
Gradient Boosting Regressor	1.164	0.567
Support Vector Regressor (SVR)	4.008	-0.489
K-Nearest Neighbors Regressor	4.571	-0.699

Table 2 Result of evaluation of different models.

R-squared gives an overall indication of the goodness of fit of the model, while MSE provides a more detailed measure of the average error between predicted and actual values.

R-squared is useful for comparing different models and selecting the best one, while MSE is useful for understanding the magnitude of errors in predictions.

It's important to note that a high R-squared does not necessarily mean the model is good if the MSE is high, and vice versa.

From the scores, the Gradient Boosting Regressor has the lowest MSE (1.164) and the highest R-squared (0.567), indicating better performance compared to other models. Therefore, the Gradient Boosting Regressor is the best model among the ones evaluated.

We have developed a robust model for predicting bird sightings in specific regions in Singapore based on historical data. The Gradient Boosting Regressor model, incorporating Euclidean distance as a feature, provides accurate predictions of bird counts. This model will serve as the foundation for generating the bird heat map, enabling users to explore and enjoy birdwatching in Singapore.

5. VERSION CONTROL AND DEPLOYMENT

VERSION CONTROL WITH GIT AND GITHUB

The application's source code is managed using Git, a distributed version control system that tracks changes and allows for collaborative development among team members. Git facilitates branching, merging, and reverting code, which is essential for maintaining a stable code base during the development lifecycle.

GitHub serves as the remote repository platform where the codebase is hosted. It acts as the central source of truth for the project and offers additional features like pull requests, issue tracking, and code reviews, which enhance collaboration and code quality.



DEPLOYMENT AND HOSTING IN HEROKU CLOUD


The Django application is hosted on Heroku, a cloud platform service that allows for easy deployment and scaling of web applications. Heroku integrates with GitHub and provides a straightforward, automated deployment process.





CONTINUOUS INTEGRATION/CONTINUOUS DEPLOYMENT (CI/CD)

The deployment pipeline is set up to trigger automatic deployments to Heroku upon successful merging to the main branch of the GitHub repository. This ensures that the application is always up to date with the latest stable version.

6. TESTING AND VALIDATION

Test Case	Testing results	Pass/Fail
<p>Intent Identification when user make the chat.</p> <p>The following intents should be identified accurately from user chat.</p> <ul style="list-style-type: none"> 1. Greeting 2. Bird Information 3. Bird Identification by from text 4. Bird Identification from Image 5. Bird Spotting Prediction 6. Park Recommendation 7. View Hotspot Map 	<p>1. Greeting</p>  <p>Identified intent: [01/May/2024 11:16:43] "GET /static/icons/favicon.ico HTTP/1.1" 200 123 User: Hello there Greeting [01/May/2024 11:17:14] "POST /handlerequest/ HTTP/1.1" 200 223</p> <p>2. Bird Information</p>  <p>Identified intent: User: what is the size of cotton pigmy goose? Bird Information [01/May/2024 11:20:38] "POST /handlerequest/ HTTP/1.1" 200 101</p> <p>3. Bird Identification by from text</p>  <p>Identified intent: User: I saw a bird with dark to greyish-brown upperparts without any pale wing bars and buffish wash on breast-sides. Which bird is it? Based on your description, the bird sounds like the Dusky Warbler (*Phylloscopus fuscatus*). It has dark to greyish-brown upperparts, no pale wing bars, and a buffish wash on breast sides, flanks, and undertail-coverts. This species prefers open areas, often in wetter habitats, and frequents low bushes and small trees near water. It's recognized as a vagrant in its status.</p> <p>4. Bird identification from image</p>  <p>This bird has glossy black plumage and a distinctive red eye, which are characteristic features of the Asian Koel. The male Asian Koel, in particular, displays this striking coloration. It's a species known for its loud calls and is commonly found across parts of the Asian continent.</p>	✓ Pass

	<p>Identified intent:</p> <pre>image based identification [01/May/2024 11:30:14] "POST /handlerequest/ HTTP/1.1" 200 299</pre> <h3>5. Bird Spotting Prediction</h3> <div style="background-color: #f0f8ff; padding: 10px; border-radius: 10px;"> <p>What are birds that I am likely to spot at Pulau Ubin on 15 May 2024?</p> <p>Great, thanks for providing the date information! I'll now proceed to use my machine learning model to determine the likelihood of spotting the bird species. Predicted bird for Pulau Ubin on 2024-05-15 00:00:00: White-crowned Hornbill Other Top 5 most probable birds for Pulau Ubin on 2024-05-15 00:00:00 are: White Wagtail: 0.39 Black Redstart: 0.33 Black Drongo: 0.11 Great Knot: 0.06 Japanese/Cinereous Tit: 0.03</p> </div>	
	<p>Identified intent:</p> <pre>Spottin Prediction [01/May/2024 11:33:32] "POST /handlerequest/ HTTP/1.1" 200 476</pre> <h3>6. Park Recommendation</h3> <div style="background-color: #f0f8ff; padding: 10px; border-radius: 10px;"> <p>can u recommend the parks to spot cotton pigmy goose</p> <p>Sure, if you're looking to spot the Cotton Pygmy Goose, here are five parks in Singapore that could be your best bet: 1. Henderson Waves: Known for its stunning architectural design, this park might just give you a glimpse of the Cotton Pygmy Goose. 2. Singapore Straits: With a high biodiversity, this place increases your chances of spotting the bird in its natural habitat. 3. Woodlands Waterfront Park: This coastal park with an abundant bird life is another spot where you might possibly find the Cotton Pygmy Goose. 4. Yishun Dam: Among the fresh green and blue, the serene Yishun Dam is a place where you might be able to spot the bird. 5. Sembawang Wagtail Roost: The vast open space and the bird-friendly environment make this park another potential location for spotting the Cotton Pygmy Goose. Remember to take your binoculars with you and happy bird-watching!</p> </div>	
	<p>Identified intent:</p> <pre>User: can u recommend the parks to spot cotton pigmy goose Identified bird: Cotton Pygmy Goose ["Henderson Waves", "Singapore Straits", "Woodlands Waterfront Park", "Yishun Dam", "Sembawang Wagtail Roost"] Park Recommendation [01/May/2024 11:37:32] "POST /handlerequest/ HTTP/1.1" 200 994</pre> <h3>7. View Hotspot Map</h3> <div style="background-color: #f0f8ff; padding: 10px; border-radius: 10px;">  <p>show me the hotspot map to watch birds</p> </div>	

<p>Provide the requested bird information to the user and answer bird related questions</p>	 <p>what is the size of cotton pygmy goose?</p> <p>The Cotton Pygmy Goose has a size ranging from 33 to 38 centimeters [7:0:source].</p>  <p>can you tell me more about Black Bittern</p> <p>The Black Bittern, scientifically known as "Ixobrychus flavicollis", is a species that can be found from the Indian subcontinent to southern China, Southeast Asia, and northern Australia, with some northern populations wintering in Southeast Asia. It's recognized by its black upperparts, whitish throat, and breast with dense dark streaks in males. Females resemble males but have darker brown upperparts and more rufescent breast streaks. Juveniles are similar to females but have feathers of the crown and uppertides with narrow rufous fringes, giving them a scaly appearance. These birds make their homes in marshes, reedbeds in ponds, and mangroves, and they are described as often being secretive, hiding in reeds for long periods. In Singapore, the Black Bittern is considered an uncommon migrant and its conservation status, according to BirdLife International as of 2016, is Least Concern. If you're hoping to spot the Black Bittern, potential locations in Singapore include the Singapore Botanic Gardens, Satay by the Bay, Chinese Gardens, Bidadari, Pasir Ris Park, Pulau Ubin, Tuas South, and Sungei Buloh [5:0:source].</p> <p>what is it's chinese name?</p> <p>Given your interest in the Black Bittern, I dove into some details and found that its Chinese name is 黄嘴白鹭. Isn't it fascinating how different languages encapsulate the essence of a bird in such unique ways? If you're curious about more birds and their names across cultures, I'm here to help unfold those details!</p>	✓ Pass
<p>Identify the bird from descriptions provided by the user with good accuracy when sufficient or clear enough information is provided</p>	 <p>I spotted a bird with a distinctively bi-colored and slightly upturned bill, larger than Common Greenshank which bird is it?</p> <p>The bird you described matches the Nordmann's Greenshank, notable for its thicker, distinctively bi-colored and slightly upturned bill. This bird is larger than the Common Greenshank, with sizes ranging from 29-32 cm. It's recognized by its thicker bill, faintly streaked crown, nape, sides of breast, plainer upperparts without dark wing-covert markings, and shorter, yellowish legs. This species is monotypic, residing in mudflats, sandflats, and is classified as Endangered [5:0:source].</p>	✓ Pass
<p>Identify the bird based on the image sent via the chat.</p>	 <p>Which bird is this?</p> <p>The bird in the image is an Oriental Pied Hornbill (<i>Anthracoceros albirostris</i>). It is a species recognizable by its large beak with a casque (a hollow structure) on the top. The plumage is predominantly black and white, which is another distinctive feature of this bird.</p>	✓ Pass
<p>Provide bird sighting prediction when user specify the date and location</p>	<p>The predicted list of bird they might encounter for the specified date and location is displayed in the chat</p>  <p>What are birds that I am likely to spot at Pulau Ubin on 15 May 2024?</p> <p>Great, thanks for providing the date information! I'll now proceed to use my machine learning model to determine the likelihood of spotting the bird species. Predicted bird for Pulau Ubin on 2024-05-15 00:00:00: White-crowned Hornbill Other Top 5 most probable birds for Pulau Ubin on 2024-05-15 00:00:00 are: White Wagtail: 0.39 Black Redstart: 0.33 Black Drongo: 0.11 Great Knot: 0.06 Japanese/Cinereous Tit : 0.03</p>	✓ Pass



Provide the recommended list of Parks to find a specific bird	The recommended parks are displayed in the chat based when user specify the bird.	 ✓ Pass
User Test Case on querying for heatmap by inputting “heatmap” or “hot spot” into chat	A heat map focused on Singapore with predicted counts across different regions in Singapore for the current week.	 ✓ Pass

Table 3 Application Test Results

7. CONCLUSION

The project successfully implemented a comprehensive software solution for bird identification and birdwatching assistance, leveraging modern software architecture and advanced machine learning technologies. Through the integration of a robust Backend API built on Django, an intuitive Web User Interface enhanced by Bootstrap, and a seamless Mobile Application for Android, the application offers a versatile platform for birdwatchers. The inclusion of OpenAI's large language models has significantly enriched the application's capability to understand and process natural language queries, delivering accurate responses and engaging user experiences. Predictive analytics, location services, and customized user interactions form a solid foundation for an application that not only meets the practical needs of birdwatchers but also enhances their interactive experience.

8. RECOMMENDATIONS

We recommend the following actions to further enhance the application and maintain its relevance:

- **Continuous Integration and Updates:** Given the rapid advancement in machine learning and software development tools, it is recommended that the application undergo continuous updates to both its backend and frontend components to keep pace with technological advancements.
- **User Feedback Incorporation:** To enhance user satisfaction and application relevance, it is advisable to implement a structured feedback system to gather insights from users and make iterative improvements based on this feedback.
- **Expand Database and ML Capabilities:** The application could be improved by expanding its database to include more bird species and updating the machine learning models with new data to improve accuracy and response capabilities.
- **Enhance Security Measures:** As the application uses API keys and handles user data, enhancing security measures to protect against unauthorized access and data breaches is crucial.
- **Cross-Platform Compatibility:** Consider developing versions for other mobile operating systems, such as iOS, to increase the application's user base and accessibility.
- **Localization and Internationalization:** To reach a broader audience, adding support for multiple languages and customizing content based on geographic location could prove beneficial.

By following these recommendations, the project can maintain its relevance and continue to provide a high-quality service to its users, fostering a more engaging and rewarding birdwatching experience.

9. REFERENCES

- [1] Liu Xinlu, Commentary: The thrill of birdwatching while grounded by the pandemic, 12 Feb 2022, <https://www.channelnewsasia.com/commentary/singapore-bird-watching-spots-nature-park-race-sungei-buloh-2490576>
- [2] <https://birdcast.info/>
- [3] <https://ebird.org/home>
- [4] <https://records.singaporebirds.com/>
- [5] <https://www.birdforum.net/threads/was-looking-for-birding-in-singapore-landed-here.442034/>
- [6] <https://www.birdforum.net/threads/guide-for-singapore-stop-over-needed.440297/>
- [7] Jason Brownlee, Tour of Data Preparation Techniques for Machine Learning, 30 Jun. 2020, <https://machinelearningmastery.com/data-preparation-techniques-for-machine-learning/>
- [8] Ana C. Lorena, Luis F.O. Jacintho, Martinez F. Siqueira, Renato De Giovanni, Lúcia G. Lohmann, André C.P.L.F. de Carvalho, Missae Yamamoto, May. 2011, Comparing machine learning classifiers in potential distribution modelling, <https://www.sciencedirect.com/science/article/pii/S0957417410011759>
- [9] Hanane D, Gini Index (Gini Impurity), <https://machinelearning-basics.com/gini-index-gini-impurity/>
- [10] Vignya Durvasula, Decoding Entropy in Decision Trees: A Beginner's Guide, 28 Dec. 2023, <https://www.askpython.com/python/examples/entropy-decision-trees>
- [11] Jason Brownlee, How to Use StandardScaler and MinMaxScaler Transforms in Python, 28 Aug. 2020, <https://machinelearningmastery.com/standardscaler-and-minmaxscaler-transforms-in-python/>

APPENDIX A: PROJECT PROPOSAL

Please refer to:

<https://github.com/jithinkrn/IRS-PM-2024-05-05-IS06PT-WingSpan/blob/main/ProjectReport/Project%20Proposal%20-%20WingSpan.pdf>

APPENDIX B: PROJECT PROGRESS TRACKING

This table demonstrates project timeline tracking, and responsibilities handled by each individual member.

#	Activity	Member	Planned / Actual	W12 (18 Mar - 24 Mar)	W13 (25 Mar - 31 Mar)	W14 (1 Apr - 7 Apr)	W15 (8 Apr - 14 Apr)	W16 (15 Apr - 21 Apr)	W17 (22 Apr - 28 Apr)	W18 (29 April - 5 May)
1	Data collection - Weather	Ashwin, Prem	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
2	Data collection - Sighting Records & Bird Details	Ganesh	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
3	Data collection - Bird Information & Identification	Jithin	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
4	Data Compilation & cleaning	All	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
5	Django Application and Backend APIs development	Jithin	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
6	Web UI for chat (View Component in Django App)	Jithin	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
7	LLM API Integration with Django Backend Application	Jithin	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
8	Front end Android Application	Jithin	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
9	CICD set up - Version Control with git and deployment pipeline for Heroku cloud.	Jithin	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
10	User Intent identification to choose which model to use	Jithin	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
11	Feature 1. Bird information - Provide bird information via chat	Jithin	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
12	Feature 2. Bird Identification (Text Based - Semantic search using LLM)	Jithin	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
13	Feature 3. Bird Identification (Image Based - ChatGPT Vision)	Jithin	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
14	Feature 4. Bird Sighting prediction (Random Forest Classifier)	Ashwin	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>					
15	Feature 5. Park Recommendation	Jithin, Prem	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>			<div style="width: 100%; background-color: green;"></div>		
16	Feature 6. Bird Abundance heatmap (Gradient Boosting Regressors)	Ganesh	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>			<div style="width: 100%; background-color: green;"></div>		
17	Refactoring and fine tuning	All	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		
18	Integration Testing	All	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		
19	Project Report Writing	All	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		
20	Business Presentation Slide and video	Ashwin	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		
21	Application User Guide	Prem	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		
22	Prepare Submission Repository	Jithin	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		
23	Technical Presentation Slide and video	Ganesh, Prem (All - For individual features slide update)	Planned	<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		<div style="width: 100%; background-color: orange;"></div>	<div style="width: 100%; background-color: green;"></div>		

Table 4 Project Tracking

APPENDIX C: INDIVIDUAL REPORT


Name: Jithin Krishnan

Matriculation Number: A0249481W

Personal contribution to group project:


1. Architectural Design and implementation for the Application infrastructure

Designed the architecture and integrated each component in the application.




3. Workflow flow design

Designed the overall operational flow or workflow for each feature to be implemented.



4. Django Application Development:

Developed the overall structure of the Django application, integrating controller, view, and model components for MVC architecture. Implemented API end points to reach each feature in the backend.



5. Database Integration:

Implemented SQLite for session management to track conversational history.

6. Web Interface Implementation:

Designed and implemented a user-friendly Chat UI using HTML, JavaScript, CSS, and Bootstrap. Enhanced user interaction with Ajax for dynamic query image handling and display.

7. Android Application Implementation:

Developed an Android application with embedded mobile-responsive Web UI using WebView.

Implemented robust file upload handling for image-based functionalities, leveraging Android's WebChromeClient and file chooser intents.

8. CI/CD Pipeline and Deployment:

Set up version control using Git and GitHub, streamlining code management and collaboration.

Configured and maintained a CI/CD pipeline for automated deployments to Heroku, ensuring seamless updates and stable application performance.

9. LLM Integration with OpenAI:

Integrated Language Learning Models (LLM) into the Django application, configuring environmental variables and API communications for OpenAI's LLM models.

10. User Intent Recognition Implementation:

Developed a top-level user intent identification system using a Language Learning Model (LLM) to delegate requests to appropriate algorithms, enhancing the application's responsiveness and accuracy in user interactions. The intents include main features such as bird informational queries, bird identification by text, bird identification by image, bird sighting predictions, park recommendations, and heatmaps.

11. Data Collection:

Utilized Python scripts with Selenium to collect and manage data essential for bird information and identification features.

12. Machine Learning Feature implementation:

End-to-end implementation of the following Features:

I. Bird Information Feature:

- User Query Interpretation: Developed algorithms to analyze and interpret user chats to accurately understand queries about birds.
- API Integration and Prompt Crafting: Implemented the Assistant API to generate prompts that facilitate detailed bird information retrieval based on user queries.
- Response Handling and Dialogue Continuation: Designed logic to manage API calls and handle responses, enabling continuous dialogue with users to refine or expand upon the information provided.
- Testing and Optimization: Conducted testing and fine-tuning of the model to improve accuracy and user experience.

II. Text-Based Bird Identification Feature:

- Chat Interpretation: Created code to parse and understand user text inputs for bird identification, utilizing natural language processing techniques.
- Prompt Design and API Interaction: Developed and implemented prompts that direct the Assistant API to retrieve bird identification data, enhancing the relevance and specificity of the information provided.
- Response Generation: Engineered the backend to handle API responses effectively, ensuring that the bird identification information is accurate and comprehensible.
- Model Refinement: Continuously tested and refined the system based on real-world usage and feedback, aiming to enhance the identification accuracy.

III. Image-Based Bird Identification Feature:

- Integration with ChatGPT Vision Model: Integrated OpenAI's ChatGPT Vision model into the Django application to process and analyze bird images submitted by users.
- Image Preprocessing: Implemented image preprocessing steps to ensure that images are in the correct format and quality for optimal analysis by the vision model.
- Prompt Crafting for AI: Crafted specialized prompts to guide the vision model in focusing on relevant features of the bird for identification.
- API Communication: Managed communications with the API to send processed images and receive identification results, handling all data transfers and response parsing.
- Continuous Testing and Tuning: Engaged in continuous testing and tuning of the feature to improve response accuracy and system reliability.

IV. Park Recommendation Feature:

- Data Scripting and Model Preparation: Authored scripts to prepare and clean data for model training, using collaborative filtering techniques.
- Model Development and Tuning: Developed the collaborative filtering model to predict park recommendations.
- Model Deployment and Integration: Implemented functionality to import and apply the trained model within the application framework to generate real-time recommendations.
- Natural Language Interaction: Enhanced the system to interpret user chats for feature extraction using GPT-4, providing recommendations in a conversational, natural language format.

- Iterative Improvement: Performed ongoing testing and fine-tuning to refine the recommendation accuracy and user satisfaction.

13. Project Tracking

Followed up on project progress tracking, documented (Please refer to Appendix B) it and frequently communicated with the team to ensure progress in on time.

14. Reports and Documentation:

Participated in Project report writing, and documentation of work done.

What learnt is most useful for you:

One of the most enriching aspects of this project for me was the seamless integration of web development with machine learning technologies, which offered a comprehensive perspective on building sophisticated, AI-driven applications. This dual focus allowed me to understand and implement an effective system architecture that supports both immediate user interactions through a web interface and complex data processing in the backend.

The architecture of the Django application was particularly instrumental in demonstrating how web technologies and machine learning models can be intertwined. By developing and connecting the MVC components with various machine learning functionalities, I gained a deeper appreciation for designing systems that are both scalable and robust. This experience was crucial in enhancing my ability to integrate complex machine learning models, such as LLM, vision models, recommendation systems, directly into a web-based infrastructure.

The project also provided a valuable hands-on experience with chatbot concepts, particularly through the integration of LLMs to handle user intent recognition. This was not just about parsing text but understanding user needs and providing intelligent, context-aware responses. The LLM integration was pivotal, enabling the chatbot to delegate requests to the most appropriate algorithms or responses, thereby refining the application's interaction flow and overall user experience.

Moreover, my work with specific machine learning models, like the recommendation systems and image-based identification models, deepened my technical expertise. I was involved in every stage of these models' lifecycle—from data collection and preprocessing to training, evaluating, and integrating them in the application. This gave me an in-depth knowledge of how such models are constructed, tuned, and integrated into larger systems to provide dynamic and personalized user experiences.

In conclusion, this project was instrumental in solidifying my understanding of how to architect and implement complex, AI-enhanced web applications. It allowed me to not only apply what I had learned academically about web development and machine learning but also to see the practical implementation of theoretical concepts like chatbots and recommendation algorithms in real-world applications. These experiences have prepared me well for a future where I can contribute to, and lead, technology-driven projects with confidence and expertise.

How you can apply the knowledge and skills in other situations or your workplaces:

Application of Skills and Knowledge gained in my workplace are:

Advancing Web-Based Applications:

As a software professional, the skills and knowledge I have honed through project work are highly transferable and beneficial across various phases of the software development lifecycle. The experience gained in integrating web development with machine learning will enable me to create applications that are not only user-friendly but also intelligent—capable of interacting and responding dynamically to user needs. I can apply these skills to enhance both front-end and back-end development at our workplace.

My proficiency in merging Django development with advanced machine learning features positions me to significantly upgrade any web-based software. For instance, by implementing user intent recognition systems and integrating sophisticated language models, we can elevate the functionality of our customer service chatbots. Such enhancements will streamline interactions and improve customer satisfaction, aspects I am eager to bring to upcoming projects.

Integration of Machine Learning Models:

My deep understanding of system architecture and machine learning model integration enables me to contribute significantly to the planning and execution of complex software projects. This expertise is pivotal in designing systems that are not only operationally efficient but also scalable, thus supporting data-driven decision-making—an asset in driving business innovations.

Development of Chatbot Systems and LLM Integration:

Building chat interfaces and incorporating Language Learning Models (LLMs) to manage conversational flows has been particularly rewarding. This experience is directly applicable to the development of advanced virtual assistants and automated support systems in the project that I work, allowing us to personalize user interactions based on behavior and history, ultimately enhancing the digital services.

Application of Machine Learning in Organizational Websites:

Many of the projects that I work on at my current job are the development of organizational websites. The practical skills gained from deploying machine learning algorithms, like vision models and recommendation systems, are immensely valuable to develop certain features for the websites. By developing algorithms that accurately predict user preferences, we can boost customer engagement, aligning with business goals.

Cross-Disciplinary Technical Leadership:

My diverse skill set, which includes coding, continuous integration, and deployment, equips me to lead the technical aspects of projects, ensuring compliance with the latest technology and security standards. This comprehensive expertise is crucial in maintaining a competitive edge and fostering innovation in our rapidly evolving tech landscape.

Conclusion:


Overall, the competencies I've developed through my projects are not merely theoretical; they have substantial real-world applications that can be directly applied to our current and future projects, preparing us to tackle a broad range of challenges and seize opportunities in the tech industry.

Name: Ashiwin Rajendran

Matriculation Number: A0291191E

Personal contribution to group project:

As part of the multidisciplinary team developing an innovative bird watching platform, my primary responsibility was to work on the development of the bird species prediction feature using Machine Learning algorithms and managing the entire workflow of the respective feature; end-to-end. I utilized the environmental, temporal, and locational data to predict bird sightings through data-driven insights.



Data Preparation:

- Identifying robust techniques and prepared the data through scaling, transformation and normalization for effective ML modelling.
- Data Cleaning:** Performed rigorous data extraction from sources / data cleaning / data preprocessing through several automation scripts to ensure the dataset's integrity.
- Feature Engineering:** Employed feature engineering to extract useful predictors from our knowledge base, while eliminating non-informative variables.

Model Selection:

- Choosing the right model is critical, and it involves testing various robust models to ensure optimal accuracy in both training and testing. I evaluated popular models including time series, XGBoost, and linear regression to determine which best suits our project's needs. After preliminary data

testing, I opted for the Random Forest classifier due to its ability to manage overfitting and its effectiveness in handling high-dimensional data.

Model Tuning, Training and Evaluation:

- Hyperparameter tuning where I utilized grid search and cross-validation to find the optimal model parameters.
- Trained the model with rigorous fine tuning of parameters and dataset variables to achieve the best accuracy score & evaluated the model through precision and recall.

Model Deployment:

- Integrated the trained model into the existing Django application infrastructure, ensuring smooth operation within the platform's backend.

LLM Integration for Bird prediction:

- Integrated a Large Language Model to process user requests through prompt via the chatbot interface, effectively managing and generating responses for users.

Error Handling and Input Validation in Chatbot:

- Developed a sophisticated input validation system to accurately parse and correct user inputs regarding date and location.
- Implemented weather data retrieval logic that adjusts based on the user's specified date, pulling real-time data or using historical weather patterns as needed.

Project documentation:

- Helped in creating promotional video for the project.
- Contributed to project documentation and reporting.

Team Collaboration:

- Assisted together with my team in collecting bird data information along with weather databases from the online sources and managed it accordingly for bird prediction feature.

What learnt is most useful for you:

The most invaluable skill I've acquired through this project is the ability to seamlessly integrate data science and machine learning techniques into real-world applications. Specifically, the experience of working end-to-end has been profoundly impactful for several reasons:

Understanding of Machine Learning Workflow: Managing the complete lifecycle of a machine learning project—from data preparation and model selection to tuning, training, evaluation, and deployment—has provided me with a comprehensive understanding of how each phase contributes to the robust application development.

Practical Application of Theoretical Knowledge: Integrating ML algorithms into a functioning application, bridged the gap between theoretical concepts and real-world execution. This enhances my problem-solving skills and prepares me for complex challenges in the field.

Team Collaboration: Working within a multidisciplinary team has taught me the importance of collaboration and communication across different areas of expertise. This has broadened my perspective on integrating diverse inputs to enrich project outcomes.

Advanced Problem-Solving with LLM Integration: Integrating a Large Language Model for natural language processing within the chatbot interface allowed me to delve deep into AI-driven state of the art models. This has honed my skills in deploying AI technologies for enhancing user engagement and functionality.

Adaptability and Innovation: Error handling, input validation, integrating dynamic weather data, data pre-processing, reinforced my ability to adapt and innovate.

In summary, this project has not only solidified my foundational skills in machine learning and data science but also enhanced my abilities in project management, user experience design, and cross-functional collaboration. These skills are invaluable assets in my ongoing professional development and future career endeavors in technology.

How you can apply the knowledge and skills in other situations or your workplaces:

The skill set developed during this WingSpan project is highly transferable to my current robotics profession and I will be applying it in various situations and workplace scenarios:

The experience of integrating machine learning with web development and natural language processing can be applied to various technology sectors. Since I work in Robotics sector, this ability is so helpful for me to integrate and develop complex software solutions with AI capabilities into the robotics domain. Particularly in enhancing the user experiences of our Autonomous Underwater Vehicle with AI functionalities.

The skills acquired in data collection, cleaning, and analysis empower me to implement evidence-based decision-making and skills towards handling data sources. Particularly, since I work in Robotics division. I will be dealing with several modular sensors and there is a necessity for me to process the data and to make it meaningful & valuable for other robotics perception or navigation tasks.

The practical knowledge of deploying machine learning models can be used in other scenarios where predictive analytics and user behavior modeling are crucial. I gained an overview of both traditional and current technologies used. For instance, I gained the ability to pick and choose the traditional/modern ML technique based on the problem statement especially in perception domain of my robotics career.

Applying advanced problem-solving and adaptability skills will be instrumental in improving robotic product development and driving innovation across various companies in my future career. These skills are essential for roles that demand continuous product optimization and innovative solutions to complex technical challenges.

The ability to quickly adapt and implement new technologies is a valuable skill in the fast-evolving tech landscape. My experience can help organizations stay ahead of technology curves, implementing state of the art models and techniques as they become available.

By utilizing these skills, I can make a substantial impact in any workplace, especially in my current robotics career, by tailoring my approach to effectively address specific challenges.

Name: Shankar Sai Ganesh	Matriculation Number: A0168149U
---------------------------------	--

Personal contribution to group project:

In my role for the Wingspan chatbot project, I contributed to several key areas:

1. Data Extraction and Collection:

- a. I developed Selenium scripts to automate the extraction of data from various websites. These scripts were tailored to extract bird information and historical weather data.
- b. Leveraging Python Selenium with the Chrome browser, I ensured efficient data collection, simulating human interaction with web pages.

2. Data Processing:

- a. I aggregated monthly weather data into a single Excel file using Pandas, streamlining further analysis, and ensuring data consistency.

3. Heatmap Model Preparation:

- a. I transformed raw data such as location and bird species into longitude and latitude coordinates for heatmap generation.
- b. I calculated the count of bird species for each week at each location, providing insights into bird distribution patterns over time.
- c. To facilitate visualization, I converted locations to specific regions and explored various Python packages for displaying the heatmap on the chatbot interface. This involved packages such as Matplotlib, Seaborn and Folium.
- d. I compared different regression models to predict bird species distribution around Singapore, selecting the most accurate one for integration into the chatbot.

4. Integration with Django Application:

- a. I seamlessly integrated the heatmap model into the Django application powering the Wingspan chatbot.
- b. Introduced the usage of the package joblib which helped the team to integrate the trained models with Django.
- c. This involved incorporating the model's functionality into the application's codebase and enhancing the chatbot's user interface to display the heatmap visualization effectively.

5. Presentation and Documentation:

- a. Took responsibility for the System Design Presentation and Video and prepared all the slides and script for the System Design of WingSpan.
- b. Completed the report for both the Project Overview and Heatmap section as well as the Testing of the application.

My contributions ranged from data extraction and processing to model development and integration, showcasing my versatility across different aspects of the project. Through critical thinking and problem-

solving, I ensured that the implemented features met the project's requirements and enhanced the Wingspan chatbot's functionality.

What learnt is most useful for you:

From the contributions I made to the Wingspan chatbot project, I've gained valuable skills and insights that I find particularly useful:

1. **Data Extraction and Processing Skills:** Developing Selenium scripts and using Pandas for data manipulation have been immensely useful. These skills have not only enabled me to automate data collection but also to organize and preprocess the data effectively for analysis.
2. **Geospatial Data Handling:** Transforming data into longitude and latitude coordinates for heatmap generation has deepened my understanding of geospatial data processing. This skill has broad applications beyond this project, particularly in projects involving location-based analytics and visualization.
3. **Model Evaluation and Selection:** Comparing different regression models for predicting bird species distribution has taught me the importance of model selection. Learning how to evaluate and choose the most suitable model for a given problem has been invaluable and can be applied to various machine learning projects.
4. **Integration with Web Applications:** Integrating the heatmap model into the Django application has improved my skills in web development and software integration. This experience has equipped me to integrate machine learning models into web applications seamlessly, a skill that is highly relevant in today's technology landscape.
5. **Problem-solving and Critical Thinking:** Throughout the project, I encountered various challenges that required creative problem-solving and critical thinking. Learning how to approach and overcome these challenges has been a significant takeaway and has enhanced my overall problem-solving abilities.

Overall, the skills and knowledge I've gained from working on the Wingspan project have been instrumental in my professional development. They have equipped me with a diverse skill set that I can apply to future projects in machine learning, data analysis, and software development.

How you can apply the knowledge and skills in other situations or your workplaces:

Transitioning into the AI field in the future, the knowledge and skills I've gained from contributing to the Wingspan project will continue to be valuable. These skills not only benefit my current role as an automation test engineer but also provide a strong foundation for my future endeavours in AI.

In my current role, I can immediately apply these skills to enhance our testing processes. For example, my experience in developing Selenium scripts for data extraction can be leveraged to automate testing tasks more effectively. By automating data extraction and preprocessing, I can streamline test data generation and analysis, improving the efficiency and accuracy of our testing efforts.

Additionally, my understanding of geospatial analysis will be beneficial in testing applications with location-based features. I can accurately simulate geospatial scenarios, ensuring comprehensive test coverage and validating the functionality of these features under different geographic conditions.

Moreover, my ability to evaluate and compare regression models can be applied to performance testing, helping to identify and optimize critical performance metrics. By selecting the most appropriate models for evaluating application performance, I can ensure that our software meets the required standards for speed, scalability, and reliability.

Looking ahead to my transition into the AI field, these skills will be invaluable in various AI projects. For instance, my experience with data extraction, preprocessing, and analysis will be essential for working with large datasets in AI applications. Whether it's cleaning and preparing data for training machine learning models or conducting exploratory data analysis, these skills will enable me to handle data more effectively.

Furthermore, my knowledge of geospatial analysis can be applied to AI projects involving location-based data. From developing geospatial recommendation systems to analysing environmental data, this skill will open up opportunities to work on diverse and impactful AI projects.


Additionally, my experience in integrating machine learning models into web applications will be valuable for deploying AI solutions in production environments. Whether it's building AI-powered chatbots, recommendation systems, or predictive analytics tools, I can seamlessly integrate AI functionality into various applications, ensuring a smooth user experience.

Finally, my problem-solving and critical thinking skills developed during the Wingspan project will be essential for tackling complex challenges in the AI field. From optimizing model performance to addressing data biases and improving AI algorithms, these skills will enable me to innovate and deliver effective solutions in the rapidly evolving field of AI.

Overall, the knowledge and skills gained from the Wingspan project have prepared me well for both my current role as an automation test engineer and my future endeavours in the AI field. By leveraging these skills, I can contribute effectively to testing processes and AI projects, driving innovation and delivering high-quality solutions in both domains.

Name: Prem Varijakzhan**Matriculation Number: A0291913B****Personal contribution to group project:****Data Collection**

- Worked with the team for the acquisition of relevant datasets for the project by actively researching and evaluating various APIs and sources of historical data. Ensure the relevant APIs identified, have proper coverage and accuracy. This method has ensured us to provide a high-quality dataset which is relevant to the project's needs so that we will have a robust analysis and effective modeling outcome.



A screenshot of a Microsoft Excel spreadsheet. The spreadsheet contains a large amount of data, likely bird observation records, organized into numerous columns and rows. The columns represent various parameters such as date, location, species name, and other observational details. The data is presented in a tabular format with a light blue header row and white background cells.

Data Processing

- Worked on the data processing pipelines to cleanse, transform, and prepare data for the modeling tasks. Additionally, standardized critical measurements, such as converting temperature readings from Fahrenheit to Celsius, to ensure consistency and comparability across different data sources.

Weather Data Integration

- Created a Python code to retrieve both historical and weather forecast for up to 15 days (about 2 weeks) via the API and for the historical data via the dataset we have collected. Developed functions to manage API requests, parse responses in JSON format, and organize the retrieved data into a structured format. This design ensures that the weather data is accurate and timely but also accessible and usable by other team members for their tasks.

Park Recommendation System Model

- Algorithm Design and Development:
 - Designed and developed the algorithm for the content-based park recommendation system tailored to predict park based on specific bird species the user keyed in. This approach involved leveraging machine learning models that effectively use environmental data and user inputs (such as bird names) to determine the best park recommendations.
 - Model Selection:
 - Did research to identify the most effective recommendation system and the proper similarity measurement to be used, the match between user preferred birds to observe and the park which can observe it.
 - Evaluated the systems for their accuracy, computational efficiency, and the ease with which they could be integrated into, thus ensuring the chosen models were aligned with the desired outcome.

Model Optimization and Validation

- Optimization:
 - Fine-tuned the parameters of the selected models to enhance their performance, such as accurately identifying parks where particular bird species are likely to be observed.
 - Validation Techniques:
 - Used cross-validation techniques to make the model better. This method ensured the system maintained reliable performance.
 - Performance Evaluation:
 - Evaluated the model against critical performance metrics, including precision and recall. This method ensured that the park recommendations were both accurate and relevant.

- Comparative System Testing:
 - Conducted tests with various types of recommendation systems to determine the most effective approach for our specific needs. This comparison helped to identify the strengths and weaknesses of each model and able to choose the better option to implement.
- Issue Identification and Communication:
 - Actively searched for and identified any issue within the different systems tested. Then quickly communicated these findings to the team, thus facilitating discussions on the potential improvements and the decision-making process regarding the final model selection.

```

import pandas as pd
import numpy as np
import os
from sklearn.preprocessing import MultiLabelBinarizer
from sklearn.metrics.pairwise import pairwise_distances
from sklearn.metrics import precision_score, recall_score, f1_score
from sklearn.model_selection import train_test_split

# Obtain the current working directory to construct file paths dynamically
current_directory_path = os.getcwd()
print(f"Current directory: {current_directory_path}")

# Construct the full path to the CSV file storing park and bird data
data_path = os.path.join(current_directory_path, "Data", "final_count_dataframe.csv")
print(f"Data path: {data_path}")

# Load and preprocess the data from CSV
data = pd.read_csv(data_path, encoding="latin1", dtype=str)
data['bird'] = data['bird'].str.strip() # Remove any leading/trailing whitespace
data.drop_duplicates(subset=['bird', 'park'], inplace=True) # Remove duplicate entries

# Function to process data into a suitable format for similarity calculations
...
def process_data(df):
    # Group data by 'Location' and aggregate 'Species' into sets
    grouped = df.groupby('Location')[['Species']].apply(set).reset_index()
    mlb = MultiLabelBinarizer() # Initialize the binarizer
    matrix = mlb.fit_transform(grouped[['Species']]) # Transform species sets into binary matrix format
    return grouped['Location'], matrix, mlb, mlb.classes_
...

def process_data(df):
    # Group data by 'Location' and aggregate 'Species' into sets
    grouped = df.groupby('park')[['bird']].apply(set).reset_index()
    mlb = MultiLabelBinarizer() # Initialize the binarizer
    matrix = mlb.fit_transform(grouped[['bird']]) # Transform species sets into binary matrix format
    boolean_matrix = matrix.astype(bool) # Convert to boolean explicitly to avoid warnings
    return grouped['park'], boolean_matrix, mlb, mlb.classes_

# Split data into training and testing sets to validate the model
train_data, test_data = train_test_split(data, test_size=0.2, random_state=42)
train_locations, train_matrix, mlb, species_classes = process_data(train_data)

# Function to recommend parks based on a specific bird using Jaccard similarity
def recommend_parks_for_bird(bird_name, mlb, train_matrix, train_locations):
    bird_index = list(mlb.classes_.index[bird_name])
    bird_vector = np.zeros((1, len(mlb.classes_)))
    bird_vector[0, bird_index] = 1 # Set the bird presence to 1
    similarity_matrix = 1 - pairwise_distances(bird_vector, train_matrix, metric='jaccard') # Using Jaccard similarity
    recommendation_indices = np.argsort(-similarity_matrix, axis=1)[:, :3] # Top 3 recommendations
    return [train_locations[i] for i in recommendation_indices[0]]

# Example usage for a specific bird
bird_name = "Amur Stonechat" # Change this to the bird you're interested in
recommended_parks = recommend_parks_for_bird(bird_name, mlb, train_matrix, train_locations)
print(f"Top 3 recommended parks for {bird_name}: {recommended_parks}")

# Evaluate recommendations for a specific bird
def evaluate_specific_bird_recommendations(recommended_parks, bird_name, train_data):
    true_parks = set(train_data[train_data['bird'].str.contains(bird_name, na=False)]['park'].unique())
    predicted_parks = set(recommended_parks)
    true_positive = predicted_parks.intersection(true_parks)
    precision = len(true_positive) / len(predicted_parks) if predicted_parks else 0
    recall = len(true_positive) / len(true_parks) if true_parks else 0
    f1 = 2 * (precision + recall) / (precision + recall) if (precision + recall) else 0
    return precision, recall, f1

# Calculate metrics for the specific bird recommendations
precision, recall, f1 = evaluate_specific_bird_recommendations(recommended_parks, bird_name, train_data)
print(f"Precision: {precision:.4f}, Recall: {recall:.4f}, F1 Score: {f1:.4f}")

```

Presentation

- Worked closely with the team to design and create the project presentation slides. Together, we created an effective presentation highlighting the project's methodology, findings, and the potential impact by using our project.

Documentation

- Worked closely with the team to produce a detailed documentation report and helped with the video on "Wingspan," explaining the development process, the methodologies employed, and the models developed for the project. Our collaborative efforts were aimed at ensuring clarity. This approach allows for a comprehensive understanding of the project's framework.

User Guide

- Created a detailed user guide for the project, providing clear instructions on how to access and utilize the system through various methods: online via a browser, offline on a local host, and through an offline Android Studio app. This guide offers step-by-step directions for each mode of access, ensuring users can set up and navigate the system regardless of their preferred platform effectively.

What learnt is most useful for you:

Data Collection and Analysis

Accurate data collection is important for any machine learning project as it determines the quality of the model. Ensuring comprehensive data coverage and accuracy provided a reliable foundation for all tasks, enhancing collaboration and efficiency. This enabled detailed a good model, crucial for the park recommendations based on bird species specified by users. Managing this aspect was immensely educational, improving my ability to improve the data sources.

Data Processing and Standardization

Data processing converts raw data into a format suitable for the model. Standardization ensures consistency. Consistent and well-processed data reduces errors and misunderstandings, fostering a more streamlined workflow. This ensured that our models worked seamlessly, thereby increasing the reliability of our outputs. It improved my skills in data manipulation and preprocessing with Python.

Software Development and Algorithm Design

Efficient software development and good algorithm design are important in creating scalable applications. These practices enhance collaboration by creating robust, reusable code that can be easily modified, facilitating a cohesive development. The development and optimization of a core algorithm tailored the recommendation system to predict park accurately based on user-input bird species. Working on these components deepened my understanding of implement proper algorithm and software development.

Machine Learning Model Optimization and Validation

Choosing and optimizing the right model for specific tasks improves prediction accuracy and efficiency, while validation ensures reliable performance across different scenarios. Model optimization and validation improves the models' predictions, crucial for choosing the right recommendation system. By fine-tuning and validating models, I ensured our recommendation system was robust and reliable. This process was instrumental in developing my skills in machine learning.

Model Development and Workflow

Developing models involves a systematic approach to data analysis, feature selection, model training, and testing. This process is essential for creating effective models that accurately predict outcomes. For our project, I was responsible for developing models that could predict parks based on the specific bird species the user put in. This required a deep understanding of both the data and the algorithms suitable for our specific needs. The workflow involved iterative testing and refinement, which helped improve model accuracy and efficiency. This experience was critical in enhancing my skills on workflow and understanding of predictive modeling.

Full Stack Development with Django

Full stack development skills are crucial for technical challenges across all layers of an application. Understanding full stack development expanded my technical skills and made me a more well-rounded developer. The opportunity to learn from my teammates was invaluable, providing hands-on experience

and a deeper understanding of full stack development. This collaborative learning environment accelerated my learning curve, enhancing my problem-solving abilities and confidence, which not only improved my contributions to the project but also equipped me with skills beneficial for my future.

Integration of OpenAI Models

Integrating OpenAI models into our Django-based application allowed us to leverage cutting-edge AI technology, enhancing our system's capabilities with advanced natural language processing. This integration was key to developing intelligent features that could interact naturally with users. This aspect of the project not only advanced the technical sophistication of our solution but also provided me with valuable experience in working with state-of-the-art AI technologies.

Problem Solving and Critical Thinking

These skills are crucial for resolving issues during development, ensuring smooth project development. A strong problem solver helps prevent issues from escalating, benefiting the entire team and maintaining project momentum. My ability to solve problems effectively prevented minor issues from becoming major roadblocks. Developing these skills has prepared me for future challenges, improving my adaptability in dynamic work environments.

Teamwork

Effective teamwork is fundamental to the success of any collaborative project. It facilitates the sharing of ideas, skills, and responsibilities, which enhances the overall productivity and creativity of the team. In our project, teamwork played a pivotal role in aligning our goals and strategies, ensuring that each team member's efforts contributed optimally towards the project objectives. The collaborative environment encouraged open communication and feedback, which were critical for addressing challenges swiftly and efficiently. Engaging actively in a team taught me valuable interpersonal and communication skills, highlighting the importance of listening, adapting, and supporting others, which are crucial for fostering a positive and productive team dynamic. As a relatively inexperienced software developer, these lessons were particularly beneficial, enhancing my ability to work effectively within diverse teams and boosting my confidence in my professional capabilities.

Communication

Communication is the backbone of successful project management and teamwork. Effective communication ensures that information is clearly and timely shared, which is crucial for coordinating tasks, setting expectations, and resolving issues. In the "Wingspan" project, strong communication practices helped maintain transparency, fostered trust, and ensured that all team members were aware of project updates, changes, and decisions. Developing my communication skills through this project involved learning how to articulate ideas clearly, present information effectively, and engage in constructive dialogue. I learned the importance of precision in communication, especially when discussing technical details or project requirements, to avoid misunderstandings. These skills have not only improved my ability to convey complex information well but also enhanced my interactions with my team members, contributing to a more harmonious and productive work.

Overall Summary

Through the "Wingspan" project, I engaged in a comprehensive learning and development journey, encompassing various aspects of software development, and artificial intelligence. From the meticulous collection and processing of data to the development and optimization of machine learning models, and the full stack development using Django, each phase contributed significantly to the project's success and my personal growth as a developer. Integrating OpenAI models introduced an additional layer of complexity and learning, pushing the boundaries of what our project could achieve. This project not only enhanced my technical skills across a spectrum of tools and frameworks but also refined my problem-solving capabilities and deepened my understanding of collaborative project. My experience with "Wingspan" has solidified my foundational skills and prepared me for future challenges in the dynamic field of software development and AI.

How you can apply the knowledge and skills in other situations or your workplaces:

The skills and knowledge I developed during the "Wingspan" project have significantly prepared me for my current role as an Unreal Engine developer in the digital twin industry and are instrumental as I plan my transition to a career more focused on artificial intelligence.

My experience in data collection has been especially valuable in the digital twin sector, where accurate and comprehensive data is crucial for creating realistic and functional virtual worlds. The meticulous attention to detail required in data handling ensures that the digital twins I help develop are not only visually accurate but also behave in ways that are true to their real-world counterparts. This precision in data management is similarly critical in AI, where the quality of data directly influences the performance and effectiveness of models.

The data processing and standardization skills I learned during the "Wingspan" project are directly applicable to my current work as well, where diverse data from various sources must be unified and standardized to create cohesive digital environments. As I transition to AI, these skills will enable me to prepare datasets efficiently for machine learning models, ensuring that the input data is clean, consistent, and ready for complex analyses.

In my role as an Unreal Engine developer, the software development and algorithm design skills acquired have been vital for implementing sophisticated features within digital twins and for the AI projects, where designing efficient algorithms is essential for processing data and making predictions. The ability to develop and optimize algorithms will be crucial as I delve deeper into AI, particularly in areas like machine learning and neural networks.

My understanding of machine learning model optimization and validation, gained from developing the park recommendation system, is also highly relevant. In the AI field, being adept at fine-tuning models to enhance performance and ensure reliability across various scenarios will be a key asset. This expertise is essential for developing AI solutions that are robust, scalable, and capable of operating under different conditions.

The full stack development experience with Django provides a strong foundation for understanding how Django framework works as a personal with less experience and how AI systems can be integrated into larger systems. This is particularly useful in creating more interactive and responsive AI-driven applications. As AI continues to evolve, being proficient in both backend and frontend aspects of application development will allow me to build seamless systems that effectively leverage AI capabilities.

Additionally, my direct experience integrating OpenAI models into applications positions me uniquely for roles that require OpenAI implementation. This experience is not only a technical asset but also provides a practical understanding of how AI can enhance user interactions and system functionalities in real-world applications.

Transitioning to AI involves leveraging my current skills in software development and enhancing them with specific AI competencies. My background in handling complex projects, my technical proficiency with advanced programming tools, and my strategic approach to problem-solving form a solid foundation for this transition. By continuing to build on these skills and focusing on AI-specific learning and projects, I am preparing myself to take on challenging roles in AI, driving innovation and efficiency in new ways.

APPENDIX D: MAPPED SYSTEM FUNCTIONALITIES AGAINST KNOWLEDGE OF COURSES KNOWLEDGE OF COURSE

Course Knowledge	System Functionality
<u>Machine Reasoning</u> Inductive Reasoning Techniques: <ul style="list-style-type: none"> • Random Forest classifiers • Gradient Boosting Regressors 	Bird Sighting prediction Heatmap generation
<u>Reasoning Systems</u> Retrieval Reasoning Systems: <ul style="list-style-type: none"> • Random Forest classifiers • Gradient Boosting Regressors Reasoning and Knowledge Discovery from Datasets <ul style="list-style-type: none"> • User-Based CF 	Bird Sighting prediction Heatmap generation Park Recommendation
<u>Cognitive System</u> Natural Language Processing Natural Language Understanding Large Language Models Vision Cognition Common Sense Reasoning Response Generation	Intent identification, Bird informational queries, Bird identification based on text, Bird identification based on images. Conversion with user in natural language

APPENDIX E: INSTALLATION AND USER GUIDE

Please refer to:

<https://github.com/jithinkrn/IRS-PM-2024-05-05-IS06PT-WingSpan/blob/main/ProjectReport/User%20Guide%20-%20WingSpan.pdf>