config - .ssh - Visual Studio Code

REMOTE... Remotes (Ti

**REMOTES (TUNNELS/SSH)**

SSH

- terraform
- sonarqube
- jenkins_Machine
- KubeMaster
- Kubeworker_1
- Kubeworker_2
- MyGame-2048
- terraform-python
- VolumeMapping
- EFS
- EfS_volume

config

```
Host sonarqube
  HostName 18.175.143.162
  User ubuntu
  IdentityFile "C:\Users\ADMIN\.ssh\Aws.pem"

Host jenkins_Machine
  HostName 13.40.133.181
  User ubuntu
  IdentityFile "C:\Users\ADMIN\.ssh\Aws.pem"

Host KubeMaster
  HostName 13.40.31.102
  User ubuntu
  IdentityFile "C:\Users\ADMIN\.ssh\Aws.pem"

Host Kubeworker_1
  HostName 18.170.29.98
  User ubuntu
  IdentityFile "C:\Users\ADMIN\.ssh\Aws.pem"

Host Kubeworker_2
  HostName 13.40.129.94
  User ubuntu
  IdentityFile "C:\Users\ADMIN\.ssh\Aws.pem"
```


Inbox (7,979) - harinikannankrh
(2) Feed | LinkedIn
Impressing a B Corp
Instances | EC2 | eu-west-2
Setup Wizard [Jenkins]
Not secure
13.40.133.181:8080
Getting Started
Jenkins is ready!
Your Jenkins setup is complete.
Start using Jenkins
Jenkins 2.492.2

Inbox (7,979) - harinikannankrh | (2) Feed | LinkedIn | Impressing a B Corp | Instances | EC2 | eu-west-2 | Dashboard [Jenkins]

Not secure 13.40.133.181:8080

# Jenkins

Harini | log out

Dashboard >

- New Item
- Build History
- Manage Jenkins
- My Views

**Build Queue**

No builds in the queue.

**Build Executor Status** 0/2

Add description

## Welcome to Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

### Start building your software project

Create a job +

### Set up a distributed build

Set up an agent

Configure a cloud

Learn more about distributed builds

REST API Jenkins 2.492.2

Type here to search

5°C Partly sunny ENG 01:58 PM 14-03-2025

Welcome - Visual Studio Code

REMOTE... Remotes (Ti

REMOTES (TUNNELS/SSH)

SSH

- terraform
- sonarqube connected
- jenkins_Machine
- KubeMaster
- Kubeworker_1
- Kubeworker_2
- MyGame-2048
- terraform-python
- VolumeMapping
- EFS
- EfS_volume

HELP AND FEEDBACK

- Get Started
- Read Documentation
- Review Issues
- Report Issue

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

sudo

```
root@ip-172-31-30-162:/home/ubuntu# docker images
REPOSITORY   TAG       IMAGE ID   CREATED   SIZE
root@ip-172-31-30-162:/home/ubuntu# docker pull sonarqube:lts-community
lts-community: Pulling from library/sonarqube
9cb31e2e37ea: Pull complete
13876c96bdc5: Pull complete
25fdfc9faee8: Pull complete
b682cc54ed35: Pull complete
4615ed3a3407: Pull complete
c2e1e3bdd7bc: Pull complete
b2dce0ce5cad: Pull complete
4f4fb700ef54: Pull complete
Digest: sha256:95b1826b68e606678882148e28c01c70dc0efe464a0d0c568570b17eedf1a9f9
Status: Downloaded newer image for sonarqube:lts-community
docker.io/library/sonarqube:lts-community
root@ip-172-31-30-162:/home/ubuntu# docker pull sonatype/nexus3:latest
latest: Pulling from sonatype/nexus3
3333307dcd2e: Pull complete
5025173ec0b3: Pull complete
1a0100414e05: Pull complete
8856d0b87695: Pull complete
32ef5ed16b4e: Pull complete
6958ed6e45ef: Pull complete
df7527f6e32e: Pull complete
Digest: sha256:af8e7276d6304515e36719b0bb95c3dca115f29af11fa334e41a3716c9182fc8
Status: Downloaded newer image for sonatype/nexus3:latest
docker.io/sonatype/nexus3:latest
root@ip-172-31-30-162:/home/ubuntu# docker images
REPOSITORY        TAG             IMAGE ID       CREATED       SIZE
sonatype/nexus3   latest          f4191fc81f8e   6 days ago    626MB
sonarqube         lts-community   522e1399903e   7 weeks ago   604MB
root@ip-172-31-30-162:/home/ubuntu# docker run -d --name sonar-server -p 9000:9000 sonarqube:lts-community
1ee18f3a536ef42c5e46d3a7400d6b2e09d4329092ebbcd81615a9618d076ced
root@ip-172-31-30-162:/home/ubuntu# docker run -d --name nexus-server -p 8081:8081 sonatype/nexus3:latest
5637824aa0bf99719a86fce2038eca60b71c669ca70c31ff2cf056819ed9a277
root@ip-172-31-30-162:/home/ubuntu# docker ps -a
CONTAINER ID   IMAGE                   COMMAND                  CREATED          STATUS          PORTS                                       NAMES
5637824aa0bf   sonatype/nexus3:latest  "/opt/sonatype/nexus..."  4 seconds ago    Up 3 seconds    0.0.0.0:8081->8081/tcp, :::8081->8081/tcp   nexus-server
1ee18f3a536e   sonarqube:lts-community "/opt/sonarqube/dock..."  58 seconds ago   Up 57 seconds   0.0.0.0:9000->9000/tcp, :::9000->9000/tcp   sonar-server
root@ip-172-31-30-162:/home/ubuntu#
```

SSH: sonarqube ⊗ 0 ⚠ 0 0

Screen Reader Optimized

Type here to search

5°C Partly sunny ENG 02:18 PM 14-03-2025

Instances | EC2 | eu-west-2 | Dashboard [Jenkins] | How do you want to create you

Not secure 18.169.166.100:9000/projects/create

There's a new version of SonarQube available. Upgrade to the latest active version to access new updates and features. Learn More

sonarqube Projects Issues Rules Quality Profiles Quality Gates Administration Search for projects... A

How do you want to create your project?

Do you want to benefit from all of SonarQube's features (like repository import and Pull Request decoration)? Create your project from your favorite DevOps platform.
First, you need to set up a DevOps platform configuration.

From Azure DevOps
Set up global configuration

From Bitbucket Server
Set up global configuration

From Bitbucket Cloud
Set up global configuration

From GitHub
Set up global configuration

From GitLab
Set up global configuration

Are you just testing or have an advanced use-case? Create a project manually.

Manually

**Get the most out of SonarQube!**
Take advantage of the whole ecosystem by using SonarLint, a free IDE plugin that helps you find and fix issues earlier in your workflow. Connect SonarLint to SonarQube to sync rule sets and issue states.

Learn More
Dismiss

Type here to search 5°C Partly sunny ENG 02:24 PM 14-03-2025

Instances | EC2 | eu-west-2 | Dashboard [Jenkins] | How do you want to create you | Welcome - Sonatype Nexus Re

Not secure 18.169.166.100:8081

Sonatype Nexus Repository
COMMUNITY 3.78.1-02

Search components

admin | Sign out

Browse

- Welcome
- Search
- Browse
- Upload

# Welcome

## Usage Center

Usage below limits

Monitor this instance's usage to ensure your deployment is appropriate for your needs. Learn more about the usage center.

### Usage Metrics Overview

**Total Components**

0 Current

100,000 Usage Limit

0 Highest Recorded Count (30 days)

**Requests Per Day**

0 Last 24 hours

200,000 Usage Limit

0 Highest Recorded Count (30 days)

**Unique Logins**

0 Last 24 hours

0 Last 30 days

**System Health**
View system status checks

**Cleanup Policies**
Review component removal policies

**Browse**
Browse my repositories

Type here to search

5°C Partly sunny ENG 02:27 PM 14-03-2025

Instances | EC2 | eu-west-2 | Dashboard [Jenkins] | Users - Administration | Welcome - Sonatype Nexus Re

Not secure 18.169.166.100:9000/admin/users

There's a new version of SonarQube available. Upgrade to the latest active version to access new updates and features. Learn More

sonarqube Projects Issues Rules Quality Profiles Quality Gates Administration Search for projects... A

## Tokens of *Administrator*

### Generate Tokens

Name: Enter Token Name

Expires in: 30 days

Generate

New token "token" has been created. Make sure you copy it now, you won't be able to see it again!

Copy `squ_ef62839924a9aece5efc3355adb2aab212f76100`

| Name | Type | Project | Last use | Created | Expiration | |
|---|---|---|---|---|---|---|
| token | User | | Never | March 14, 2025 | April 13, 2025 | Revoke |

Done

Embedded database should be used for evaluation purposes only

The embedded database will not scale, it will not support upgrading to newer versions of SonarQube, and there is no support f

SonarQube™ technology is powered by SonarSource SA

Community Edition - v9.9.8 (build 100196) - LGPL v3 - Community - Documentatio

**Get the most out of SonarQube!**

Take advantage of the whole ecosystem by using SonarLint, a free IDE plugin that helps you find and fix issues earlier in your workflow. Connect SonarLint to SonarQube to sync rule sets and issue states.

Learn More

Dismiss

Type here to search

5°C Partly sunny ENG 02:57 PM 14-03-2025

Instances | EC2 | eu-west-2 | System [Jenkins] | Users - Administration | Browse - Sonatype Nexus Repo | Ekart/pom.xml at main · harini-

Not secure 13.40.133.181:8080/manage/configure

Dashboard > Manage Jenkins > System >

List of SonarQube installations

Name

sonar-server

Server URL

Default is http://localhost:9000

http://18.169.166.100:9000

Server authentication token

SonarQube authentication token. Mandatory when anonymous access is disabled.

sonar-cred

+ Add

Advanced

Add SonarQube

Save Apply

Type here to search

5°C Partly sunny ENG 03:05 PM 14-03-2025

Welcome - Visual Studio Code

REMOTE... Remotes (Ti

REMOTES (TUNNELS/SSH)

SSH

- terraform
- sonarqube
- jenkins_Machine
- KubeMaster
- Kubeworker_1 connected
- Kubeworker_2
- MyGame-2048
- terraform-python
- VolumeMapping
- EFS
- EfS_volume

HELP AND FEEDBACK

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

sudo

```
root@ip-172-31-25-90:/home/ubuntu# ^C
root@ip-172-31-25-90:/home/ubuntu# sudo crictl config runtime-endpoint unix:///var/run/containerd/containerd.sock
root@ip-172-31-25-90:/home/ubuntu# kubeadm join 172.31.18.9:6443 --token 7k6fc2.56almj8ir7vj25lf \
        --discovery-token-ca-cert-hash sha256:70bd3d97262c70417da880fd1e98694765b5c44b2831674b67ca909914c63497
[preflight] Running pre-flight checks
[preflight] Reading configuration from the cluster...
[preflight] FYI: You can look at this config file with 'kubectl -n kube-system get cm kubeadm-config -o yaml'
[kubelet-start] Writing kubelet configuration to file "/var/lib/kubelet/config.yaml"
[kubelet-start] Writing kubelet environment file with flags to file "/var/lib/kubelet/kubeadm-flags.env"
[kubelet-start] Starting the kubelet
[kubelet-start] Waiting for the kubelet to perform the TLS Bootstrap...

This node has joined the cluster:
* Certificate signing request was sent to apiserver and a response was received.
* The Kubelet was informed of the new secure connection details.

Run 'kubectl get nodes' on the control-plane to see this node join the cluster.

root@ip-172-31-25-90:/home/ubuntu#
```

SSH: Kubeworker_1 ⊗ 0 ⚠ 0 0

Screen Reader Optimized

Type here to search

7°C Cloudy ENG 04:05 PM 14-03-2025

Welcome - Visual Studio Code

REMOTE... Remotes (Ti

REMOTES (TUNNELS/SSH)

SSH

- terraform
- sonarqube
- jenkins_Machine
- KubeMaster
- Kubeworker_1
- Kubeworker_2 connected
- MyGame-2048
- terraform-python
- VolumeMapping
- EFS
- EfS_volume

HELP AND FEEDBACK

- Get Started
- Read Documentation
- Review Issues
- Report Issue

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

sudo

```
root@ip-172-31-26-101:/home/ubuntu# kubeadm join 172.31.18.9:6443 --token 7k6fc2.56almj8ir7vj25lf \
        --discovery-token-ca-cert-hash sha256:70bd3d97262c70417da880fd1e98694765b5c44b2831674b67ca909914c63497
[preflight] Running pre-flight checks
[preflight] Reading configuration from the cluster...
[preflight] FYI: You can look at this config file with 'kubectl -n kube-system get cm kubeadm-config -o yaml'
[kubelet-start] Writing kubelet configuration to file "/var/lib/kubelet/config.yaml"
[kubelet-start] Writing kubelet environment file with flags to file "/var/lib/kubelet/kubeadm-flags.env"
[kubelet-start] Starting the kubelet
[kubelet-start] Waiting for the kubelet to perform the TLS Bootstrap...

This node has joined the cluster:
* Certificate signing request was sent to apiserver and a response was received.
* The Kubelet was informed of the new secure connection details.

Run 'kubectl get nodes' on the control-plane to see this node join the cluster.

root@ip-172-31-26-101:/home/ubuntu#
```

SSH: Kubeworker_2 ⊗ 0 ⚠ 0 0

Screen Reader Optimized

Type here to search

0ROX +5.55% ENG 04:18 PM 14-03-2025

Welcome - Visual Studio Code

REMOTE... Remotes (Ti

REMOTES (TUNNELS/SSH)

SSH

- terraform
- sonarqube
- jenkins_Machine
- KubeMaster connected
- Kubeworker_1
- Kubeworker_2
- MyGame-2048
- terraform-python
- VolumeMapping
- EFS
- EfS_volume

HELP AND FEEDBACK

- Get Started
- Read Documentation
- Review Issues
- Report Issue

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS 1

sudo

```
root@ip-172-31-18-9:/home/ubuntu# kubectl get pods
No resources found in default namespace.
root@ip-172-31-18-9:/home/ubuntu# kubectl get node
NAME               STATUS   ROLES           AGE   VERSION
ip-172-31-25-90    Ready    <none>          13m   v1.29.6
ip-172-31-26-101   Ready    <none>          42s   v1.29.6
master             Ready    control-plane   25m   v1.29.6
root@ip-172-31-18-9:/home/ubuntu#
```

SSH: KubeMaster ⊗ 0 ⚠ 0 1

Screen Reader Optimized

Type here to search

0QYP +1.31% ENG 04:19 PM 14-03-2025

Instances | EC2 | eu-west-2 | Jenkins | Users - Administration | Browse - Sonatype Nexus | Ekart/pom.xml at main · ha | Kubeadm init error fix

eu-west-2.console.aws.amazon.com/ec2/home?region=eu-west-2#Instances:

aws | Search [Alt+S] | Europe (London) | harini

EC2 > Instances

**EC2**

- Dashboard
- EC2 Global View
- Events
- **Instances**
  - Instances
  - Instance Types
  - Launch Templates
  - Spot Requests
  - Savings Plans
  - Reserved Instances
  - Dedicated Hosts
  - Capacity Reservations
- **Images**
  - AMIs
  - AMI Catalog
- **Elastic Block Store**
  - Volumes
  - Snapshots
  - Lifecycle Manager

## Instances (5) Info

Last updated less than a minute ago | Connect | Instance state | Actions | Launch instances

Find Instance by attribute or tag (case-sensitive) | All states | 1

| Name | Instance ID | Instance state | Instance type | Status check | Alarm status | Availability Zone |
|---|---|---|---|---|---|---|
| Jenkins | i-0d6e17fd6c3af6518 | Running | t2.medium | 2/2 checks passed | View alarms + | eu-west-2a |
| sonarqube_instance | i-0d6de3901a281aff3 | Running | t2.large | 2/2 checks passed | View alarms + | eu-west-2a |
| kube-worker-1 | i-09a34ab26cc7cc3f8 | Running | t2.medium | 2/2 checks passed | View alarms + | eu-west-2a |
| kube-worker-2 | i-011f11501186d132c | Running | t2.medium | 2/2 checks passed | View alarms + | eu-west-2a |
| Kubernetes-Master | i-0b006fbfd861ac440 | Running | t2.medium | 2/2 checks passed | View alarms + | eu-west-2a |

**Select an instance**

CloudShell | Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Type here to search | 7°C Cloudy | ENG | 04:36 PM 14-03-2025

Instances | EC2 | Jenkins » Creden Users - Administ Browse - Sonaty Ekart/pom.xml at Kubeadm init en (1) Feed | Linked The Ultimate CI/C

Not secure 13.40.133.181:8080/manage/credentials/

Jenkins Harini log out

Dashboard > Manage Jenkins > Credentials

## Credentials

| T | P | Store ↓ | Domain | ID | Name |
|---|---|---|---|---|---|
| | | System | (global) | sonar-cred | sonar-cred |
| | | System | (global) | docker-cred | harinikannankrh@gmail.com/****** (docker-cred) |
| | | System | (global) | kube-cred | kube-cred |

## Stores scoped to Jenkins

| P | Store ↓ | Domains |
|---|---|---|
| | System | (global) |

Icon: S M L

REST API Jenkins 2.492.2

Type here to search Earnings upcoming ENG 05:03 PM 14-03-2025

Instances | EC2 | EKART Config [Je Users - Administ Browse - Sonaty Ekart/pom.xml at Kubeadm init en The Ultimate CI/C Shop

Not secure 13.40.133.181:8080/job/EKART/configure

Dashboard > EKART > Configuration

## Configure

- General
- Triggers
- Pipeline
- Advanced

Script ?

```
pipeline {
    agent any

    tools {
        jdk 'jdk17'
        maven 'maven3'
    }

    environment {
        SCANNER_HOME= tool 'sonar-scanner'
    }

    stages {
        stage('Git checkout') {
            steps {
                git branch: 'main', url: 'https://github.com/harini-051/Ekart.git'
            }
        }

        stage('Compile') {
            steps {
                sh "mvn compile"
            }
        }

        stage('Test') {
            steps {
                sh "mvn test -DskipTests=true"
            }
        }

        stage('SonarQube Analsyis') {
            steps {
                withSonarQubeEnv('sonar-server') {
                    sh ''' $SCANNER_HOME/bin/sonar-scanner -Dsonar.projectName=EKART -Dsonar.projectKey=EKART \
                        -Dsonar.java.binaries=. '''
                }
            }
        }

        stage('Build') {
```

Save Apply

Type here to search UK 100 +0.96% ENG 05:18 PM 14-03-2025

Instances | EC2 | · EKART Config [Je · Users - Administ · Browse - Sonaty · Ekart/pom.xml at · Kubeadm init en · The Ultimate CI/C · Shop

Not secure 13.40.133.181:8080/job/EKART/configure

Dashboard > EKART > Configuration

## Configure

- General
- Triggers
- Pipeline
- Advanced

Script ?

```
41      stage('Build') {
42          steps {
43              sh "mvn package -DskipTests=true"
44          }
45      }
46
47      stage('Deploy to nexus') {
48          steps {
49              withMaven(globalMavenSettingsConfig: 'global-config-xml') { // withMaven =>  Installed the plugin pipeline maven Integrat
50                  sh 'mvn deploy -DskipTests=true' // skipping test to quickly build
51              }
52          }
53      }
54
55      stage('Build docker image') {
56          steps {
57           withDockerRegistry(credentialsId: 'docker-cred', url: '') {
58                  sh "docker build -t dev21coder/ekart:latest -f docker/Dockerfile ." // Tells docker to build a image using the tag sl
59              }
60          }
61      }
62
63      stage('Trivy FS Scan') {
64          steps {
65           sh 'trivy image dev21coder/ekart:latest > trivy-report.txt' //scans the vulnerablities in the code
66          }
67      }
68
69      stage('Build and tag docker image') {
70          steps {
71           withDockerRegistry(credentialsId: 'docker-cred', url: '') {
72                  sh "docker push dev21coder/ekart:latest" // Tells docker to build a image using the tag shopping-cart:dev shopping-ca
73              }
74          }
75      }
76
77      stage('kubernetes deploy') {
78          steps {
79              withKubeCredentials(kubectlCredentials: [[caCertificate: '', clusterName: '', contextName: '', credentialsId: 'kube-cred
80                  sh "kubectl apply -f deploymentservice.yml -n webapps"
81                  sh "kubectl get svc -n webapps"
```

Save Apply

Type here to search · UK 100 +0.96% · ENG · 05:18 PM 14-03-2025

Instances | EC2 | eu-w | EKART #2 Console [Je | Users - Administratio | Browse - Sonatype N | Ekart/pom.xml at ma | Kubeadm init error fi | The Ultimate CICD C

Not secure 13.40.133.181:8080/job/EKART/2/console

Dashboard > EKART > #2

```
[Pipeline] {
[Pipeline] withKubeCredentials
[Pipeline] {
[Pipeline] sh
+ kubectl apply -f deploymentservice.yml -n webapps
deployment.apps/ekart-deployment created
service/ekart-ssvc created
[Pipeline] sh
+ kubectl get svc -n webapps
NAME         TYPE           CLUSTER-IP       EXTERNAL-IP   PORT(S)          AGE
ekart-ssvc   LoadBalancer   10.111.236.154   <pending>     8070:31323/TCP   1s
[Pipeline] }
[kubernetes-cli] kubectl configuration cleaned up
[Pipeline] // withKubeCredentials
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Type here to search UK 100 +0.96% ENG 05:16 PM 14-03-2025

Instances | EC2 | eu-w | EKART [Jenkins] | Users - Administratio | Browse - Sonatype N | Ekart/pom.xml at ma | Kubeadm init error fi | The Ultimate CICD C

Not secure 13.40.133.181:8080/job/EKART/

Dashboard > EKART >

- Status
- Changes
- Build Now
- Configure
- Delete Pipeline
- Full Stage View
- SonarQube
- Stages
- Rename
- Pipeline Syntax

Builds

Filter /

Today

#2 5:15 PM

#1 5:10 PM

# EKART

Add description

## Stage View

| | Declarative: Tool Install | Git checkout | Compile | Test | SonarQube Analsyis | Build | Deploy to nexus | Build docker image | Trivy FS Scan | Build and tag docker image | kubernetes deploy |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Average stage times: (full run time: ~55s) | 8s | 991ms | 6s | 4s | 15s | 5s | 7s | 5s | 16s | 10s | 17s |
| #2 17:15 No Changes | 217ms | 675ms | 3s | 3s | 14s | 4s | 7s | 3s | 3s | 9s | 2s |
| #1 17:10 No Changes | 17s | 1s | 9s | 5s | 16s | 6s | 8s | 7s | 29s | 10s | 33s failed |

## SonarQube Quality Gate

EKART Passed

server-side processing: Success

## Permalinks

Type here to search

UK 100 +0.96% ENG 05:16 PM 14-03-2025

Instances | EC2 | EKART #2 Conso Users - Administ Browse - Sonaty Ekart/pom.xml at Kubeadm init en The Ultimate CI/C Shop

Not secure 18.132.207.14:31323/login

Shop

Registration Login

UserName

Password

Login

© 2017 Dusan Reljic

Type here to search

UK 100 +0.96% ENG 05:17 PM 14-03-2025

Instances | EC2 | eu-w | Dashboard [Jenkins] | Users - Administratio | Browse - Sonatype N | Ekart/pom.xml at ma | Kubeadm init error fi | Shop

Not secure 18.169.166.100:8081/#browse/browse:maven-snapshots

Sonatype Nexus Repository
COMMUNITY 3.78.1-02

Search components

Sign in

Browse

- Welcome
- Search
- Browse

Browse / maven-snapshots

HTML View

Advanced search...

- com
  - reljicd
    - shopping-cart
      - 0.0.1-SNAPSHOT
        - 0.0.1-20250314.171132-1
        - 0.0.1-20250314.171539-2
          - shopping-cart-0.0.1-20250314.171539-2.jar
          - shopping-cart-0.0.1-20250314.171539-2.jar.md5
          - shopping-cart-0.0.1-20250314.171539-2.jar.sha1
          - shopping-cart-0.0.1-20250314.171539-2.pom
          - shopping-cart-0.0.1-20250314.171539-2.pom.md5
          - shopping-cart-0.0.1-20250314.171539-2.pom.sha1
        - maven-metadata.xml
        - maven-metadata.xml.md5
        - maven-metadata.xml.sha1
      - maven-metadata.xml
      - maven-metadata.xml.md5
      - maven-metadata.xml.sha1

Type here to search

UK 100 +0.96% ENG 05:19 PM 14-03-2025