
@Vikas
Custom Modules
VPC, EKS, CI-infra,
sgp's, ssm
pre-prod_terraform.tfvars
prod_terraform.tfvars
HashiCorp
Terraform
Terraform
Workspace
AWS
Remote Backends
terraform.tfstate
.terraform.lock.hcl
Pre - Prod
Workspace
Prod
Workspace
VPC
10.0.1.0/16
Pre - Production Environment - VPC, EKS Cluster, EC2 (ap-south-1a, 1b, 1c)
EKS Control Plane
172.168.1.0
172.168.1.0
172.168.1.0
Route
Tables
Public Subnets
172.168.1.0
172.168.1.0
172.168.1.0
Route
Tables
Worker Nodes
Private Subnets
Continuous Delivery (EKS Cluster)
S3 For State
Dynamo DB
State Lock
Jenkins - Master Slave
Nexus Server
Sonar Server
Continuous Integration
VPC
10.0.1.0/16
Production Environment - VPC, EKS Cluster, EC2 (us-east-1a, 1b, 1c)
EKS Control Plane
172.168.1.0
172.168.1.0
172.168.1.0
Route
Tables
Public Subnets
172.168.1.0
172.168.1.0
172.168.1.0
Route
Tables
Worker Nodes
Private Subnets
Continuous Delivery (EKS Cluster)
S3 For State
Dynamo DB
State Lock
Jenkins - Master Slave
Nexus Server
Sonar Server
Continuous Integration

File Edit Selection View Go Run Terminal Help

Terraform_scripts

EXPLORER

TERRAFORM_SCRIPTS

- environments
  - pre-prod
    - terraform.tfvars
  - prod
    - terraform.tfvars
- modules
  - ci_infra
    - ec2.tf
    - output.tf
    - variables.tf
  - eks
    - main.tf
    - output.tf
    - variables.tf
  - iam_ssm
    - main.tf
    - output.tf
    - variable.tf
  - security_groups
    - main.tf
    - output.tf
    - variables.tf
  - vpc
    - main.tf
    - output.tf
    - variables.tf
- snapshots
- backend.tf
- main.tf
- provider.tf
- variables.tf

OUTLINE

TIMELINE

main.tf > module "aws_eks_cluster"

You, 2 hours ago | 1 author (You)

```tf
# VPC module for staging or production environment
```

You, 17 hours ago | 1 author (You)

```tf
module "vpc" {
  source = "./modules/vpc"

  # Public Subnets
  ci_cd_public_subnet_1        = var.ci_cd_public_subnet_1
  ci_cd_public_subnet_name_1   = var.ci_cd_public_subnet_name_
  ci_cd_public_subnet_1_region = var.ci_cd_public_subnet_1_reg

  ci_cd_public_subnet_2        = var.ci_cd_public_subnet_2
  ci_cd_public_subnet_name_2   = var.ci_cd_public_subnet_name_
  ci_cd_public_subnet_2_region = var.ci_cd_public_subnet_2_reg

  # Private Subnets
  ci_cd_private_subnet_1        = var.ci_cd_private_subnet_1
  ci_cd_private_subnet_name_1   = var.ci_cd_private_subnet_nam
  ci_cd_private_subnet_1_region = var.ci_cd_private_subnet_1_r

  ci_cd_private_subnet_2        = var.ci_cd_private_subnet_2
  ci_cd_private_subnet_name_2   = var.ci_cd_private_subnet_nam
  ci_cd_private_subnet_2_region = var.ci_cd_private_subnet_2_r

  ci_cd_private_subnet_3        = var.ci_cd_private_subnet_3
  ci_cd_private_subnet_name_3   = var.ci_cd_private_subnet_nam
  ci_cd_private_subnet_3_region = var.ci_cd_private_subnet_3_r

  # Networking Components
  ci_cd_igw_name         = var.ci_cd_igw_name
  elastic_ip_name        = var.elastic_ip_name
  ci_cd_nat_gateway_name = var.ci_cd_nat_gateway_name
}

# EKS Cluster Module
```

You, 17 hours ago | 1 author (You)

```tf
module "aws_eks_cluster" {
  source = "./modules/eks"

  eks_cluster_name    = var.eks_cluster_name
```

You, 2 weeks ago • Configured

main.tf > ...

```tf
module "aws_eks_cluster" {
  eks_public_subnets = module.vpc.ci_cd_public_subnets

  worker_nodes_name      = var.worker_nodes_name
  worker_instance_type   = var.worker_instance_type
  worker_private_subnets = module.vpc.ci_cd_private_subnets

  desired_size    = var.desired_size
  min_size        = var.min_size
  max_size        = var.max_size
  max_unavailable = var.max_unavailable
}

# Security Groups Module
```

You, 17 hours ago | 1 author (You)

```tf
module "security_groups" {
  source = "./modules/security_groups"
  vpc_id = module.vpc.vpc_id
}

# session_manager Module
```

You, 17 hours ago | 1 author (You)

```tf
module "session_manager" {
  source             = "./modules/iam_ssm"
  vpc_id             = module.vpc.vpc_id
  slave-sgp          = module.security_groups.jenkins_slave_se
  private_subnet_ids = module.vpc.ci_cd_private_subnets
}

# CI/CD Infrastructure Module
```

You, 2 hours ago | 1 author (You)

```tf
module "ci_infra" {
  source = "./modules/ci_infra"

  vpc_id = module.vpc.vpc_id

  # AMI IDs
  jenkins_master_ami = var.jenkins_master_ami
  jenkins_slave_ami  = var.jenkins_slave_ami
  nexus_ami          = var.nexus_ami
```

Launchpad ⊗ 0 ⚠ 0 BLACKBOX Chat Add Logs CyberCoder Improve Code Share Code Link Generate Commit Message Spaces: 2 UTF-8 CRLF Terraform Go Live AI Code Chat tabnine basic Prettier

File Edit Selection View Go Run Terminal Help

Terraform_scripts

EXPLORER

TERRAFORM_SCRIPTS
- .terraform
- environments
  - pre-prod
    - terraform.tfvars
  - prod
    - terraform.tfvars
- modules
  - ci_infra
    - ec2.tf
    - output.tf
    - variables.tf
  - eks
    - main.tf
    - output.tf
    - variables.tf
  - iam_ssm
    - main.tf
    - output.tf
    - variable.tf
  - security_groups
    - main.tf
    - output.tf
    - variables.tf
  - vpc
    - main.tf
    - output.tf
    - variables.tf
- snapshots
- .terraform.lock.hcl
- backend.tf
- main.tf
- provider.tf

OUTLINE

TIMELINE

terraform.tfvars .\ | terraform.tfvars ...\prod

environments > prod > terraform.tfvars > ci_cd_public_subnet_1

```
ci_cd_public_subnet_name_2  = "ci-cd-public-subnet-2-prod"
ci_cd_public_subnet_2_region = "ap-south-1b"

ci_cd_private_subnet_1      = "10.0.3.0/24"
ci_cd_private_subnet_name_1 = "ci-cd-private-subnet-1-prod"
ci_cd_private_subnet_1_region = "ap-south-1a"

ci_cd_private_subnet_2      = "10.0.4.0/24"
ci_cd_private_subnet_name_2 = "ci-cd-private-subnet-2-prod"
ci_cd_private_subnet_2_region = "ap-south-1b"

ci_cd_private_subnet_3      = "10.0.5.0/24"
ci_cd_private_subnet_name_3 = "ci-cd-private-subnet-3-prod"
ci_cd_private_subnet_3_region = "ap-south-1c"

ci_cd_igw_name              = "ci-cd-igw-prod"
elastic_ip_name           = "ci-cd-elastic-ip-prod"
ci_cd_nat_gateway_name      = "ci-cd-nat-gateway-prod"

# eks dynamic variables
eks_cluster_name          = "eks-cluster-prod"
desired_size              = 3
min_size                  = 2
max_size                  = 5
max_unavailable           = 2
worker_instance_type      = "m5.large"
worker_nodes_name         = "eks-worker-nodes-prod"

# CI resources
jenkins_master_ami = "ami-076c6dbba59aa92e6"
jenkins_slave_ami  = "ami-076c6dbba59aa92e6"
nexus_ami          = "ami-076c6dbba59aa92e6"
sonar_ami          = "ami-076c6dbba59aa92e6"
instance_type = "t3.medium"
key_name = "Jenkins"

slave_desired_size = 2
slave_max_size = 3
slave_min_size = 1
```

terraform.tfvars

environments > pre-prod > terraform.tfvars > ...

```
ci_cd_public_subnet_name_2  = "ci-cd-public-subnet-2-pre-prod"
ci_cd_public_subnet_2_region = "ap-south-1b"

ci_cd_private_subnet_1      = "10.0.3.0/24"
ci_cd_private_subnet_name_1 = "ci-cd-private-subnet-1-pre-prod"
ci_cd_private_subnet_1_region = "ap-south-1a"
      You, 4 hours ago • Updated dynamic variables for each envi
ci_cd_private_subnet_2      = "10.0.4.0/24"
ci_cd_private_subnet_name_2 = "ci-cd-private-subnet-2-pre-prod"
ci_cd_private_subnet_2_region = "ap-south-1b"

ci_cd_private_subnet_3      = "10.0.5.0/24"
ci_cd_private_subnet_name_3 = "ci-cd-private-subnet-3-pre-prod"
ci_cd_private_subnet_3_region = "ap-south-1c"

ci_cd_igw_name              = "ci-cd-igw-pre-prod"
elastic_ip_name           = "ci-cd-elastic-ip-pre-prod"
ci_cd_nat_gateway_name      = "ci-cd-nat-gateway-pre-prod"

eks_cluster_name          = "eks-cluster-pre-prod"
worker_instance_type      = "t3.medium"
worker_nodes_name         = "eks-worker-nodes-pre-prod"
desired_size              = 2
min_size                  = 1
max_size                  = 3
max_unavailable           = 1

# CI resources
jenkins_master_ami = "ami-076c6dbba59aa92e6"
jenkins_slave_ami  = "ami-076c6dbba59aa92e6"
nexus_ami          = "ami-076c6dbba59aa92e6"
sonar_ami          = "ami-076c6dbba59aa92e6"
instance_type = "t3.medium"
key_name = "Jenkins"

slave_desired_size = 2
slave_max_size = 3
slave_min_size = 1
```

Launchpad | 0 0 | BLACKBOX Chat | Add Logs | CyberCoder | Improve Code | Share Code Link | Generate Commit Message | UTF-8 | CRLF | terraform-vars | Go Live | AI Code Chat | tabnine basic | Prettier

File Edit Selection View Go Run Terminal Help

Terraform_scripts

EXPLORER

TERRAFORM_SCRIPTS

- .terraform
- environments
  - pre-prod
    - terraform.tfvars
  - prod
    - terraform.tfvars
- modules
  - ci_infra
    - ec2.tf
    - output.tf
    - variables.tf
  - eks
    - main.tf
    - output.tf
    - variables.tf
  - iam_ssm
    - main.tf
    - output.tf
    - variable.tf
  - security_groups
    - main.tf
    - output.tf
    - variables.tf
  - vpc
    - main.tf
    - output.tf
    - variables.tf
- snapshots
- .terraform.lock.hcl
- backend.tf
- main.tf
- provider.tf

OUTLINE

TIMELINE

main.tf

main.tf > ...

```
2   module "vpc" {
18
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE PORTS GITLENS SPELL CHECKER COMMENTS

powershell

```
PS E:\ops1\Full-Stack-Infra-Setup\Terraform_scripts> terraform init
Initializing the backend...

Successfully configured the backend "s3"! Terraform will automatically
use this backend unless the backend configuration changes.
Initializing modules...

Successfully configured the backend "s3"! Terraform will automatically
use this backend unless the backend configuration changes.
Initializing modules...
- aws_eks_cluster in modules\eks
- ci_infra in modules\ci_infra
- security_groups in modules\security_groups
- session_manager in modules\iam_ssm
- vpc in modules\vpc
Initializing provider plugins...
- Finding hashicorp/aws versions matching "~> 5.0"...
- Installing hashicorp/aws v5.93.0...
- Installed hashicorp/aws v5.93.0 (signed by HashiCorp)
Terraform has created a lock file .terraform.lock.hcl to record the provider
selections it made above. Include this file in your version control repository
so that Terraform can guarantee to make the same selections by default when
you run "terraform init" in the future.

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see
any changes that are required for your infrastructure. All Terraform commands
should now work.

If you ever set or change modules or backend configuration for Terraform,
rerun this command to reinitialize your working directory. If you forget, other
commands will detect it and remind you to do so if necessary.
PS E:\ops1\Full-Stack-Infra-Setup\Terraform_scripts> terraform validate
Success! The configuration is valid.

PS E:\ops1\Full-Stack-Infra-Setup\Terraform_scripts>
```

Launchpad ⊗ 0 ⚠ 0 BLACKBOX Chat Add Logs CyberCoder Improve Code Share Code Link Generate Commit Message Spaces: 2 UTF-8 CRLF Terraform Go Live AI Code Chat tabnine basic Prettier

File Edit Selection View Go Run Terminal Help

Terraform_scripts

EXPLORER

TERRAFORM_SCRIPTS

- .terraform
- environments
  - pre-prod
    - terraform.tfvars
  - prod
    - terraform.tfvars
- modules
  - ci_infra
    - ec2.tf
    - output.tf
    - variables.tf
  - eks
    - main.tf
    - output.tf
    - variables.tf
  - iam_ssm
    - main.tf
    - output.tf
    - variable.tf
  - security_groups
    - main.tf
    - output.tf
    - variables.tf
  - vpc
    - main.tf
    - output.tf
    - variables.tf
- snapshots
- .terraform.lock.hcl
- backend.tf
- main.tf
- provider.tf

OUTLINE

TIMELINE

terraform.tfvars | main.tf

modules > vpc > main.tf > resource "aws_vpc" "ci_cd-vpc"

You, 18 hours ago | 1 author (You)

PROBLEMS 1 | OUTPUT | TERMINAL | DEBUG CONSOLE | PORTS | GITLENS | SPELL CHECKER 1 | COMMENTS

powershell

```
      + tags_all                                     = {
          + "Name" = "ci-cd-public-subnet-2-prod"
        }
      + vpc_id                                       = (known after apply)
    }

  # module.vpc.aws_vpc.ci_cd-vpc will be created
  + resource "aws_vpc" "ci_cd-vpc" {
      + arn                                  = (known after apply)
      + cidr_block                           = "10.0.0.0/16"
      + default_network_acl_id               = (known after apply)
      + default_route_table_id               = (known after apply)
      + default_security_group_id            = (known after apply)
      + dhcp_options_id                      = (known after apply)
      + enable_dns_hostnames                 = true
      + enable_dns_support                   = true
      + enable_network_address_usage_metrics = (known after apply)
      + id                                   = (known after apply)
      + instance_tenancy                     = "default"
      + ipv6_association_id                  = (known after apply)
      + ipv6_cidr_block                      = (known after apply)
      + ipv6_cidr_block_network_border_group = (known after apply)
      + main_route_table_id                  = (known after apply)
      + owner_id                             = (known after apply)
      + tags                                 = {
          + "Name" = "anonymous vpc"
        }
      + tags_all                             = {
          + "Name" = "anonymous vpc"
        }
    }

Plan: 39 to add, 0 to change, 0 to destroy.

------------------------------------------------------------------------

Note: You didn't use the -out option to save this plan, so Terraform can't guarantee to take exactly these actions if you run "terraform apply" now.
PS E:\ops1\Full-Stack-Infra-Setup\Terraform_scripts>
```

Launchpad | 0 0 1 | BLACKBOX Chat | Add Logs | CyberCoder | Improve Code | Share Code Link | Generate Commit Message | UTF-8 | CRLF | Terraform | Go Live | AI Code Chat | tabnine basic | Prettier

ap-south-1.console.aws.amazon.com/eks/home?region=ap-south-1

aws | Search [Alt+S] | Asia Pacific (Mumbai) | Vikas

Amazon Elastic Kubernetes Service

- Clusters
- **Settings**
  - Console settings
- **Amazon EKS Anywhere**
  - Enterprise Subscriptions
- **Related services**
  - Amazon ECR
  - AWS Batch

Documentation

Clusters (1) Info

Delete | Create cluster

Filter clusters

1

Cluster name	Status	Kubernetes version	Support period	Upgrade policy	Created	Provider
eks-cluster-prod	Active	1.32	Standard support until March 21, 2026	Extended	7 minutes ago	EKS

© 2025, Amazon Web Services, Inc. or its affiliates.

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:v=3;$case=tags:true%5C,client:false;$regex=tags:false%5C,cl...

aws | Search [Alt+S] | Asia Pacific (Mumbai) | Vikas

EC2 > Instances

EC2

- Dashboard
- EC2 Global View
- Events
- **Instances**
  - Instances
  - Instance Types
  - Launch Templates
  - Spot Requests
  - Savings Plans
  - Reserved Instances
  - Dedicated Hosts
  - Capacity Reservations
- **Images**
  - AMIs
  - AMI Catalog
- **Elastic Block Store**
  - Volumes
  - Snapshots
  - Lifecycle Manager
- **Network & Security**
  - Security Groups

Instances (8) Info

Last updated 3 minutes ago | Connect | Instance state | Actions | Launch instances

Find Instance by attribute or tag (case-sensitive) | All states | 1

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone
jenkins-slave-asg	i-091595079c6496e29	Running	t3.medium	3/3 checks passec	View alarms +	ap-south-1a
	i-0a4dcb995597e4712	Running	m5.large	Initializing	View alarms +	ap-south-1a
jenkins-master-prod	i-0d3e59b940a823a69	Running	t3.medium	3/3 checks passec	View alarms +	ap-south-1a
jenkins-slave-asg	i-004cb599fec788517	Running	t3.medium	3/3 checks passec	View alarms +	ap-south-1c
	i-0b67b72123e9b5bdb	Running	m5.large	Initializing	View alarms +	ap-south-1c
nexus-server-prod	i-095aa175c2c5a722b	Running	t3.medium	3/3 checks passec	View alarms +	ap-south-1b
nexus-server-prod	i-0f30155c636b1f5b2	Running	t3.medium	3/3 checks passec	View alarms +	ap-south-1b
	i-074144fdeba2738d7	Running	m5.large	Initializing	View alarms +	ap-south-1b

Select an instance

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

ap-south-1.console.aws.amazon.com/s3/buckets/vikas-multi-env-bucket?prefix=env%3A/&region=ap-south-1&bucketType=general

aws | Search [Alt+S] | Asia Pacific (Mumbai) | Vikas

Amazon S3 > Buckets > vikas-multi-env-bucket > env:/

Amazon S3

- General purpose buckets
- Directory buckets
- Table buckets
- Access Grants
- Access Points
- Object Lambda Access Points
- Multi-Region Access Points
- Batch Operations
- IAM Access Analyzer for S3

- Block Public Access settings for this account

Storage Lens

- Dashboards
- Storage Lens groups
- AWS Organizations settings

Feature spotlight 11

AWS Marketplace for S3

env:/

Copy S3 URI

Objects | Properties

Objects (3)

Copy S3 URI | Copy URL | Download | Open | Delete | Actions | Create folder | Upload

Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more

Find objects by prefix

1

Name	Type	Last modified	Size
dev/	Folder	-	-
pre-prod/	Folder	-	-
prod/	Folder	-	-

CloudShell | Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy | Terms | Cookie preferences

File Edit Selection View Go Run Terminal Help

Terraform_scripts

EXPLORER

TERRAFORM_SCRIPTS
- .terraform
- environments
  - pre-prod
    - terraform.tfvars
  - prod
    - terraform.tfvars
- modules
  - ci_infra
    - ec2.tf
    - output.tf
    - variables.tf
  - eks
    - main.tf
    - output.tf
    - variables.tf
  - iam_ssm
    - main.tf
    - output.tf
    - variable.tf
  - security_groups
    - main.tf
    - output.tf
    - variables.tf
  - vpc
    - main.tf
    - output.tf
    - variables.tf
- snapshots
- .terraform.lock.hcl
- backend.tf
- main.tf
- provider.tf

OUTLINE

TIMELINE

terraform.tfvars | main.tf

modules > vpc > main.tf > resource "aws_vpc" "ci_cd-vpc"

You, 18 hours ago | 1 author (You)

PROBLEMS 1 | OUTPUT | TERMINAL | DEBUG CONSOLE | PORTS | GITLENS | SPELL CHECKER 1 | COMMENTS

powershell

```
module.aws_eks_cluster.aws_iam_role_policy_attachment.eks-ec2-container-policy: Destroying... [id=eks-worker-role-20250329065714708100000003]
module.vpc.aws_subnet.ci_cd-private-subnet-1b: Destroying... [id=subnet-0b8615fe6fa7b62d7]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Destroying... [id=eks-cluster-prod]
module.vpc.aws_subnet.ci_cd-private-subnet-1c: Destroying... [id=subnet-0a6e83de1332efd55]
module.vpc.aws_subnet.ci_cd-private-subnet-1a: Destruction complete after 0s
module.vpc.aws_subnet.ci_cd-private-subnet-1b: Destruction complete after 0s
module.vpc.aws_subnet.ci_cd-private-subnet-1c: Destruction complete after 0s
module.aws_eks_cluster.aws_iam_role_policy_attachment.eks-ec2-container-policy: Destruction complete after 1s
module.aws_eks_cluster.aws_iam_role_policy_attachment.eks-worker-policy: Destruction complete after 1s
module.aws_eks_cluster.aws_iam_role_policy_attachment.eks-worker-cni-policy: Destruction complete after 1s
module.aws_eks_cluster.aws_iam_role.eks-worker-role: Destroying... [id=eks-worker-role]
module.aws_eks_cluster.aws_iam_role.eks-worker-role: Destruction complete after 1s
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Still destroying... [id=eks-cluster-prod, 10s elapsed]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Still destroying... [id=eks-cluster-prod, 20s elapsed]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Still destroying... [id=eks-cluster-prod, 30s elapsed]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Still destroying... [id=eks-cluster-prod, 40s elapsed]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Still destroying... [id=eks-cluster-prod, 50s elapsed]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Still destroying... [id=eks-cluster-prod, 1m0s elapsed]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Still destroying... [id=eks-cluster-prod, 1m10s elapsed]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Still destroying... [id=eks-cluster-prod, 1m20s elapsed]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Still destroying... [id=eks-cluster-prod, 1m30s elapsed]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Still destroying... [id=eks-cluster-prod, 1m40s elapsed]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Still destroying... [id=eks-cluster-prod, 1m50s elapsed]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Still destroying... [id=eks-cluster-prod, 2m0s elapsed]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Still destroying... [id=eks-cluster-prod, 2m10s elapsed]
module.aws_eks_cluster.aws_eks_cluster.eks-control-plane: Destruction complete after 2m11s
module.aws_eks_cluster.aws_iam_role_policy_attachment.eks-role-policy: Destroying... [id=eks-cluster-role-new-20250329065714796700000004]
module.vpc.aws_subnet.ci_cd-public-subnet-1a: Destroying... [id=subnet-046f8511b48572823]
module.vpc.aws_subnet.ci_cd-public-subnet-1b: Destroying... [id=subnet-02e3ba67ad55c7a82]
module.vpc.aws_subnet.ci_cd-public-subnet-1a: Destruction complete after 0s
module.vpc.aws_subnet.ci_cd-public-subnet-1b: Destruction complete after 1s
module.vpc.aws_vpc.ci_cd-vpc: Destroying... [id=vpc-05b96cac1fb0526bb]
module.vpc.aws_vpc.ci_cd-vpc: Destruction complete after 0s
module.aws_eks_cluster.aws_iam_role_policy_attachment.eks-role-policy: Destruction complete after 1s
module.aws_eks_cluster.aws_iam_role.eks-cluster-role-test: Destroying... [id=eks-cluster-role-new]
module.aws_eks_cluster.aws_iam_role.eks-cluster-role-test: Destruction complete after 1s

Destroy complete! Resources: 39 destroyed.
PS E:\ops1\Full-Stack-Infra-Setup\Terraform_scripts>
```

Launchpad | 0 0 1 | BLACKBOX Chat | Add Logs | CyberCoder | Improve Code | Share Code Link | Generate Commit Message | UTF-8 | CRLF | Terraform | Go Live | AI Code Chat | tabnine basic | Prettier

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:v=3;$case=tags:true%5C,client:false;$regex=tags:false%5C,cl...

aws | Search [Alt+S] | Asia Pacific (Mumbai) | Vikas

EC2 > Instances

EC2

- Dashboard
- EC2 Global View
- Events

Instances

- Instances
- Instance Types
- Launch Templates
- Spot Requests
- Savings Plans
- Reserved Instances
- Dedicated Hosts
- Capacity Reservations

Images

- AMIs
- AMI Catalog

Elastic Block Store

- Volumes
- Snapshots
- Lifecycle Manager

Network & Security

- Security Groups

Instances (8) Info

Last updated less than a minute ago | Connect | Instance state | Actions | Launch instances

Find Instance by attribute or tag (case-sensitive) | All states | 1

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone
jenkins-master-prod	i-0d3e59b940a823a69	Terminated	t3.medium	–	View alarms +	ap-south-1a
jenkins-slave-asg	i-091595079c6496e29	Terminated	t3.medium	–	View alarms +	ap-south-1a
jenkins-slave-asg	i-004cb599fec788517	Terminated	t3.medium	–	View alarms +	ap-south-1c
nexus-server-prod	i-095aa175c2c5a722b	Terminated	t3.medium	–	View alarms +	ap-south-1b
sonar-server-prod	i-0f30155c636b1f5b2	Terminated	t3.medium	–	View alarms +	ap-south-1b
prod-eks-worker-node1	i-0a4dcb995597e4712	Terminated	m5.large	–	View alarms +	ap-south-1a
prod-eks-worker-node2	i-0b67b72123e9b5bdb	Terminated	m5.large	–	View alarms +	ap-south-1c
prod-eks-worker-node3	i-074144fdeba2738d7	Terminated	m5.large	–	View alarms +	ap-south-1b

Select an instance

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences