Project Document

Apex Triggers

Get started with Apex Triggers:

AccountAddressTigger:

```
trigger AccountAddressTrigger on Account(before insert,before update){
    for(Account account:Trigger.New){
        if(account.Match_Billing_Address_c==True){
            account.ShippingPostalCode=account.BillingPostalCode;
        }
    }
}
```

Bulk Apex Triggers:

ClosedOpportunityTigger:

```
trigger ClosedOpportunityTrigger on Opportunity (after insert,after update) {
            List<Task> tasklist=new List<Task>();
    for(Opportunity opp:Trigger.New){
        if(opp.StageName=='Closed Won'){
            tasklist.add(new Task(Subject='Follow Up Test Task',WhatId=opp.Id));
        }
    }
    if(tasklist.size()>
        0){insert
        tasklist;
    }
}
```

Apex Testing

Get Started with Apex Unit Tests:

VerifyDate

```
public classVerifyDate {

        public static Date CheckDates(Date date1,Date date2) {
                if(DateWithin30Days(date1,date2)) {
                        return date2;

                } else {

                }
                                                        }

return  SetEndOfMonthDate(date1);

        @TestVisible private static Boolean DateWithin30Days(Date date1, Date date2)
        {if( date2 < date1){ return false;}
        Date date30Days = date1.addDays(30);
                if( date2 >=date30Days ) { return false;}
                else { return true; }
        }
        @TestVisible private static Date SetEndOfMonthDate(Date date1) {
                Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
                Date lastDay = Date.newInstance(date1.year(), date1.month(),
                totalDays); return lastDay;
        }
}
```

TestVerifyDate

```
@isTest
```

```
private class TestVerifyDate {
        @isTest static void Test_CheckDates_case1()
  {
    Date D=VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('01/05/2020'));
            System.assertEquals(date.parse('01/05/2020'),D);
  }
  @isTest static void Test_CheckDates_case2()
  {
    Date D=VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('05/05/2020'));
            System.assertEquals(date.parse('01/31/2020'),D);
  }
  @isTest static void Test_DateWithin30Days_case1()
  {
    Boolean
flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('12/30/2019'));
    System.assertEquals(false,  flag);
  }
  @isTest static void Test_DateWithin30Days_case2()

  {
    Boolean
flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('02/02/2020'));
    System.assertEquals(false, flag);
  }
  @isTest static void Test_DateWithin30Days_case3()
  {
    Boolean
flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('01/15/2020'));
    System.assertEquals(true,  flag);
  }
  @isTest static void Test_SetEndOfMonthDate(){
    Date returndate=VerifyDate.SetEndOfMonthDate(date.parse('01/01/2022'));
  }
}
```

Test Apex Triggers

RestrictContactByName

```
trigger RestrictContactByName on Contact (beforeinsert, before update){
        For (Contact c : Trigger.New) {
                if(c.LastName == 'INVALIDNAME') {
                        c.AddError('The Last Name "'+c.LastName+'" is not allowed for DML');
                }
        }
}
```

TestRestrictContactByName

```
@isTest
public class TestRestrictContactByName {
        @isTest static void Test_insertupdateContact()
   {
      Contact cnt= new Contact();
      cnt.LastName='INVALIDNAM
      E';Test.startTest();
      Database.SaveResult
      result=Database.insert(cnt,false); Test.stopTest();
      System.assert(!result.isSuccess());System.assert(result.getErrors().si
      ze()>0);

      System.assertEquals('The Last Name "INVALIDNAME" is not allowedfor
DML',result.getErrors()[0].getMessage());
        }
}
```

Create Test Data for Apex Testes

RandomContactFactory

```
public class RandomContactFactory{
   public static List<Contact> generateRandomContacts(Integer numcnt,string lastname){
      List <Contact> contacts= new List<Contact>();
```

```
        for(Integer i=0;i<numcnt;i++){
            Contactcnt=new Contact(FirstName='Test'+i,LastName=lastname);
            contacts.add(cnt);
        }
        return contacts;
    }
}
```

Asynchronous Apex

Use Future Methods

AccountProcessor

```
public class AccountProcessor {
@future
    public static void countContacts(List<Id> accountIds){
        List<Account> accountToUpdate = new List<Account>();
        List<Account> accounts=[Select Id, Name,(Select Id from Contacts)from Account where Id
in :accountIds];
        for(Account acc:accounts){
            List<Contact> contactList=acc.Contacts;
            acc.Number_Of_Contacts_c=contactList.size();
            accountToUpdate.add(acc);
        }
        Update accountToUpdate;
    }
}
```

AccountProcessorTest

```
@isTest
public class AccountProcessorTest {
@isTest
    private static void testCountContacts(){
        AccountnewAccount=new Account(Name='Test
```

```
        Account'); insertnewAccount;

        Contact
  newContact1=newContact(FirstName='John',LastName='Doe',AccountId=newAccount.Id);
        insert newContact1;


        Contact newContact2=new
  Contact(FirstName='Jane',LastName='Doe',AccountId=newAccount.Id);
        insert newContact2;
        List<Id> accountIds=new List<Id>();
        accountIds.add(newAccount.Id);
        Test.startTest();
        AccountProcessor.countContacts(accountIds);
        Test.stopTest();
    }
  }
```

Use Batch Apex

```
  LeadProcessor


  global class LeadProcessor implements Database.Batchable<sObject> {
  globalInteger count = 0;
    global Database.QueryLocator start(Database.BatchableContext bc){
        return Database.getQueryLocator('SELECT ID, LeadSource From Lead');
    }
    global void execute(Database.BatchableContext bc,List<Lead> L_list){
        List<lead> L_list_new=new List<lead>();
        for(lead L:L_list){
            L.leadsource='Dreamfor
            ce'; L_list_new.add(L);
            count+=1;
        }
        update L_list_new;


    }
    global void finish(Database.BatchableContext bc){
        System.debug('count = '+count);
```

```
    }
}
```

LeadProcessorTest

```
@isTest
public class LeadProcessorTest {
@isTest
    public static void testit(){
        List<lead>L_list =new List<lead>();
        for(Integer i=0;i<200;i++){
            Lead L=new lead();
            L.LastName='name'+i;
            L.Company='Company';
            L.Status='Random
            Status';L_list.add(L);
        }
        insert L_list;
        Test.startTest(
        );
        LeadProcessor lp=new
        LeadProcessor();Id
        batchId=Database.executeBatch(lp);
        Test.stopTest();
    }
}
```

Control Processes with Queueable Apex

AddPrimaryContact

```
public class AddPrimaryContact implements Queueable{
private Contact con;
    private String state;
    public AddPrimaryContact(Contact con, String state){
        this.con=con;
        this.state=state;
```

```
    }
    public void execute(QueueableContext context){
        List<Account> accounts= [Select Id,Name,(Select FirstName,LastName,Id from contacts)

from Account where BillingState = :state Limit 200];
        List<Contact> primaryContacts=new
        List<Contact>();

        for(Account
            acc:accounts){Contact
            c=con.clone();
            c.AccountId=acc.Id;
            primaryContacts.add(c
            );
        }
        if(primaryContacts.size()>
            0){insert
            primaryContacts;
        }
    }
}

AddPrimaryContactTest

@isTest
public class AddPrimaryContactTest {
    static testmethod void
    testQueueable(){
        List<Account> testAccounts=new List<Account>();
        for(Integer i=0;i<50;i++){
            testAccounts.add(new   Account(Name='Account'+i,BillingState='CA'));
        }
        for(Integer j=0;j<50;j++){
            testAccounts.add(new   Account(Name='Account'+j,BillingState='NY'));
        }
        insert testAccounts;
        ContacttestContact = new
```

```
        Contact(FirstName='John',LastName='Doe');insert testContact;
        AddPrimaryContact addit= new addPrimaryContact(testContact,'CA');
        Test.startTest();
        system.enqueueJob(addit);
        Test.stopTest();
        System.assertEquals(50,[Select count() from Contact where accountId in (Select Id from
  Accountwhere BillingState='CA')]);
    }
  }
```

Schedule jobs Using the Apex Scheduler

```
  DailyLeadProcessor

  global class DailyLeadProcessor implements Schedulable {
    global void execute(SchedulableContext ctx){
      List<lead>  leadstoupdate=new  List<lead>();
      List <Lead> leads=[Select id from Lead where LeadSource=NULL Limit 200];
      for(Leadl:leads){
        l.LeadSource='Dreamforce
        '; leadstoupdate.add(l);
      }
    update  leadstoupdate;
    }
  }

  DailyLeadProcessorTest

  @isTest
  public class DailyLeadProcessorTest {

    static testMethod void testMethod1(){
      Test.startTest();
      List<Lead> lstLead = new List<Lead>();
      for(Integer i = 0; i<200;i++){
        Lead led = new Lead();
        led.FirstName
```

```
        ='FirstName';led.LastName
        ='LastName'+i;
        led.Company ='demo'+i;
        lstLead.add(led);
      }
      insert lstLead;

      DailyLeadProcessor ab = new DailyLeadProcessor();
      String jobId = System.schedule('jobName', '0 5 * * * ?',ab);

      Test.stopTest();
   }
}
```

Apex Integration Services

Apex REST Callouts

AnimalLocator

```
public class AnimalLocator{
   public static String getAnimalNameById(Integer
      x){Http http = new Http();
      HttpRequest req = new HttpRequest();
      req.setEndpoint('https:/  th-apex-http-callout.herokuapp.com/animals/' + x);
      req.setMethod('GET');
      Map<String, Object> animal= new Map<String, Object>();
      HttpResponse res = http.send(req);
        if (res.getStatusCode() == 200) {
      Map<String, Object> results = (Map<String,
Object>)JSON.deserializeUntyped(res.getBody());
     animal = (Map<String, Object>)
     results.get('animal');
      }
return (String)animal.get('name');
   }
```

```
}
AnimalLocatorTe


st@isTest


private class AnimalLocatorTest{
   @isTest static void AnimalLocatorMock1() {
      Test.setMock(HttpCalloutMock.class, new
      AnimalLocatorMock());stringresult =
      AnimalLocator.getAnimalNameById(3);
      String expectedResult =
      'chicken';System.assertEquals(result,expectedResult );
   }
}

AnimalLocatorMock


@isTest
global class AnimalLocatorMock implements HttpCalloutMock {
   global HTTPResponse respond(HTTPRequest request) {


      HttpResponse response = new HttpResponse();
      response.setHeader('Content-Type',
      'application/json');
      response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear", "chicken",
"mighty moose"]}');
      response.setStatusCode(200
      );return response;
   }
}
```

Apex Web

Services

AccountManag

er

```
@RestResource(urlMapping='/Accounts/*/contact
s') global class AccountManager {
   @HttpGet
   global static Account getAccount() {
      RestRequest req =
      RestContext.request;
      StringaccId = req.requestURI.substringBetween('Accounts/',
      '/contacts'); Accountacc = [SELECT Id, Name, (SELECT Id, Name
      FROM Contacts)
                  FROM Account WHERE Id = :accId];
      returnacc;
   }
}
```

AccountManagerTest

```
@isTest
private class AccountManagerTest {

   private static testMethod void getAccountTest1()
      {Id recordId = createTestRecord();
      RestRequest request = new RestRequest();
      request.requestUri = 'https:/ na1.salesforce.com/services/apexrest/Accounts/'+ recordId
+'/contacts' ;
      request.httpMethod = 'GET';
      RestContext.request =
      request;

      Account thisAccount = AccountManager.getAccount();

      System.assert(thisAccount !=
      null);System.assertEquals('Test
      record',thisAccount.Name);
```

```
    }

        static Id createTestRecord() {
        Account TestAcc= new Account(
        Name='Test record');
        insert TestAcc;
        Contact TestCon= new Contact(
        LastName='Test',
        AccountId =
        TestAcc.id);return
        TestAcc.Id;
    }
}
```

Apex Specialist Superbadge

MaintenanceRequest

```
trigger MaintenanceRequest on Case (beforeupdate, after update){
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New,   Trigger.OldMap);
    }
}
```

MaintenanceRequestHelper

```
public with sharing class MaintenanceRequestHelper {
    public static void updateworkOrders(List<Case> updWorkOrders,
Map<Id,Case>nonUpdCaseMap) {
        Set<Id> validIds = new
        Set<Id>();For (Case c :
        updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status ==
                'Closed'){if (c.Type== 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);
```

```
            }
        }
    }

    if (!validIds.isEmpty()){
        List<Case> newCases= new List<Case>();
        Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle_c,
Equipment_c, Equipment_r.Maintenance_Cycle_c,(SELECT Id,Equipment_c,Quantity_c
FROM Equipment_Maintenance_Items_r)
                                        FROM Case WHERE Id IN :validIds]);
        Map<Id,Decimal> maintenanceCycles = new
        Map<ID,Decimal>();AggregateResult[] results= [SELECT
        Maintenance_Request_c,
MIN(Equipment_r.Maintenance_Cycle_c)cycle FROM Equipment_Maintenance_Item_c
WHERE Maintenance_Request_c IN :ValidIdsGROUP BY Maintenance_Request_c];

    for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request_c'), (Decimal) ar.get('cycle'));
    }

        for(Case cc :
            closedCasesM.values()){Case nc
            = new Case (
                ParentId =
            cc.Id,Status =
            'New',
                Subject= 'Routine
                Maintenance', Type = 'Routine
                Maintenance', Vehicle_c =
                cc.Vehicle_c, Equipment_c
                =cc.Equipment_c,Origin = 'Web',
                Date_Reported_c = Date.Today()


            );

            If (maintenanceCycles.containskey(cc.Id)){
                nc.Date_Due_c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
            }
```

```
            newCases.add(nc);
        }

        insert newCases;

        List<Equipment_Maintenance_Item_c> clonedWPs = new
List<Equipment_Maintenance_Item_c>();
        for (Case nc : newCases){
            for (Equipment_Maintenance_Item_c wp :

closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items_
                r){Equipment_Maintenance_Item_c wpClone = wp.clone();
                wpClone.Maintenance_Request_c = nc.Id;
                ClonedWPs.add(wpClone);

            }
        }
        insert ClonedWPs;
    }
  }
}
MaintenanceRequestHelperTest

@istest
public with sharing class MaintenanceRequestHelperTest {

  privatestatic final string STATUS_NEW = 'New';
  private static final string WORKING = 'Working';
  private static final string CLOSED = 'Closed';
  private static final string REPAIR = 'Repair';
  private static final string REQUEST_ORIGIN = 'Web';
  privatestatic final string REQUEST_TYPE = 'Routine Maintenance';
  private static final string REQUEST_SUBJECT = 'Testing subject';

  PRIVATE STATICVehicle_c createVehicle(){
```

```
    Vehicle_c Vehicle= new Vehicle_C(name = 'SuperTruck');
    returnVehicle;
  }

  PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name =
                        'SuperEquipment',lifespan_months_C = 10,
                        maintenance_cycle_C = 10,
                        replacement_part_c = true);
    return equipment;
  }

  PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
              Status=STATUS_NEW,
              Origin=REQUEST_ORIGIN,

              Subject=REQUEST_SUBJECT,
              Equipment_
              c=equipmentId,Vehicle_
              c=vehicleId);
    return cs;
  }

  PRIVATE STATIC Equipment_Maintenance_Item_c createWorkPart(id equipmentId,id
requestId){
    Equipment_Maintenance_Item_c wp = new
Equipment_Maintenance_Item_c(Equipment_c = equipmentId,
                                          Maintenance_Request_c = requestId);
    return wp;
  }



  @istest
  private static void testMaintenanceRequestPositive(){
    Vehiclec vehicle = createVehicle();
    insert vehicle;
```

```
        id vehicleId = vehicle.Id;

        Product2 equipment = createEq();
        insert equipment;
        id equipmentId = equipment.Id;

        case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
        insert somethingToUpdate;

        Equipment_Maintenance_Item_c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
        insert workP;

        test.startTest();
        somethingToUpdate.status =
        CLOSED;update
        somethingToUpdate;
        test.stopTest();

        Case newReq= [Select id, subject, type,Equipment_c, Date_Reported__c,Vehicle__c,
Date_Due_c
                from case
                where status =:STATUS_NEW];


        Equipment_Maintenance_Item_cworkPart = [selectid
                                from Equipment_Maintenance_Item_c
                                where Maintenance_Request_c =:newReq.Id];

        system.assert(workPart != null);
        system.assert(newReq.Subject != null);
        system.assertEquals(newReq.Type, REQUEST_TYPE);
        SYSTEM.assertEquals(newReq.Equipmentc, equipmentId);
        SYSTEM.assertEquals(newReq.Vehicle_c,vehicleId);
        SYSTEM.assertEquals(newReq.Date_Reported_c, system.today());
    }
```

```
@istest
private static void
   testMaintenanceRequestNegative(){Vehicle_
   Cvehicle = createVehicle();
   insert vehicle;
   id vehicleId = vehicle.Id;


   product2 equipment = createEq();
   insert equipment;
   id equipmentId = equipment.Id;


   case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
   insert emptyReq;

   Equipment_Maintenance_Item_c workP = createWorkPart(equipmentId, emptyReq.Id);
   insertworkP;

   test.startTest();
   emptyReq.Status =
   WORKING;update emptyReq;
   test.stopTest();

   list<case> allRequest = [select id
                     from case];


   Equipment_Maintenance_Item_cworkPart = [selectid
                                 from Equipment_Maintenance_Item_c
                                 where Maintenance_Request_c = :emptyReq.Id];

   system.assert(workPart != null);
   system.assert(allRequest.size()  ==  1);
}


@istest
private static void testMaintenanceRequestBulk(){
   list<Vehicle_C> vehicleList = new list<Vehicle_C>();
   list<Product2> equipmentList = new list<Product2>();
```

```
        list<Equipment_Maintenance_Item_c>workPartList = new
list<Equipment_Maintenance_Item_c>();
        list<case> requestList = new list<case>();
        list<id> oldRequestIds = new list<id>();

        for(integer i = 0; i < 300; i++){
          vehicleList.add(createVehicle());
          equipmentList.add(createEq());
        }
        insert vehicleList;
        insert
        equipmentList;

        for(integer i = 0; i < 300; i++){
           requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
           equipmentList.get(i).id));
        }
        insert requestList;

        for(integer i = 0; i < 300; i++){
           workPartList.add(createWorkPart(equipmentList.get(i).id,
           requestList.get(i).id));
        }
        insert workPartList;

        test.startTest();
        for(case req :
           requestList){ req.Status
           = CLOSED;
           oldRequestIds.add(req.I
           d);
        }
        updaterequestList;
        test.stopTest();

        list<case> allRequests = [select id
                                  from case
                                  where status =: STATUS_NEW];
```

```
        list<Equipment_Maintenance_Item_c>workParts = [selectid
                                        from Equipment_Maintenance_Item_c
                                        where Maintenance_Request_c in: oldRequestIds];

        system.assert(allRequests.size()  ==  300);
    }
}
```

WarehouseCalloutService

```
public with sharing class WarehouseCalloutService {

    privatestatic final String WAREHOUSE_URL = 'https:/ th-superbadge-
apex.herokuapp.com/equipment';

    / @future(callout=true)
    public static void runWarehouseEquipmentSync(){

        Http http = new Http();
        HttpRequest request = new HttpRequest();

        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);

        List<Product2> warehouseEq = new

        List<Product2>();if (response.getStatusCode() ==

        200){
```

```
        List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
        System.debug(response.getBody());

        for (Objecteq : jsonResponse){
            Map<String,Object> mapJson= (Map<String,Object>)eq;
            Product2 myEq = new Product2();
            myEq.Replacement_Part_c = (Boolean) mapJson.get('replacement');
            myEq.Name = (String)mapJson.get('name');

            myEq.Maintenance_Cycle_c = (Integer) mapJson.get('maintenanceperiod');
            myEq.Lifespan_Months_c = (Integer) mapJson.get('lifespan');
            myEq.Cost_c = (Decimal) mapJson.get('lifespan');
            myEq.Warehouse_SKU_c = (String) mapJson.get('sku');
            myEq.Current_Inventory_c = (Double) mapJson.get('quantity');
            warehouseEq.add(myEq);
        }

        if (warehouseEq.size() >
            0){upsertwarehouseEq;
            System.debug('Your equipment was synced with the warehouse one');
            System.debug(warehouseEq);
        }

    }
  }
}
```

WarehouseCalloutServiceMock

```
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
  global staticHttpResponse respond(HttpRequest request){

    System.assertEquals('https:/ th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
    System.assertEquals('GET', request.getMethod());
    HttpResponse response = new HttpResponse();
```

```
        response.setHeader('Content-Type',
        'application/json');

response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name
": "Generator 1000 kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
        response.setStatusCode(200
        );return response;
    }
}
```

WarehouseCalloutServiceTe

st@isTest

```
private class WarehouseCalloutServiceTest
    {@isTest
    static void
        testWareHouseCallout(){
        Test.startTest();
        Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.runWarehouseEquipmentSync();
        Test.stopTest();
        System.assertEquals(1, [SELECT count() FROM Product2]);
    }
}
```

WarehouseSyncSchedule

```
global class WarehouseSyncSchedule implements Schedulable {
    global void execute(SchedulableContext ctx) {
        WarehouseCalloutService.runWarehouseEquipmentSync();
    }
}
```

WarehouseSyncScheduleTest

```
@isTest
public class WarehouseSyncScheduleTest {


    @isTest static void WarehousescheduleTest(){
        String scheduleTime = '00 00 01 * * ?';
        Test.startTest();
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
        String jobID=System.schedule('Warehouse Time To Scheduleto Test', scheduleTime, new
WarehouseSyncSchedule());
        Test.stopTest();
        CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
        System.assertEquals(jobID, a.Id,'Schedule ');
    }
}
```