

New virtual machine - 4cx-01a-vm1ab.local (ESX 6.0 virtual machine)

✓ 1 Select creation type

2 Select a name and guest OS

3 Select storage

4 Customize settings

5 Ready to complete

vmware

Select a name and guest OS

Specify a unique name and OS.

Name

4cx-01a-vm1ab.local

Virtual machine names can contain up to 80 characters and they must be unique within each ESX instance.

Identifying the guest operating system here allows the wizard to provide the appropriate defaults for the operating system installation.

Compatibility

Guest OS family

Guest OS version

ESX 6.0 virtual machine

ESX/ESX 4.x virtual machine

ESX/ESX 3 virtual machine

ESX 5.1 virtual machine

ESX 5.5 virtual machine

ESX 6.0 virtual machine

Back

Next

Finish

Cancel

- 1 Select creation type
- 2 Select a name and guest OS
- 3 Select storage**
- 4 Customize settings
- 5 Ready to complete

Select storage

Select the datastores in which to store the configuration and disk files.

The following datastores are accessible from the destination resource that you selected. Select the destination datastore for the virtual machine configuration files and all of the virtual disks.

Name	Capacity	Free	Type	Thin pin	Access
datastore1 (T)	921.25 GB	921.63 GB	vmdkfs	Supported	Single

1 items



Chrome Remote Desktop

★★★★★ (4248)

[Offline Applications](#)

from chrome.google.com

730,418 users

+ ADD TO CHROME



OVERVIEW

DETAILS

REVIEWS

RELATED

1

10



By Google

Access other computers or allow another user to access your computer securely over the Internet.

Chrome Remote Desktop allows users to remotely access another computer through Chrome browser or a Chromebook. Computers can be made available on an short-term basis for scenarios such as ad hoc remote support, or on a more long-term basis for remote access to your applications and files. All connections are fully secured.



Suggested Sites Web Slice Gallery Imported From IE Google



Not signed in
(You're missing some things)



Chrome Web Store



Google Docs



Gmail



Google Search



Google Drive



Crazy Rollercoaster



YouTube



Google Calendar



Google Maps



Chrome Remote ...

```

Total download size: 203 k
Installed size: 493 k
Is this ok [y/d/N]: y
Downloading packages:
tigervnc-server-1.3.1-9.el7.x86_64.rpm
Running transaction check
Running transaction test
Transaction test succeeded
Running transaction
Installing : tigervnc-server-1.3.1-9.el7.x86_64
Verifying : tigervnc-server-1.3.1-9.el7.x86_64

Installed:
tigervnc-server.x86_64 0:1.3.1-9.el7

Complete!
root@ip-172-31-79-238 ~]# useradd roham
root@ip-172-31-79-238 ~]# cp /lib/systemd/system/vncserver@.service /etc/systemd/system/vncserver@:1.service
root@ip-172-31-79-238 ~]# vi /etc/systemd/system/vncserver@:1.service
root@ip-172-31-79-238 ~]# passwd roham
Changing password for user roham.
New password:
Retype new password:
passwd: all authentication tokens updated successfully.
root@ip-172-31-79-238 ~]# firewall-cmd --permanent --zone=public --add-

```

Instance: **i-08eaf845801eec418** (VNC) Public DNS: ec2-54-167-46-85.compute-1.amazonaws.com

Description

Status Checks

Monitoring

Tags

Instance ID: i-08eaf845801eec418

Instance state: running

Instance type: t2.micro

Public DNS (IPv4): ec2-54-

IPv4 Public IP: 54.167.

IPv6 Public IP:

Authentication

VNC Server: 54.167.46.85:5901

Username:

Password:

☐ Remember password

Cancel

OK

Connecting to 54.167.46.85:5901...

Stop

Sign in to your RealVNC account to automatically discover team computer.

Alternatively, enter the VNC Server IP address or hostname in the Search bar to connect direct.

General **Sharing** Security Previous Versions Customize

Network File and Folder Sharing



share folder
Shared

Network Path:

Share...

Advanced Sharing

Set custom permissions, create multiple shares, and set other advanced sharing options.



Advanced Sharing...

Password Protection

People must have a user account and password for this computer to access shared folders.

To change this setting, use the [Network and Sharing Center](#).

Close

Cancel

Apply

```

Installing:
tigervnc-server                                x86_64                                1.3.1-9.el7                                base

Transaction Summary
-----
Install 1 Package

Total download size: 203 k
Installed size: 493 k
Is this ok [y/d/N]: y
Downloading packages:
tigervnc-server-1.3.1-9.el7.x86_64.rpm
Running transaction check
Running transaction test
Transaction test succeeded
Running transaction
  Installing : tigervnc-server-1.3.1-9.el7.x86_64
  Verifying  : tigervnc-server-1.3.1-9.el7.x86_64

Installed:
  tigervnc-server.x86_64 0:1.3.1-9.el7

Complete!
root@ip-172-31-79-238 ~]# useradd rohan
root@ip-172-31-79-238 ~]# cp /lib/systemd/system/vncserver@.service /etc/systemd/

```

Instance: **i-06eaf845801eec418 (VNC)** Public DNS: **ec2-54-167-46-85.compute-1.amazonaws.com**

Description

Status Checks

Monitoring

Tags

Instance ID: **i-06eaf845801eec418**

Public DNS (IPv4): **ec2-54-167-46-85.compute-1.amazonaws.com**

http://localhost:8080/ - Windows Internet Explorer



File Edit View Favorites Tools Help

★ Favorites  http://localhost:8080/ 

Hello there Chuck

Google App Engine Launcher



File Edit Control Help



Run



Stop



Browse



Logs



SDK Console



Edit



Deploy



Dashboard

name	path	port
ae-01-trivial	C:\Documents and Settings\csev\Desktop\apps\ae-01-trivial	8080

+

-

Log Console (ae-01-trivial)

```
WARNING 2010-03-13 18:03:13,796 datastore_file_stub.py:623] Could not read
datastore data from c:\docume~1\csev\locals~1\temp\dev_appserver.datastore
WARNING 2010-03-13 18:03:13,796 dev_appserver.py:3581] Could not initialize
images API; you are likely missing the Python "PIL" module. ImportError: No module
named _imaging
INFO      2010-03-13 18:03:13,828 dev_appserver_main.py:399] Running application
ae-01-trivial on port 8080: http://localhost:8080
INFO      2010-03-13 18:03:24,717 dev_appserver.py:3246] "GET / HTTP/1.1" 200 -
INFO      2010-03-13 18:03:24,733 dev_appserver_index.py:205] Updating C:\Documents
and Settings\csev\Desktop\apps\ae-01-trivial\index.yaml
INFO      2010-03-13 18:03:24,967 dev_appserver.py:3246] "GET / HTTP/1.1" 200 -
2010-03-13 13:03:30 (Process exited with code -1)
```

Save As



Save in:



Desktop



My Recent Documents



Desktop



My Documents



My Computer



My Network



My Documents



My Computer



My Network Places



Parallels Shared Folders



si100

File name:

GoogleAppEngine_1[1].1.5.ms



Save as type:

Windows Installer Package



Save

Cancel



Google App Engine Setup



Welcome to the Google App Engine Setup Wizard

The Setup Wizard will install Google App Engine on your computer. Click Next to continue or Cancel to exit the Setup Wizard.

Python 2.5 found.

All pre-requisites found.

Back

Next

Cancel



GoogleAppEng
ine_1[1].1.5.
msi

Download the Google App Engine SDK

Before downloading, please read the [Terms](#) that govern your use of the App Engine SDK.

Please note: The App Engine SDK is under **active development**, please keep this in mind as you explore its capabilities. See the [SDK Release Notes](#) for the information on the most recent changes to the App Engine SDK. If you discover any issues, please feel free to notify us via our [Issue Tracker](#).

Platform	Version	Package	Size	SHA1 Checksum
Windows	1.1.5 - 10/03/08	GoogleAppEngine_1.1.5.msi	2.5 MB	e974312b4aefc0b3873ff0d93eb4c525d5e88c30
Mac OS X	1.1.5 - 10/03/08	GoogleAppEngineLauncher-1.1.5.dmg	3.6 MB	f62208ac01c1b3e39796e58100d5f1b2f052d3e7
Linux/Other Platforms	1.1.5 - 10/03/08	google_appengine_1.1.5.zip	2.6 MB	cbb9ce817bdabf1c4f181d9544864e55ee253de1

yoonji@yoonji-VirtualBox: ~

File Edit View Search Terminal Help

yoonji@yoonji-VirtualBox:~\$ ls

Desktop	Downloads	helloworld.c	Pictures	Templates
Documents	examples.desktop	Music	Public	Videos

yoonji@yoonji-VirtualBox:~\$ gcc helloworld.c

yoonji@yoonji-VirtualBox:~\$ ls

a.out	Documents	examples.desktop	Music	Public	Videos
Desktop	Downloads	helloworld.c	Pictures	Templates	

yoonji@yoonji-VirtualBox:~\$

yoonji@yoonji-VirtualBox: ~

File Edit View Search Terminal Help

yoonji@yoonji-VirtualBox:~\$ ls

Desktop	Downloads	helloworld.c	Pictures	Templates
Documents	examples.desktop	Music	Public	Videos

yoonji@yoonji-VirtualBox:~\$ gcc helloworld.c

yoonji@yoonji-VirtualBox:~\$ ls

a.out	Documents	examples.desktop	Music	Public	Videos
Desktop	Downloads	helloworld.c	Pictures	Templates	

yoonji@yoonji-VirtualBox:~\$./a.out

Hello World

yoonji@yoonji-VirtualBox:~\$



yoongi@yoongi-VirtualBox: ~

File Edit View Search Terminal Help

yoongi@yoongi-VirtualBox:~\$ gedit &

[2] 2648

[1] Done gedit

yoongi@yoongi-VirtualBox:~\$

Untitled Document 1 - gedit

File Edit View Search Tools Documents Help



Open



Save



Undo



Untitled Document 1

Plain Text

Tab Width: 8

Ln 1, Col 1

INS

[Update Manager]

yoongi@yoongi-Virtual...

Untitled Document 1 - ...



Navigator

- Host
 - Manage
 - Monitor
- Virtual Machines
 - MacOS
 - Ubuntu64Desktop
- Storage
- Networking

Ubuntu64Desktop

Console Monitor Power on Power off Suspend Reset Edit Refresh Actions



Ubuntu64Desktop

Guest OS: Ubuntu Linux (64-bit)
Compatibility: ESX 7.0 U2 virtual machine
VMware Tools: Yes
CPU(s): 1
Memory: 2 GB



CPU
0 MHz

MEMORY
430 MB

STORAGE
2.08 GB

General Information

- Networking
- VMware Tools: VMware Tools is not managed by vSphere
- Storage: 1 disk
- Notes

[Edit notes](#)

Performance summary last hour



Hardware Configuration

- CPU: 1 vCPUs
- Memory: 2 GB
- Hard disk 1: 100 GB
- USB controller: USB 2.0
- Network adapter 1: VM Network (Connected)
- Video card: 16 MB
- CD/DVD drive 1: ATAPI /vmh/devices/rodrvm/gpx.vmhba0:0:0:T4:L0
- Others: Additional Hardware

Resource Consumption

- Consumed host CPU: 0 MHz
- Consumed host memory: 430 MB
- Active guest memory: 1.5 GB
- Storage

Recent tasks

Task	Target	Initiator	Queued	Started	Result	Completed
Reconfig VM	Ubuntu64Desktop	root	08/04/2022 05:45:24	08/04/2022 05:45:24	Completed successfully	08/04/2022 05:45:24



```
[sam@localhost Desktop]$ su -
```

```
Password:
```

```
Last login: Fri Feb 8
```

```
[root@localhost ~]#
```

```
[root@localhost ~]#
```

```
[root@localhost ~]#
```

```
[root@localhost ~]#
```

```
[root@localhost ~]# ar
```

```
x86_64
```

```
[root@localhost ~]# un
```

```
x86_64
```

```
[root@localhost ~]#
```

Virtual Machine Settings



Hardware Options

Device	Summary
Memory	2.2 GB
Processors	1
Hard Disk (SCSI)	20 GB
CD/DVD (SATA)	Using file E:\E drive\Operating System...
Network Adapter	NAT
USB Controller	Present
Sound Card	Auto detect
Printer	Present
Display	Auto detect

Processors

Number of processors: 1

Number of cores per processor: 1

Total processor cores: 1

Virtualization engine

Preferred mode: Automatic

☐ Disable acceleration for binary translation☐ Virtualize Intel VT-x/EPT or AMD-V/RVI☐ Virtualize CPU performance counters


```
root@localhost ~]#  
root@localhost ~]# lsmod | grep kvm  
kvm_intel                162153  0  
kvm                      525259  1 kvm_intel  
root@localhost ~]# cat /proc/cpuinfo | egrep -E "svm|vmx"  
flags              : fpu vme de pse tsc msr pae mce cx8 apic sep mtrr pge mca cmov  
pse36 clflush dts mmx fxsr sse sse2 ss syscall nx pdpe1gb rdtscp lm constant  
tsc arch_perfmon pebs bts nopl xtopology tsc_reliable nonstop_tsc aperfmperf  
perfcpu pni pclmulqdq vmx ssse3 fma cx16 pcid sse4_1 sse4_2 x2apic movbe popcnt  
tsc_deadline_timer aes xsave avx f16c rdrand hypervisor lahf_lm abm 3dnowprefetch  
arat pln pts dtherm hwp hwp_noitfy hwp_act_window hwp_epp tpr_shadow vnmi ept  
uid fsgsbase tsc_adjust bmi1 avx2 smep bmi2 invpcid rdseed adx smap xsaveopt  
root@localhost ~]# yum groups install "Virtualization Host"  
Loaded plugins: langpacks, product-id, search-disabled-repos, subscription-  
manager  
This system is not registered to Red Hat Subscription Management. You can use  
subscription-manager to register.  
There is no installed groups file.  
Maybe run: yum groups mark convert (see man yum)  
test | 4.1 kB 00:00  
Warning: group Virtualization Host does not exist.  
Maybe run: yum groups mark install (see man yum)  
No packages in any requested group available to install or update  
root@localhost ~]#
```

4/5
5/5
1/5
2/5
3/5
4/5
5/5

Virtual Machine Manager

File Edit View Help

Open

Name CPU usage

GEMU/KVM

rhel7.1 Running

```
r.noarch 0:2.1.9-5.el7
0:0.36.4-1.el7
```

```
Complete!  
[root@localhost ~]#  
[root@localhost ~]#  
[root@localhost ~]#  
[root@localhost Desktop]  
rhel-server-7.2-x86_64-dvd.iso  
[root@localhost Desktop]  
/root/Desktop  
[root@localhost Desktop]
```


GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

FastEthernet0/0

FastEthernet0/1

VLAN Configuration

VLAN Number 20

VLAN Name lab1

Add

Remove

VLAN No VLAN Name

1 default

20 lab1

1002 fddi-default

1003 token-ring-default


1004 fddinet-default

1005 trnet-default

Equivalent IOS Commands

documentation for configuring VTP/VLAN in config mode.

```
Router(vlan)#  
%SYS-5-CONFIG_I: Configured from console by console  
vlan 20 name lab1  
VLAN 20 modified:  
  Name: lab1  
Router(vlan)#
```



IOS Command Line Interface

```
view 20 Name lab1
VLAN 20 modified:
  Name: lab1
Router(vlan)#
Router(vlan)#
Router(vlan)#
Router(vlan)#
Router(vlan)#
Router(vlan)#exit
APPLY completed.
Exiting....
Router#
Router#
Router#
Router#
Router#
Router#
Router#config t
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#
Router(config)#
Router(config)#int f 0/0.1
Router(config-subif)#
%LINK-3-CHANGED: Interface FastEthernet0/0.1, changed state to up

%LINEPROTO-3-UPDOWN: Line protocol on Interface FastEthernet0/0.1, changed state
to up

Router(config-subif)#
Router(config-subif)#encapsulation dot1q 20
Router(config-subif)#
```

192.168.1.1



PC-PT
PC0

192.168.1.2



PC-PT
PC1


192.168.1.3

Power Cycle Devices Fast Forward Time

Copy

Paste

ation



Cycle Devices Fast Forward Time

Scenario 0					Fire	Last Status	Source
						Successful	PC1

10.0.3
Router0

10.0.2
Switch0

PC-PT
PC0

PC-PT
PC1

PC-PT
PC2

PC-PT
PC3



Router0

Physical Config CLI

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

FastEthernet0/0

FastEthernet0/1

FastEthernet0/0

Port Status ☒ On

Bandwidth @ 100 Mbps ☐ 10 Mbps ☒ Auto

Duplex @ Half Duplex ☐ Full Duplex ☒ Auto

MAC Address 0001.42CC.5B01

IP Configuration

IP Address 192.168.1.1

Subnet Mask

Tx Ring Limit 10

Equivalent IOS Commands

```
Router(config)#interface FastEthernet0/0
Router(config-if)#no shutdown

Router(config-if)#
%LINK-5-CHANGED: Interface FastEthernet0/0, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/0, changed state to up
```

- 1 Select creation type
- 2 Select a name and guest OS
- 3 Select storage
- 4 Customize settings**
- 5 Ready to complete

Customize settings

Configure the virtual machine hardware and virtual machine additional options

Virtual Hardware

VM Options

 Add hard disk

 Add network adapter

 Add other device

-  CPU 2 
-  Memory 4096 MB
-  Hard Disk 1 100 GB
-  SCSI Controller 0 VMware Paravirtual
-  SATA Controller 0
-  USB controller 1 USB 2.0
-  Network Adapter 1 private-vmnet-network ☒ Connect
-  New Network Adapter private-vmnet-network ☒ Connect
-  CD/DVD Drive 1 Host device ☒ Connect

vmware

Back

Next

Finish

Cancel

- 1 Select creation type
- 2 Select a name and guest OS
- 3 Select storage
- 4 Customize settings
- 5 Ready to complete

Ready to complete

Review your settings selection before finishing the wizard

Provisioning type	new
Name	esx-01a.vmlab.local
Datastore	datastore1 (1)
Guest OS name	VMware ESX 5.5
Compatibility	ESX: 5.0 virtual machine
vCPUs	2
Memory	4096 MB
Network adapters	1
Network adapter 1 network	private-igmp-network
Network adapter 1 type	VMXNET 3
IDE controller 0	IDE 0
IDE controller 1	IDE 1
SCSI controller 0	VMware Paravirtual
SATA controller 0	New SATA controller
Hard disk 1	
Capacity	1000GB

vmware

Back

Next

Finish

Cancel