# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-05 | **Product Name** | LOCK NUT | **Size** | M50 | **Drawing No.** | DL5IB | **Date:** | 11-10-2026 |
| **Wo No.** | 26100092 | **Total Quantity** | 34 | **Lot Quantity** | 34 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261006-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - / + | 1 | 2 | - | - | - | | | |
| | | A/F | 55.00 | 54.81 / 55.00 | 54.95 | 54.97 | - | - | - | | | |
| | | A/C | 60.00 | 59.20 / 60.80 | 60.01 | 60.03 | - | - | - | | | |
| | | T.L | 7.00 | 6.70 / 7.30 | 7.02 | 7.01 | - | - | - | | | |
| | | THREAD | M50x1.5 AS PER P.G GO NOT GO | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | | OK | OK | - | - | - | | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-05 | **Product Name** | ENTRY COMPONENT | **Size** | M50 | **Drawing No.** | 313001M-05s | **Date:** | 11-10-2026 |
| **Wo No.** | 26100092 | **Total Quantity** | 34 | **Lot Quantity** | 34 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | Metalmech Logo MM-EX-A2T50s5MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex | OK | OK | - | - | - | | ASM No - AEX261006-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | A/F | 55.00 | 54.81 | 55.00 | 54.95 | 54.96 | - | - | - | | |
| | | A/C | 60.00 | 59.20 | 60.80 | 59.99 | 59.98 | - | - | - | | |
| | | T.L | 34.00 | 34.00 | 34.50 | 34.11 | 34.15 | - | - | - | | |
| | | TH.L | 13.00 | 12.50 | 13.50 | 13.02 | 13.05 | - | - | - | | |
| | | LENGTH | 17.00 | 17.00 | 17.50 | 17.05 | 17.07 | - | - | - | | |
| | | GR.OD | 48.00 | 47.20 | 48.80 | 48.00 | 47.99 | - | - | - | | |
| | | GR.LE | 2.50 | 2.30 | 2.70 | 2.52 | 2.51 | - | - | - | | |
| | | O.D | 54.00 | 53.20 | 54.80 | 54.00 | 53.99 | - | - | - | | |
| | | O.D.L | 8.00 | 7.70 | 8.30 | 8.02 | 8.01 | - | - | - | | |
| | | H.L | 9.00 | 8.50 | 9.50 | 9.09 | 9.05 | - | - | - | | |
| | | I.D | 38.50 | 37.70 | 39.30 | 38.55 | 38.54 | - | - | - | | |
| | | DEPTH | 15.00 | 14.50 | 15.50 | 15.02 | 15.04 | - | - | - | | |
| | | THREAD | M50x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | INT.THREAD | M50x1.5 AS PER P.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 1.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | ANGLE | 90° AS PER PP FOUND | | | OK | OK | - | - | - | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No. | FIR-05 | Product Name | BACK NUT | Size | M50 | Drawing No. | 314006-058 | Date: | 11-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100092 | Total Quantity | 34 | Lot Quantity | 34 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | | NA | NA | - | - | - | | ASM No - AEX261006-04 | |
| | | Assembly Perfection | As per Drg. | | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | A/F | 55.00 | 54.81 | 55.00 | 54.95 | 54.96 | - | - | - | | | |
| | | A/C | 60.00 | 59.20 | 60.80 | 59.90 | 59.89 | - | - | - | | | |
| | | T.L | 19.00 | 18.50 | 19.50 | 19.07 | 19.09 | - | - | - | | | |
| | | TH.L | 13.50 | 13.00 | 14.00 | 13.55 | 13.59 | - | - | - | | | |
| | | GR.OD | 48.00 | 47.20 | 48.80 | 48.10 | 48.12 | - | - | - | | | |
| | | GR.LE | 1.50 | 1.30 | 1.70 | 1.52 | 1.51 | - | - | - | | | |
| | | H.L | 5.50 | 5.20 | 5.80 | 5.51 | 5.53 | - | - | - | | | |
| | | I.D | 44.50 | 43.70 | 45.30 | 44.60 | 44.59 | - | - | - | | | |
| | | THREAD | M50x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | RADIUS | 3 MM AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-05 | **Product Name** | COMPRESSIBLE SEALING RING | **Size** | M50 | **Drawing No.** | GI-05s | **Date:** | 11-10-2026 |
| **Wo No.** | 26100092 | **Total Quantity** | 34 | **Lot Quantity** | 34 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261006-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 15.50 | 15.00 | 16.00 | 15.51 | 15.49 | - | - | - | | | |
| | | O.D.L | 5.50 | 5.20 | 5.80 | 5.50 | 5.52 | - | - | - | | | |
| | | O.D | 48.50 | 48.30 | 48.50 | 48.40 | 48.39 | - | - | - | | | |
| | | O.D.L | 9.50 | 9.00 | 10.00 | 9.51 | 9.53 | - | - | - | | | |
| | | I.D | 37.90 | 37.90 | 38.10 | 37.94 | 37.96 | - | - | - | | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No. | FIR-05 | Product Name | SKID WASHER | Size | M50 | Drawing No. | IW-05s | Date: | 11-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100092 | Total Quantity | 34 | Lot Quantity | 34 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261006-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 5.50 | 5.20 | 5.80 | 5.51 | 5.53 | - | - | - | | |
| | | O.D | 47.50 | 47.30 | 47.50 | 47.49 | 47.51 | - | - | - | | |
| | | O.D | 43.50 | 43.30 | 43.50 | 43.48 | 43.50 | - | - | - | | |
| | | O.D.L | 3.50 | 3.50 | 3.70 | 3.52 | 3.51 | - | - | - | | |
| | | I.D | 38.20 | 38.20 | 38.40 | 38.23 | 38.25 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**



# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-05 | **Product Name** | O-RING | **Size** | M50 | **Drawing No.** | OR-5M | **Date:** | 11-10-2026 |
| **Wo No.** | 26100092 | **Total Quantity** | 34 | **Lot Quantity** | 34 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261006-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | THICKNESS | 2.50 | 2.00 | 2.50 | 2.05 | 2.04 | - | - | - | | |
| | | I.D | 45.00 | 44.20 | 45.80 | 45.03 | 45.05 | - | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No. | FIR-05 | Product Name | EARTH TAG | Size | M50 | Drawing No. | - | Date: | 11-10-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100092 | Total Quantity | 34 | Lot Quantity | 34 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261006-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | THICKNESS | 1.00 | 0.80 | 1.20 | 1.01 | 1.03 | - | - | - | | | |
| | | O.D | 64.50 | 63.70 | 65.30 | 64.45 | 64.42 | - | - | - | | | |
| | | O.D | 16.00 | 15.50 | 16.50 | 16.19 | 16.22 | - | - | - | | | |
| | | I.D | 51.00 | 50.20 | 51.80 | 51.03 | 51.05 | - | - | - | | | |
| | | I.D | 7.00 | 6.70 | 7.30 | 7.04 | 7.06 | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-05 | **Product Name** | SHROUD | **Size** | M50 | **Drawing No.** | - | **Date:** | 11-10-2026 |
| **Wo No.** | 26100092 | **Total Quantity** | 34 | **Lot Quantity** | 34 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261006-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 120.00 | 119.20 | 120.80 | 120.12 | 120.16 | - | - | - | | |
| | | I.D | 58.00 | 57.20 | 58.80 | 58.06 | 58.09 | - | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING QA PASSED

# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-05 | **Product Name** | NYLON WASHER | **Size** | M50 | **Drawing No.** | - | **Date:** | 11-10-2026 |
| **Wo No.** | 26100092 | **Total Quantity** | 34 | **Lot Quantity** | 34 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261006-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | THICKNESS | 1.50 | 1.30 | 1.70 | 1.50 | 1.49 | - | - | - | | |
| | | I.D | 51.00 | 50.20 | 51.80 | 50.99 | 51.00 | - | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**



# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-05 | **Product Name** | STAR WASHER | **Size** | M50 | **Drawing No.** | - | **Date:** | 11-10-2026 |
| **Wo No.** | 26100092 | **Total Quantity** | 34 | **Lot Quantity** | 34 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 10 | 10 | 10 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261006-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 5.00 | 4.70 | 5.30 | 5.04 | 5.06 | - | - | - | | |
| | | O.D | 66.00 | 65.20 | 66.80 | 66.03 | 66.05 | - | - | - | | |
| | | I.D | 51.00 | 50.20 | 51.80 | 50.85 | 50.84 | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED