



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	LOCK NUT		Size	1.1/2" NPT			Drawing No.	DL5NB	Date:	30-08-2026
Wo No.	26000212	Total Quantity	2		Lot Quantity	2			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3	3	3	-	-	-		Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No:- CEX260818-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	55.00	54.81	55.00	54.95	54.91	-	-	-		
		A/C	60.00	59.20	60.80	59.99	60.00	-	-	-		
		T.L	5.00	4.70	5.30	5.05	5.04	-	-	-		
		THREAD	1.1/2" NPT AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	REDUCER		Size		1.1/2" NPT x 1" NPT		Drawing No.		RD5N3N	Date:	30-08-2026
Wo No.	26000212	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments ID No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3	3	3	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX- RD5N3NB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex	OK	OK	-	-	-		ASM No:- CEX260818-03		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	55.00	54.81	55.00	54.97	54.99	-	-	-			
		T.L	35.00	34.50	35.50	35.05	35.04	-	-	-			
		LENGTH	27.00	26.50	27.50	27.13	27.15	-	-	-			
		H.L	8.00	7.70	8.30	8.00	7.99	-	-	-			
		I.D	25.00	24.50	25.50	25.08	25.06	-	-	-			
		INT.THL	22.00	21.50	22.50	22.16	22.15	-	-	-			
		THREAD	1.1/2" NPT AS PER T.R.G GO NOT GO		OK	OK	-	-	-				
		INT.THREAD	1" NPT AS PER P.G GO NOT GO		OK	OK	-	-	-				
		CH.ANGLE	2x45° AS PER PP FOUND		OK	OK	-	-	-				
		CH.ANGLE	1.6x45° AS PER PP FOUND		OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	NYLON WASHER		Size		1.1/2" NPT		Drawing No.	-	Date:	30-08-2026	
Wo No.	26000212	Total Quantity	2		Lot Quantity		2		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments ID No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3	3	3	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No:- CEX260818-03		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.48	1.50	-	-	-			
		I.D	51.00	50.20	51.80	51.05	51.07	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

