METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-03	Product Name	ENTRY COMPONENT	Size	M20	Drawing No.	313001M-01s	Date:	19-10-2026
Wo No.	26000310	Total Quantity	1	Lot Quantity	1	Sample Size-	1	Variable & Gauging	1PC

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	-	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 11	11	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NICKEL	OK	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	-	-	-	-			
		Marking	WO Ref. No. Metalmech Logo MM-EX-E1FUNV20x1MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48908X IECEx PRE 20.0124X	-	-	-	-		ASM No :- AEX261011-04	
		Assembly Perfection	As per Drg.	OK	-	-	-	-			
		Inner Packing	Labeling & Printing	OK	-	-	-	-			
		Outer Packing	Printing & Stamping	OK	-	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	-	-	-	-			
		A/F	25.00 24.87 25.00	24.96	-	-	-	-			
		A/C	27.50 27.00 28.00	27.53	-	-	-	-			
		T.L	32.00 32.00 32.50	32.18	-	-	-	-			
		TH.L	13.00 12.50 13.50	13.05	-	-	-	-			
		LENGTH	17.00 17.00 17.50	17.07	-	-	-	-			
		GR.OD	18.00 18.00 18.50	18.08	-	-	-	-			
		GR.LE	2.50 2.30 2.70	2.53	-	-	-	-			
		O.D	24.50 24.00 25.00	24.47	-	-	-	-			
		O.D.L	9.00 8.50 9.50	9.04	-	-	-	-			
		H.L	6.00 5.70 6.30	6.06	-	-	-	-			
		I.D	12.00 11.50 12.50	12.07	-	-	-	-			
		DEPTH	11.50 11.00 12.00	11.58	-	-	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO	OK	-	-	-	-			
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO	OK	-	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	-	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND	OK	-	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND	OK	-	-	-	-			
		ANGLE	90° AS PER PP FOUND	OK	-	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING PVT. LTD. QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-03	**Product Name**	INTERMIDIATE BODY	**Size**	M20	**Drawing No.**	313002U-01s	**Date:** 19-10-2026
Wo No.	26000310	**Total Quantity**	1	**Lot Quantity**	1	**Sample Size-**	1	Variable & Gauging 1PC

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	-	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	-	-	-	-			
		Marking	WO Ref. No.	NA		NA	-	-	-	-		ASM No :- AEX261011-04	
		Assembly Perfection	As per Drg.			OK	-	-	-	-			
		Inner Packing	Labeling & Printing			OK	-	-	-	-			
		Outer Packing	Printing & Stamping			OK	-	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		A/F	25.00	24.87	25.00	24.96	-	-	-	-			
		A/C	27.50	27.00	28.00	27.53	-	-	-	-			
		T.L	22.00	21.50	22.50	22.13	-	-	-	-			
		TH.L	10.00	9.50	10.50	10.05	-	-	-	-			
		GR.OD	18.00	17.50	18.50	18.02	-	-	-	-			
		GR.LE	1.00	0.80	1.20	1.03	-	-	-	-			
		H.L	4.00	3.70	4.30	4.06	-	-	-	-			
		TH.L	8.00	7.70	8.30	8.06	-	-	-	-			
		GR.OD	20.00	19.50	20.50	20.13	-	-	-	-			
		GR.LE	1.00	0.80	1.20	1.02	-	-	-	-			
		I.D	16.00	15.50	16.50	16.08	-	-	-	-			
		I.D	18.00	17.50	18.50	18.05	-	-	-	-			
		DEPTH	7.00	6.70	7.30	6.95	-	-	-	-			
		I.D	17.00	16.50	17.50	17.04	-	-	-	-			
		I.D.LE	4.50	4.20	4.80	4.53	-	-	-	-			
		DEPTH	11.50	11.00	12.00	11.55	-	-	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	-	-	-	-			
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO			OK	-	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	-	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	-	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	-	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-03	**Product Name**	MIDDLE BODY		**Size**	M20		**Drawing No.**	313002-018	**Date:**	19-10-2026
Wo No.	26000310	**Total Quantity**	1		**Lot Quantity**	1		**Sample Size-**	1	Variable & Gauging	1PC

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishine	NICKEL	OK	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX261011-04	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	-	-	-	-			
		A/F	25.00	24.87 25.00	24.95	-	-	-	-			
		A/C	27.50	27.00 28.00	27.50	-	-	-	-			
		T.L	28.00	27.50 28.50	28.09	-	-	-	-			
		TH.L	12.00	11.50 12.50	12.03	-	-	-	-			
		GR.OD	20.50	20.00 21.00	20.45	-	-	-	-			
		GR.LE	1.00	0.80 1.20	1.02	-	-	-	-			
		O.D	24.50	24.00 25.00	24.43	-	-	-	-			
		O.D.L	8.00	7.70 8.30	8.04	-	-	-	-			
		H.L	8.00	7.70 8.30	8.05	-	-	-	-			
		I.D	16.00	15.50 16.50	16.05	-	-	-	-			
		I.D	17.00	16.50 17.50	17.06	-	-	-	-			
		I.D.LE	4.00	3.70 4.30	4.03	-	-	-	-			
		INT.THL	9.50	9.00 10.00	9.53	-	-	-	-			
		I.D	20.00	19.50 20.50	20.04	-	-	-	-			
		DEPTH	14.00	13.50 14.50	14.09	-	-	-	-			
		THREAD	M22x1 AS PER T.R.G GO NOT GO		OK	-	-	-	-			
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO		OK	-	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	-	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND		OK	-	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	-	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND		OK	-	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERS PVT. LTD. CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-03	Product Name	BACK NUT	Size	M20	Drawing No.	313003-018	Date:	19-10-2026
Wo No.	26000310	Total Quantity	1	Lot Quantity	1	Sample Size-	1	Variable & Gauging	1PC

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-		Measuring Instruments ID No-	
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX261011-04	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		A/F	25.00	24.87	25.00	24.95	-	-	-	-		
		A/C	27.50	27.00	28.00	27.45	-	-	-	-		
		T.L	17.00	16.50	17.50	17.08	-	-	-	-		
		O.D	24.00	23.50	24.50	24.07	-	-	-	-		
		O.D.L	8.00	7.70	8.30	8.02	-	-	-	-		
		H.L	9.00	8.50	9.50	9.06	-	-	-	-		
		I.D	19.00	18.50	19.50	19.03	-	-	-	-		
		INT.THL	3.00	2.80	3.20	3.02	-	-	-	-		
		GR.ID	22.20	21.70	22.70	22.25	-	-	-	-		
		GR.LE	10.50	10.00	11.00	10.51	-	-	-	-		
		DEPTH	13.50	13.00	14.00	13.52	-	-	-	-		
		GR.ID	21.00	20.50	21.50	21.03	-	-	-	-		
		GR.LE	2.50	2.30	2.70	2.52	-	-	-	-		
		DEPTH	16.00	15.50	16.50	16.03	-	-	-	-		
		INT.THREAD	M22x1 AS PER P.G GO NOT GO			OK	-	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	-	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	-	-	-	-		
		CH.ANGLE	45° AS PER PP FOUND			OK	-	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECH
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-03	Product Name	UNIVERSAL CLAMPING CONE	Size	M20	Drawing No.	313005-01s	Date:	19-10-2026
Wo No.	26000310	Total Quantity	1	Lot Quantity	1	Sample Size-	1	Variable & Gauging	1PC

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	-	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	-	-	-	-			
		Marking	WO Ref. No.	NA		NA	-	-	-	-		ASM No :- AEX261011-04	
		Assembly Perfection	As per Drg.			OK	-	-	-	-			
		Inner Packing	Labeling & Printing			OK	-	-	-	-			
		Outer Packing	Printing & Stamping			OK	-	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		T.L	22.00	21.50	22.50	22.05	-	-	-	-			
		O.D	14.00	13.50	14.50	14.05	-	-	-	-			
		O.D.L	3.50	3.20	3.80	3.45	-	-	-	-			
		GR.OD	15.50	15.00	16.00	15.51	-	-	-	-			
		GR.LE	2.50	2.30	2.70	2.52	-	-	-	-			
		O.D	16.20	15.70	16.70	16.23	-	-	-	-			
		O.D.L	7.50	7.20	7.80	7.51	-	-	-	-			
		O.D	17.50	17.00	18.00	17.55	-	-	-	-			
		O.D.L	7.00	6.70	7.30	7.06	-	-	-	-			
		O.D	14.00	13.50	14.50	14.08	-	-	-	-			
		O.D.L	4.50	4.20	4.80	4.45	-	-	-	-			
		O.D	14.50	14.00	15.00	14.52	-	-	-	-			
		O.D	15.00	14.50	15.50	15.05	-	-	-	-			
		O.D	15.50	15.00	16.00	15.53	-	-	-	-			
		O.D.L	7.50	7.20	7.80	7.53	-	-	-	-			
		I.D	12.00	11.50	12.50	12.06	-	-	-	-			
		GROOVE.STEP.LE	0.50	0.30	0.70	0.48	-	-	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	-	-	-	-			
		RADIUS	0.3 AS PER PP FOUND			OK	-	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-03	**Product Name**	REVERSIBLE ARMOUR RING	**Size**	M20	**Drawing No.**	313004-01S	**Date:**	19-10-2026
Wo No.	26000310	**Total Quantity**	1	**Lot Quantity**	1	**Sample Size-**	1	Variable & Gauging	1PC

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**-**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	-	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NICKEL	OK	-	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		**ASM No :- AEX261011-04**	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		T.L	6.00	5.70	6.30	6.02	-	-	-	-		
		O.D	18.50	18.00	19.00	18.73	-	-	-	-		
		I.D	16.00	15.50	16.50	16.16	-	-	-	-		
		I.D	16.50	16.00	17.00	16.65	-	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-03	**Product Name**	O-RING	**Size**	M20	**Drawing No.**	OR-1M	**Date:**	19-10-2026
Wo No.	26000310	**Total Quantity**	1	**Lot Quantity**	1	**Sample Size-**	1	Variable & Gauging	1PC

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**-**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	-	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		**ASM No :- AEX261011-04**	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.06	-	-	-	-			
		I.D	16.00	15.50	16.50	16.03	-	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-03	Product Name	COMPRESSIBLE INNER SEAL	Size	M20	Drawing No.	GI-01s	Date:	19-10-2026
Wo No.	26000310	Total Quantity	1	Lot Quantity	1	Sample Size-	1	Variable & Gauging	1PC

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-		ASM No :- AEX261011-04	
		Assembly Perfection	As per Drg.		OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE	-	+	1	-	-	-			
		T.L	9.50	9.00	10.00	9.53	-	-	-			
		O.D.L	3.00	2.70	3.30	3.01	-	-	-			
		O.D	18.50	18.30	18.50	18.42	-	-	-			
		O.D.L	6.50	6.20	6.80	6.52	-	-	-			
		I.D	11.70	11.70	11.90	11.77	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-03	Product Name	COMPRESSIBLE OUTER SEAL	Size	M20	Drawing No.	GE-01s	Date:	19-10-2026
Wo No.	26000310	Total Quantity	1	Lot Quantity	1	Sample Size-	1	Variable & Gauging	1PC

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX261011-04	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		T.L	10.00	9.50	10.50	10.04	-	-	-	-		
		O.D	22.20	22.00	22.20	22.11	-	-	-	-		
		GR.LENGTH	3.50	3.20	3.80	3.53	-	-	-	-		
		I.D	15.70	15.70	15.80	15.74	-	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-03	**Product Name**	INNER SKID WASHER	**Size**	M20	**Drawing No.**	IW-01s	**Date:**	19-10-2026
Wo No.	26000310	**Total Quantity**	1	**Lot Quantity**	1	**Sample Size-**	1	Variable & Gauging	1PC

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-		ASM No :- AEX261011-04	
		Assembly Perfection	As per Drg.		OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE	- / +	1	-	-	-			
		T.L	4.50	4.20 / 4.80	4.48	-	-	-			
		O.D	18.00	17.80 / 18.00	17.95	-	-	-			
		O.D	15.50	15.30 / 15.50	15.43	-					
		O.D.L	2.50	2.50 / 2.70	2.52	-					
		I.D	12.00	12.00 / 12.20	12.05	-					

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-03	Product Name	OUTER SKID WASHER	Size	M20	Drawing No.	OW-01S	Date:	19-10-2026
Wo No.	26000310	Total Quantity	1	Lot Quantity	1	Sample Size-	1	Variable & Gauging	1PC

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX261011-04	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		T.L	6.50	6.20	6.80	6.52	-	-	-	-		
		O.D	20.50	20.50	20.60	20.52	-	-	-	-		
		O.D	18.50	18.30	18.50	18.40	-	-	-	-		
		O.D.L	4.00	4.00	4.10	4.02	-	-	-	-		
		I.D	16.00	16.00	16.20	16.03	-	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED