

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	LOCK NUT		Size	1/2" NPT			Drawing No.	DLINB	Date:	23-08-2026		
Wo No.	26000213	Total Quantity	12		Lot Quantity	12			Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments LD No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3		3	3	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-				
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No - CEX260820-16		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing			OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		A/F	25.00	24.87	25.00	24.96	24.95	-	-	-				
		A/C	28.00	27.50	28.50	28.02	28.01	-	-	-				
		T.L	4.00	3.70	4.30	4.04	4.06	-	-	-				
		THREAD	1/2" NPT AS PER P.G GO NOT GO				OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND				OK	OK	-	-	-			
								-	-	-				
INSPECTED BY:		<i>Jay Hadiyal</i>				APPROVED BY:				<i>Shreekant</i>				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	ADAPTOR		Size	1/2" NPT x 3/4" NPT			Drawing No.	AD1N2N	Date:	23-08-2026	
Wo No.	26000213	Total Quantity	12		Lot Quantity	12			Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No.	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3		3	3	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX- AD1N2NB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb		OK	OK	-	-	-		ASM No - CEX260820-16	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	30.00	29.87	30.00	29.95	29.94	-	-	-			
		T.L	42.00	42.00	42.50	42.08	42.09	-	-	-			
		TH.L	21.00	21.00	21.50	21.06	21.05	-	-	-			
		H.L	6.00	5.70	6.30	6.13	6.15	-	-	-			
		O.D	29.50	29.00	30.00	29.55	29.54	-	-	-			
		I.D	15.00	14.50	15.50	15.05	15.04	-	-	-			
		INT.TH.L	18.00	17.50	18.50	18.09	18.08	-	-	-			
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	3/4" NPT AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1.6x45° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:
Jay Hadiyal
APPROVED BY:
Shreekant
Conclusion :

Accept

Reject

Hold




MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-07	Product Name	NYLON WASHER		Size	1/2" NPT		Drawing No.	-	Date:	23-08-2026	
Wo No.	26000213	Total Quantity	12		Lot Quantity	12		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	3	3	3	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - CEX260820-16	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	1.50	1.30	1.70	1.45	1.49	-	-	-		
		I.D	22.20	22.00	22.40	22.33	22.32	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold

