



**Conclusion :**



|  |                         | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                                |        |                  |              |       |     |           |                               |        |                        |                    |            |
|----------------------------------------------------------------------------------|-------------------------|-----------------------------------------------------|--------------------------------|--------|------------------|--------------|-------|-----|-----------|-------------------------------|--------|------------------------|--------------------|------------|
| INSP. No.                                                                        | FIR-02                  | Product Name                                        | INTERMEDIATE BODY              |        |                  | Size         |       | M40 |           | Drawing No.                   |        | 313002U-04             | Date:              | 22-08-2026 |
| Wo No.                                                                           | 26000229                | Total Quantity                                      | 2                              |        |                  | Lot Quantity |       | 2   |           | Sample Size-                  |        | 2                      | Variable & Gauging | 2PCS       |
| Sr. No.                                                                          | Checking Parameter      | REQUIRED PARAMETER                                  |                                |        | OBSERVED RESULTS |              |       |     |           | REJECTION<br>REWORK<br>DETAIL | REMARK | CHECKED BY             |                    |            |
|                                                                                  |                         | PARAMETER                                           | CRITERIA                       |        | 1                | 2            | -     | -   | -         |                               |        |                        |                    |            |
| 1                                                                                | Visual                  | Surface                                             | Fine, Clean                    |        | FINE             | FINE         | -     | -   | -         |                               |        |                        |                    |            |
|                                                                                  |                         | Size wise No of Pcs. With Internal Parts            | As per Drg. No. of Parts       | 11     | 11               | -            | -     | -   |           |                               |        |                        |                    |            |
|                                                                                  |                         | Washing & Plating                                   | Surface Finishing              | NICKEL | OK               | OK           | -     | -   | -         |                               |        | (1) DV-55              |                    |            |
|                                                                                  |                         | RUBBER MARKING                                      | AS PER DRG.                    | NA     | NA               | NA           | -     | -   | -         |                               |        | (2) PP-01              |                    |            |
|                                                                                  |                         | Marking                                             | WO Ref. No.                    | NA     | NA               | NA           | -     | -   | -         |                               |        | ASM No :- AEX260818-08 |                    |            |
|                                                                                  |                         | Assembly Perfection                                 | As per Drg.                    |        | OK               | OK           | -     | -   | -         |                               |        |                        |                    |            |
|                                                                                  |                         | Inner Packing                                       | Labeling & Printing            |        | OK               | OK           | -     | -   | -         |                               |        |                        |                    |            |
|                                                                                  |                         | Outer Packing                                       | Printing & Stamping            |        | OK               | OK           | -     | -   | -         |                               |        |                        |                    |            |
| All Dimensions Are In MM                                                         |                         |                                                     |                                |        |                  |              |       |     |           |                               |        |                        |                    |            |
| 2                                                                                | DIMENSION               |                                                     | VALUE                          | -      | +                | 1            | 2     | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | A/F                                                 | 50.00                          | 49.81  | 50.00            | 49.91        | 49.90 | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | A/C                                                 | 55.00                          | 54.20  | 55.80            | 54.73        | 54.72 | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | T.L                                                 | 29.00                          | 28.50  | 29.50            | 29.11        | 29.10 | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | TH.L                                                | 13.50                          | 13.00  | 14.00            | 13.52        | 13.51 | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | GR.OD                                               | 43.00                          | 42.20  | 43.80            | 43.03        | 43.05 | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | GR.LE                                               | 1.00                           | 0.80   | 1.20             | 1.01         | 1.02  | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | H.L                                                 | 6.00                           | 5.70   | 6.30             | 6.11         | 6.13  | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | TH.L                                                | 9.50                           | 9.00   | 10.00            | 9.45         | 9.44  | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | GR.OD                                               | 46.00                          | 45.20  | 46.80            | 45.97        | 45.99 | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | GR.LE                                               | 1.00                           | 0.80   | 1.20             | 1.02         | 1.01  | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | I.D                                                 | 40.00                          | 39.20  | 40.80            | 40.04        | 40.03 | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | I.D                                                 | 42.50                          | 41.70  | 43.30            | 42.51        | 42.50 | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | DEPTH                                               | 8.00                           | 7.70   | 8.30             | 8.08         | 8.07  | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | THREAD                                              | M45x1.5 AS PER T.R.G GO NOT GO |        |                  | OK           | OK    | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | THREAD                                              | M48x1.5 AS PER T.R.G GO NOT GO |        |                  | OK           | OK    | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | CH.ANGLE                                            | 1x45° AS PER PP FOUND          |        |                  | OK           | OK    | -   | -         | -                             |        |                        |                    |            |
|                                                                                  |                         | CH.ANGLE                                            | 20° AS PER PP FOUND            |        |                  | OK           | OK    | -   | -         | -                             |        |                        |                    |            |
| CH.ANGLE                                                                         | 0.5x45° AS PER PP FOUND |                                                     |                                | OK     | OK               | -            | -     | -   |           |                               |        |                        |                    |            |
| INSPECTED BY:                                                                    |                         | Jay Hadiyal                                         |                                |        | APPROVED BY:     |              |       |     | Shreekant |                               |        |                        |                    |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                          |                                |              |                  |              |           |                    |                               |                        |            |  |
|---------------|--------------------|------------------------------------------|--------------------------------|--------------|------------------|--------------|-----------|--------------------|-------------------------------|------------------------|------------|--|
| INSP. No.     | FIR-02             | Product Name                             | MIDDLE BODY                    | Size         | M40              | Drawing No.  | 313002-04 | Date:              | 22-08-2026                    |                        |            |  |
| Wo No.        | 250000229          | Total Quantity                           | 2                              | Lot Quantity | 2                | Sample Size- | 2         | Variable & Gauging | ±PCS                          |                        |            |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                       |                                |              | OBSERVED RESULTS |              |           |                    | REJECTION<br>REWORK<br>DETAIL | REMARK                 | CHECKED BY |  |
|               |                    | PARAMETER                                | CRITERIA                       | 1            | 2                | -            | -         | -                  |                               |                        |            |  |
|               |                    | Surface                                  | Fine, Clean                    | FINE         | FINE             | -            | -         | -                  |                               |                        |            |  |
|               |                    | Size wise No of Pcs. With Internal Parts | As per Drg. No. of Parts 11    | 11           | 11               | -            | -         | -                  |                               | (1) DV-55              |            |  |
|               |                    | Washing & Plating                        | NICKEL                         | OK           | OK               | -            | -         | -                  |                               | (2) PP-01              |            |  |
|               |                    | RUBBER MARKING                           | AS PER DRG.                    | NA           | NA               | -            | -         | -                  |                               |                        |            |  |
|               |                    | Marking                                  | WO Ref. No.                    | NA           | NA               | -            | -         | -                  |                               | ASM No :- AEX260818-08 |            |  |
|               |                    | Assembly Perfection                      | As per Drg.                    | OK           | OK               | -            | -         | -                  |                               |                        |            |  |
|               |                    | Inner Packing                            | Labeling & Printing            | OK           | OK               | -            | -         | -                  |                               |                        |            |  |
|               |                    | Outer Packing                            | Printing & Stamping            | OK           | OK               | -            | -         | -                  |                               |                        |            |  |
|               |                    | All Dimensions Are In MM                 |                                |              |                  |              |           |                    |                               |                        |            |  |
|               |                    | VALUE                                    | -                              | +            | 1                | 2            | -         | -                  | -                             |                        |            |  |
|               |                    | A/F                                      | 55.00                          | 54.81        | 55.00            | 54.96        | 54.95     | -                  | -                             | -                      |            |  |
|               |                    | A/C                                      | 60.00                          | 59.20        | 60.80            | 60.00        | 59.99     | -                  | -                             | -                      |            |  |
|               |                    | T.L                                      | 32.00                          | 31.20        | 32.80            | 32.13        | 32.15     | -                  | -                             | -                      |            |  |
|               |                    | TH.L                                     | 15.00                          | 14.50        | 15.50            | 15.02        | 15.01     | -                  | -                             | -                      |            |  |
|               |                    | GR.OD                                    | 50.00                          | 49.20        | 50.80            | 50.06        | 50.05     | -                  | -                             | -                      |            |  |
|               |                    | GR.LE                                    | 1.00                           | 0.80         | 1.20             | 1.00         | 0.99      | -                  | -                             | -                      |            |  |
|               |                    | H.L                                      | 9.00                           | 8.50         | 9.50             | 9.05         | 9.07      | -                  | -                             | -                      |            |  |
|               |                    | O.D                                      | 53.00                          | 52.20        | 53.80            | 53.06        | 53.05     | -                  | -                             | -                      |            |  |
|               |                    | O.D.L                                    | 8.00                           | 7.70         | 8.30             | 8.00         | 7.99      | -                  | -                             | -                      |            |  |
|               |                    | LD                                       | 40.50                          | 39.70        | 41.30            | 40.55        | 40.54     | -                  | -                             | -                      |            |  |
|               |                    | LD                                       | 41.50                          | 40.70        | 42.30            | 41.53        | 41.55     | -                  | -                             | -                      |            |  |
|               |                    | LD.LE                                    | 5.00                           | 4.70         | 5.30             | 5.02         | 5.00      | -                  | -                             | -                      |            |  |
|               |                    | INT.TH.L                                 | 11.50                          | 11.00        | 12.00            | 11.49        | 11.51     | -                  | -                             | -                      |            |  |
|               |                    | GR.ID                                    | 46.00                          | 45.20        | 46.80            | 45.98        | 46.00     | -                  | -                             | -                      |            |  |
|               |                    | GR.LE                                    | 7.00                           | 6.70         | 7.30             | 7.01         | 7.03      | -                  | -                             | -                      |            |  |
|               |                    | DEPTH                                    | 18.50                          | 18.00        | 19.00            | 18.45        | 18.44     | -                  | -                             | -                      |            |  |
|               |                    | THREAD                                   | M48x1.5 AS PER T.R.G GO NOT GO |              | OK               | OK           | -         | -                  | -                             |                        |            |  |
|               |                    | INT.THREAD                               | M52x1.5 AS PER P.G GO NOT GO   |              | OK               | OK           | -         | -                  | -                             |                        |            |  |
|               |                    | CH.ANGLE                                 | 1x45° AS PER PP FOUND          |              | OK               | OK           | -         | -                  | -                             |                        |            |  |
|               |                    | CH.ANGLE                                 | 30° AS PER PP FOUND            |              | OK               | OK           | -         | -                  | -                             |                        |            |  |
|               |                    |                                          |                                |              |                  |              |           |                    |                               |                        |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                              |                                |              | APPROVED BY:     |              |           | Shreekant          |                               |                        |            |  |

Conclusion :



Accept



Reject



Hold



| INSP. No.     |  | FIR-02                       |  | Product Name                             |  | BACK NUT                 |  | Size             |  | M40   |  | Drawing No.  |  | 313003-04               |  | Date:              |  | 22-08-2026                   |  |   |  |
|---------------|--|------------------------------|--|------------------------------------------|--|--------------------------|--|------------------|--|-------|--|--------------|--|-------------------------|--|--------------------|--|------------------------------|--|---|--|
| Wo No.        |  | 26000229                     |  | Total Quantity                           |  | 2                        |  | Lot Quantity     |  | 2     |  | Sample Size- |  | 2                       |  | Variable & Gauging |  | 2PCS                         |  |   |  |
| Sr. No.       |  | Checking Parameter           |  | REQUIRED PARAMETER                       |  |                          |  | OBSERVED RESULTS |  |       |  |              |  | REJECTION Rework Detail |  | REMARK             |  | CHECKED BY                   |  |   |  |
|               |  |                              |  | PARAMETER                                |  | CRITERIA                 |  | 1                |  | 2     |  | -            |  | -                       |  |                    |  |                              |  |   |  |
| 1             |  | Visual                       |  | Surface                                  |  | Fine, Clean              |  | FINE             |  | FINE  |  | -            |  | -                       |  | -                  |  | Measuring Instruments ID No. |  |   |  |
|               |  |                              |  | Size wise No of Pcs. With Internal Parts |  | As per Drg. No. of Parts |  | 11               |  | 11    |  | -            |  | -                       |  | -                  |  | (1) DV-55                    |  |   |  |
|               |  |                              |  | Washing & Plating                        |  | Surface Finishing        |  | NICKEL           |  | OK    |  | OK           |  | -                       |  | -                  |  | (2) PP-01                    |  |   |  |
|               |  |                              |  | RUBBER MARKING                           |  | AS PER DRG.              |  | NA               |  | NA    |  | NA           |  | -                       |  | -                  |  |                              |  |   |  |
|               |  |                              |  | Marking                                  |  | WO Ref. No.              |  | NA               |  | NA    |  | NA           |  | -                       |  | -                  |  | ASM No :- AEX260818-08       |  |   |  |
|               |  |                              |  | Assembly Perfection                      |  | As per Drg.              |  | OK               |  | OK    |  | -            |  | -                       |  | -                  |  |                              |  |   |  |
|               |  |                              |  | Inner Packing                            |  | Labeling & Printing      |  | OK               |  | OK    |  | -            |  | -                       |  | -                  |  |                              |  |   |  |
|               |  |                              |  | Outer Packing                            |  | Printing & Stamping      |  | OK               |  | OK    |  | -            |  | -                       |  | -                  |  |                              |  |   |  |
|               |  |                              |  | All Dimensions Are In MM                 |  |                          |  |                  |  |       |  |              |  |                         |  |                    |  |                              |  |   |  |
|               |  |                              |  | 2                                        |  | DIMENSION                |  | VALUE            |  | -     |  | +            |  | 1                       |  | 2                  |  | -                            |  | - |  |
| A/F           |  | 55.00                        |  |                                          |  |                          |  | 54.81            |  | 55.00 |  | 54.97        |  | 54.96                   |  | -                  |  | -                            |  | - |  |
| A/C           |  | 60.00                        |  |                                          |  |                          |  | 59.20            |  | 60.80 |  | 59.90        |  | 59.89                   |  | -                  |  | -                            |  | - |  |
| T.L           |  | 23.00                        |  |                                          |  |                          |  | 22.50            |  | 23.50 |  | 23.07        |  | 23.06                   |  | -                  |  | -                            |  | - |  |
| O.D           |  | 54.50                        |  |                                          |  |                          |  | 53.70            |  | 55.30 |  | 54.45        |  | 54.47                   |  | -                  |  | -                            |  | - |  |
| O.D.L         |  | 10.00                        |  |                                          |  |                          |  | 9.50             |  | 10.50 |  | 10.02        |  | 10.01                   |  | -                  |  | -                            |  | - |  |
| H.L           |  | 13.00                        |  |                                          |  |                          |  | 12.50            |  | 13.50 |  | 13.06        |  | 13.05                   |  | -                  |  | -                            |  | - |  |
| I.D           |  | 45.50                        |  |                                          |  |                          |  | 44.70            |  | 46.30 |  | 45.55        |  | 45.54                   |  | -                  |  | -                            |  | - |  |
| INT.THL       |  | 4.00                         |  |                                          |  |                          |  | 3.70             |  | 4.30  |  | 4.02         |  | 4.01                    |  | -                  |  | -                            |  | - |  |
| GR.ID         |  | 52.20                        |  |                                          |  |                          |  | 51.40            |  | 53.00 |  | 52.25        |  | 52.23                   |  | -                  |  | -                            |  | - |  |
| GR.LE         |  | 14.50                        |  |                                          |  |                          |  | 14.00            |  | 15.00 |  | 14.55        |  | 14.54                   |  | -                  |  | -                            |  | - |  |
| DEPTH         |  | 18.50                        |  |                                          |  |                          |  | 18.00            |  | 19.00 |  | 18.52        |  | 18.54                   |  | -                  |  | -                            |  | - |  |
| GR.ID         |  | 50.50                        |  |                                          |  |                          |  | 49.70            |  | 51.30 |  | 50.51        |  | 50.53                   |  | -                  |  | -                            |  | - |  |
| GR.LE         |  | 2.50                         |  |                                          |  |                          |  | 2.30             |  | 2.70  |  | 2.52         |  | 2.54                    |  | -                  |  | -                            |  | - |  |
| DEPTH         |  | 21.00                        |  |                                          |  |                          |  | 20.50            |  | 21.50 |  | 20.99        |  | 20.98                   |  | -                  |  | -                            |  | - |  |
| INT.THREAD    |  | M52x1.5 AS PER P.G GO NOT GO |  |                                          |  |                          |  | OK               |  | OK    |  | -            |  | -                       |  | -                  |  |                              |  |   |  |
| CH.ANGLE      |  | 0.5x45° AS PER PP FOUND      |  |                                          |  |                          |  | OK               |  | OK    |  | -            |  | -                       |  | -                  |  |                              |  |   |  |
| CH.ANGLE      |  | 1x45° AS PER PP FOUND        |  |                                          |  |                          |  | OK               |  | OK    |  | -            |  | -                       |  | -                  |  |                              |  |   |  |
| CH.ANGLE      |  | 45° AS PER PP FOUND          |  | OK                                       |  | OK                       |  | -                |  | -     |  | -            |  |                         |  |                    |  |                              |  |   |  |
|               |  |                              |  |                                          |  |                          |  |                  |  |       |  |              |  |                         |  |                    |  |                              |  |   |  |
| INSPECTED BY: |  |                              |  | Jay Hadiyal                              |  |                          |  | APPROVED BY:     |  |       |  | Shreekant    |  |                         |  |                    |  |                              |  |   |  |

Conclusion :

☒ Accept

☐ Reject

☐ Hold



|                                                                                  |                         |                                                            |                             |       |              |                  |       |           |              |   |                               |                    |            |  |  |
|----------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------|-----------------------------|-------|--------------|------------------|-------|-----------|--------------|---|-------------------------------|--------------------|------------|--|--|
|  |                         | <b>MetalMech-08500-FR-QX-08-Final Inspection Report-EX</b> |                             |       |              |                  |       |           |              |   |                               |                    |            |  |  |
| INSP. No.                                                                        | FIR-02                  | Product Name                                               | UNIVERSAL CLAMPING CONE     |       |              | Size             | M40   |           | Drawing No.  |   | 313005-04                     | Date:              | 22-08-2026 |  |  |
| Wo No.                                                                           | 26000229                | Total Quantity                                             | 2                           |       |              | Lot Quantity     | 2     |           | Sample Size- |   | 2                             | Variable & Gauging | 2PCS       |  |  |
| Sr. No.                                                                          | Checking Parameter      | REQUIRED PARAMETER                                         |                             |       |              | OBSERVED RESULTS |       |           |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |  |  |
|                                                                                  |                         | PARAMETER                                                  | CRITERIA                    |       |              | 1                | 2     | -         | -            | - |                               |                    |            |  |  |
| 1                                                                                | Visual                  | Surface                                                    | Fine, Clean                 |       |              | FINE             | FINE  | -         | -            | - |                               |                    |            |  |  |
|                                                                                  |                         | Sizewise No of Pcs. With Internal Parts                    | As per Drg. No. of Parts 11 |       |              | 11               | 11    | -         | -            | - |                               |                    |            |  |  |
|                                                                                  |                         | Washing & Plating                                          | NICKEL Surface Finishing    |       |              | OK               | OK    | -         | -            | - |                               |                    |            |  |  |
|                                                                                  |                         | RUBBER MARKING                                             | AS PER DRG. NA              |       |              | NA               | NA    | -         | -            | - |                               |                    |            |  |  |
|                                                                                  |                         | Marking                                                    | WO Ref. No. NA              |       |              | NA               | NA    | -         | -            | - |                               |                    |            |  |  |
|                                                                                  |                         | Assembly Perfection                                        | As per Drg.                 |       |              | OK               | OK    | -         | -            | - |                               |                    |            |  |  |
|                                                                                  |                         | Inner Packing                                              | Labeling & Printing         |       |              | OK               | OK    | -         | -            | - |                               |                    |            |  |  |
|                                                                                  |                         | Outer Packing                                              | Printing & Stamping         |       |              | OK               | OK    | -         | -            | - |                               |                    |            |  |  |
|                                                                                  |                         | All Dimensions Are In MM                                   |                             |       |              |                  |       |           |              |   |                               |                    |            |  |  |
|                                                                                  |                         | 2                                                          | DIMENSION                   | VALUE | -            | +                | 1     | 2         | -            | - | -                             |                    |            |  |  |
| T.L                                                                              | 30.00                   |                                                            |                             | 29.50 | 30.50        | 30.12            | 30.11 | -         | -            | - |                               |                    |            |  |  |
| O.D                                                                              | 36.00                   |                                                            |                             | 35.20 | 36.80        | 35.98            | 36.00 | -         | -            | - |                               |                    |            |  |  |
| O.D.L                                                                            | 5.50                    |                                                            |                             | 5.20  | 5.80         | 5.58             | 5.57  | -         | -            | - |                               |                    |            |  |  |
| O.D                                                                              | 38.50                   |                                                            |                             | 37.70 | 39.30        | 38.55            | 38.54 | -         | -            | - |                               |                    |            |  |  |
| O.D.L                                                                            | 2.50                    |                                                            |                             | 2.30  | 2.70         | 2.59             | 2.58  | -         | -            | - |                               |                    |            |  |  |
| GR. LENGTH                                                                       | 0.50                    |                                                            |                             | 0.30  | 0.70         | 0.50             | 0.49  | -         | -            | - |                               |                    |            |  |  |
| O.D                                                                              | 39.80                   |                                                            |                             | 39.00 | 40.60        | 39.80            | 39.77 | -         | -            | - |                               |                    |            |  |  |
| O.D.L                                                                            | 11.00                   |                                                            |                             | 10.50 | 11.50        | 11.01            | 11.03 | -         | -            | - |                               |                    |            |  |  |
| O.D                                                                              | 42.00                   |                                                            |                             | 41.20 | 42.80        | 41.96            | 41.98 | -         | -            | - |                               |                    |            |  |  |
| O.D.L                                                                            | 8.00                    |                                                            |                             | 7.70  | 8.30         | 8.04             | 8.06  | -         | -            | - |                               |                    |            |  |  |
| O.D                                                                              | 34.50                   |                                                            |                             | 33.70 | 35.30        | 34.55            | 34.57 | -         | -            | - |                               |                    |            |  |  |
| O.D.L                                                                            | 6.50                    |                                                            |                             | 6.20  | 6.80         | 6.45             | 6.48  | -         | -            | - |                               |                    |            |  |  |
| O.D                                                                              | 36.00                   |                                                            |                             | 35.20 | 36.80        | 35.99            | 36.00 | -         | -            | - |                               |                    |            |  |  |
| O.D                                                                              | 36.50                   |                                                            |                             | 35.70 | 37.30        | 36.52            | 36.51 | -         | -            | - |                               |                    |            |  |  |
| O.D                                                                              | 37.50                   |                                                            |                             | 36.70 | 38.30        | 37.56            | 37.55 | -         | -            | - |                               |                    |            |  |  |
| O.D.L                                                                            | 11.00                   |                                                            |                             | 10.70 | 11.30        | 11.03            | 11.02 | -         | -            | - |                               |                    |            |  |  |
| I.D                                                                              | 32.50                   |                                                            |                             | 31.70 | 33.30        | 32.55            | 32.58 | -         | -            | - |                               |                    |            |  |  |
| RADIUS                                                                           | 0.50 MM AS PER PP FOUND |                                                            |                             | OK    | OK           | -                | -     | -         |              |   |                               |                    |            |  |  |
| RADIUS                                                                           | 0.3 MM AS PER PP FOUND  |                                                            |                             | OK    | OK           | -                | -     | -         |              |   |                               |                    |            |  |  |
| INSPECTED BY:                                                                    |                         | Jay Hadiyal                                                |                             |       | APPROVED BY: |                  |       | Shreekant |              |   |                               |                    |            |  |  |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |        |       |                  |       |     |   |              |                               |           |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|--------|-------|------------------|-------|-----|---|--------------|-------------------------------|-----------|--------------------|------------|
| INSP. No.                                                                       | FIR-02             | Product Name                                                                             | REVERSIBLE ARMoured RING |        |       | Size             |       | M40 |   | Drawing No.  |                               | 313004-04 | Date:              | 22-08-2026 |
| Wo No.                                                                          | 26000229           | Total Quantity                                                                           | 2                        |        |       | Lot Quantity     |       | 2   |   | Sample Size- |                               | 2         | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |        |       | OBSERVED RESULTS |       |     |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK    | CHECKED BY         |            |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |        |       | 1                | 2     | -   | - | -            |                               |           |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |        |       | FINE             | FINE  | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 11     | 11    | 11               | -     | -   | - |              | Measuring Instruments I.D No- |           |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NICKEL | OK    | OK               | -     | -   | - |              | (1) DV-55                     |           |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | NA     | NA    | NA               | -     | -   | - |              | (2) PP-01                     |           |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA     | NA    | NA               | -     | -   | - |              | ASM No :- AEX260818-08        |           |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |        |       | OK               | OK    | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |        | OK    | OK               | -     | -   | - |              |                               |           |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |        |       | OK               | OK    | -   | - | -            |                               |           |                    |            |
| All Dimensions Are In MM                                                        |                    |                                                                                          |                          |        |       |                  |       |     |   |              |                               |           |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -      | +     | 1                | 2     | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    | T.L                                                                                      | 9.00                     | 8.50   | 9.50  | 9.09             | 9.08  | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    | O.D                                                                                      | 44.00                    | 43.20  | 44.80 | 44.03            | 44.05 | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    | I.D                                                                                      | 39.50                    | 38.70  | 40.30 | 39.55            | 39.54 | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    | I.D                                                                                      | 40.30                    | 39.50  | 41.10 | 40.33            | 40.38 | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    |                                                                                          |                          |        |       |                  |       |     |   |              |                               |           |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |        |       | APPROVED BY:     |       |     |   | Shreekant    |                               |           |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |       |     |           |              |                               |        |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|-------|-----|-----------|--------------|-------------------------------|--------|--------------------|------------|
| INSP. No.                                                                       | FIR-02             | Product Name                                                                             | COMPRESSIBLE INNER SEAL  |       |              | Size             |       | M40 |           | Drawing No.  |                               | GI-04  | Date:              | 22-08-2026 |
| Wo No.                                                                          | 26000229           | Total Quantity                                                                           | 2                        |       |              | Lot Quantity     |       | 2   |           | Sample Size- |                               | 2      | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |       |     |           |              | REJECTION<br>REWORK<br>DETAIL | REMARK | CHECKED BY         |            |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2     | -   | -         | -            |                               |        |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE  | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 11    | 11           | 11               | -     | -   | -         |              | Measuring Instruments I.D No- |        |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | -     | -   | -         |              | (1) DV-55                     |        |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | OK    | OK           | OK               | -     | -   | -         |              | (2) PP-01                     |        |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | -     | -   | -         |              | ASM No :-<br>AEX260818-08     |        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK    | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | -     | -   | -         |              |                               |        |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK    | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |       |     |           |              |                               |        |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2     | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | T.L                                                                                      | 15.50                    | 15.00 | 16.00        | 15.49            | 15.50 | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 6.00                     | 5.70  | 6.30         | 6.02             | 5.99  | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | O.D                                                                                      | 43.50                    | 43.30 | 43.50        | 43.39            | 43.41 | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 9.50                     | 9.00  | 10.00        | 9.55             | 9.54  | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    | I.D                                                                                      | 32.10                    | 32.10 | 32.30        | 32.15            | 32.12 | -   | -         | -            |                               |        |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |              |                  |       |     |           |              |                               |        |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |       |     | Shreekant |              |                               |        |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |       |                  |       |   |   |              |                               |                    |            |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|-------|------------------|-------|---|---|--------------|-------------------------------|--------------------|------------|
| INSP. No.                                                                        | FIR-02             | Product Name                                                                             | O-RING                   |       |       | Size             | M40   |   |   | Drawing No.  | OR-4M                         | Date:              | 22-08-2026 |
| Wo No.                                                                           | 26000229           | Total Quantity                                                                           | 2                        |       |       | Lot Quantity     | 2     |   |   | Sample Size- | 2                             | Variable & Gauging | 2PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |       | OBSERVED RESULTS |       |   |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                 |       |       | 1                | 2     | - | - | -            |                               |                    |            |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean              |       |       | FINE             | FINE  | - | - | -            |                               |                    |            |
|                                                                                  |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 11    | 11    | 11               | -     | - | - |              |                               |                    |            |
|                                                                                  |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA    | NA               | -     | - | - |              |                               |                    |            |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.              | NA    | NA    | NA               | -     | - | - |              |                               |                    |            |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA    | NA               | -     | - | - |              |                               |                    |            |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.              |       |       | OK               | OK    | - | - | -            |                               |                    |            |
|                                                                                  |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK    | OK               | -     | - | - |              |                               |                    |            |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping      |       |       | OK               | OK    | - | - | -            |                               |                    |            |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                          |       |       |                  |       |   |   |              |                               |                    |            |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                    | -     | +     | 1                | 2     | - | - | -            |                               |                    |            |
|                                                                                  |                    | THICKNESS                                                                                | 2.50                     | 2.00  | 2.50  | 2.26             | 2.30  | - | - | -            |                               |                    |            |
|                                                                                  |                    | I.D                                                                                      | 30.00                    | 29.50 | 30.50 | 30.03            | 30.06 | - | - | -            |                               |                    |            |
|                                                                                  |                    |                                                                                          |                          |       |       |                  |       |   |   |              |                               |                    |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                          |       |       | APPROVED BY:     |       |   |   | Shreekant    |                               |                    |            |

Conclusion :



Accept



Reject



Hold





|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |       |   |              |   |                               |                               |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|-------------------------------|------------|
| INSP. No.                                                                       | FIR-02             | Product Name                                                                             | COMPRESSIBLE OUTER SEAL  |       | Size         |                  | M40   |   | Drawing No.  |   | GE-04                         | Date:                         | 22-08-2026 |
| Wo No.                                                                          | 26000229           | Total Quantity                                                                           | 2                        |       | Lot Quantity |                  | 2     |   | Sample Size- |   | 2                             | Variable & Gauging            | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2     | - | -            | - |                               |                               |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE  | - | -            | - |                               |                               |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 11    |              | 11               | 11    | - | -            | - |                               | Measuring Instruments I.D No- |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    |              | NA               | NA    | - | -            | - |                               | (1) DV-55                     |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | OK    |              | OK               | OK    | - | -            | - |                               | (2) PP-01                     |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    |              | NA               | NA    | - | -            | - |                               | ASM No :- AEX260818-08        |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK    | - | -            | - |                               |                               |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       |              | OK               | OK    | - | -            | - |                               |                               |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK    | - | -            | - |                               |                               |            |
| All Dimensions Are In MM                                                        |                    |                                                                                          |                          |       |              |                  |       |   |              |   |                               |                               |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2     | - | -            | - |                               |                               |            |
|                                                                                 |                    | T.L                                                                                      | 15.00                    | 14.50 | 15.50        | 15.03            | 15.02 | - | -            | - |                               |                               |            |
|                                                                                 |                    | O.D                                                                                      | 52.20                    | 52.00 | 52.20        | 52.01            | 52.00 | - | -            | - |                               |                               |            |
|                                                                                 |                    | GR.LENGTH                                                                                | 5.00                     | 4.70  | 5.30         | 5.02             | 5.03  | - | -            | - |                               |                               |            |
|                                                                                 |                    | I.D                                                                                      | 40.00                    | 39.90 | 40.10        | 40.04            | 40.05 | - | -            | - |                               |                               |            |
|                                                                                 |                    |                                                                                          |                          |       |              |                  |       |   |              |   |                               |                               |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                               |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |       |                  |       |   |   |              |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|-------|------------------|-------|---|---|--------------|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-02             | Product Name                                                                             | INNER SKID WASHER        |       |       | Size             | M40   |   |   | Drawing No.  | IW-04                         | Date:              | 22-08-2026 |
| Wo No.                                                                          | 26000229           | Total Quantity                                                                           | 2                        |       |       | Lot Quantity     | 2     |   |   | Sample Size- | 2                             | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |       | OBSERVED RESULTS |       |   |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |       | 1                | 2     | - | - | -            |                               |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |       | FINE             | FINE  | - | - | -            |                               |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 11    | 11    | 11               | -     | - | - |              | Measuring Instruments I.D No- |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA    | NA               | -     | - | - |              | (1) DV-55                     |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | OK    | OK    | OK               | -     | - | - |              | (2) PP-01                     |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA    | NA               | -     | - | - |              | ASM No :- AEX260818-08        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |       | OK               | OK    | - | - | -            |                               |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK    | OK               | -     | - | - |              |                               |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |       | OK               | OK    | - | - | -            |                               |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |       |                  |       |   |   |              |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +     | 1                | 2     | - | - | -            |                               |                    |            |
|                                                                                 |                    | T.L                                                                                      | 5.00                     | 4.70  | 5.30  | 5.00             | 4.99  | - | - | -            |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 42.50                    | 42.30 | 42.50 | 42.39            | 42.41 | - | - | -            |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 39.50                    | 39.30 | 39.50 | 39.50            | 39.49 | - | - | -            |                               |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 3.00                     | 3.00  | 3.20  | 3.02             | 2.99  | - | - | -            |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 32.20                    | 32.20 | 32.40 | 32.25            | 32.23 | - | - | -            |                               |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |       |                  |       |   |   |              |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       |       | APPROVED BY:     |       |   |   | Shreekant    |                               |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |        |              |                  |       |   |              |   |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|--------|--------------|------------------|-------|---|--------------|---|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-02             | Product Name                                                                             | OUTER SKID WASHER        |        | Size         |                  | M40   |   | Drawing No.  |   | OW-04                         | Date:              | 22-08-2026 |
| Wo No.                                                                          | 26000229           | Total Quantity                                                                           | 2                        |        | Lot Quantity |                  | 2     |   | Sample Size- |   | 2                             | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |        |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |        |              | 1                | 2     | - | -            | - |                               |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |        |              | FINE             | FINE  | - | -            | - |                               |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 11     | 11           | 11               | -     | - | -            |   | Measuring Instruments I.D No- |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NICKEL | OK           | OK               | -     | - | -            |   | (1) DV-55                     |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | OK     | OK           | OK               | -     | - | -            |   | (2) PP-01                     |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA     | NA           | NA               | -     | - | -            |   | ASM No :- AEX260818-08        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |        |              | OK               | OK    | - | -            | - |                               |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |        | OK           | OK               | -     | - | -            |   |                               |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |        |              | OK               | OK    | - | -            | - |                               |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |        |              |                  |       |   |              |   |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -      | +            | 1                | 2     | - | -            | - |                               |                    |            |
|                                                                                 |                    | T.L                                                                                      | 6.50                     | 6.20   | 6.80         | 6.52             | 6.51  | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 50.00                    | 50.00  | 50.10        | 50.01            | 50.03 | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 44.50                    | 44.30  | 44.50        | 44.39            | 44.41 | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 4.50                     | 4.50   | 4.60         | 4.53             | 4.52  | - | -            | - |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 40.50                    | 40.50  | 40.70        | 40.52            | 40.54 | - | -            | - |                               |                    |            |
|                                                                                 |                    |                                                                                          |                          |        |              |                  |       |   |              |   |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |        | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                    |            |

Conclusion :



Accept



Reject



Hold

