



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	LOCK NUT		Size		1/2" NPT		Drawing No.		DLINB	Date:	23-09-2026
Wo No.	26000227	Total Quantity	22		Lot Quantity		22		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-02		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	25.00	24.87	25.00	24.96	24.95	-	-	-			
		A/C	28.00	27.50	28.50	28.04	28.03	-	-	-			
		T.L	4.00	3.70	4.30	4.05	4.04	-	-	-			
		THREAD	1/2" NPT AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-02	Product Name	ENTRY COMPONENT			Size		1/2" NPT		Drawing No.	313001M-01	Date:	23-09-2026
Wo No.	26000227	Total Quantity	22			Lot Quantity		22		Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No:-		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUNV201NB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC	OK	OK	-	-	-		ASM No :- AEX260919-02		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	27.00	26.87	27.20	26.95	26.94	-	-	-			
		A/C	30.00	29.50	30.50	30.07	30.09	-	-	-			
		T.L	36.00	36.00	36.50	36.09	36.10	-	-	-			
		LENGTH	20.00	20.00	20.50	20.13	20.15	-	-	-			
		O.D	26.50	26.00	27.00	26.40	26.42	-	-	-			
		O.D.L	9.00	8.50	9.50	9.01	8.99	-	-	-			
		H.L	7.00	6.70	7.30	7.09	7.05	-	-	-			
		LD	14.10	13.60	14.60	14.15	14.14	-	-	-			
		DEPTH	11.50	11.00	12.00	11.55	11.54	-	-	-			
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M24x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.6x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-					
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	INTERMEDIATE BODY		Size	1/2" NPT		Drawing No.	313002U-01	Date:	23-09-2026		
Wo No.	26000227	Total Quantity	22		Lot Quantity	22		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D. No.		
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-02		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
		A/F	31.00	30.84	31.00	30.93	30.95	-	-	-			
		A/C	34.00	33.20	34.80	34.00	33.99	-	-	-			
		T.L	25.00	24.50	25.50	25.04	25.06	-	-	-			
		TH.L	10.50	10.00	11.00	10.50	10.49	-	-	-			
		GR.OD	22.00	21.50	22.50	22.04	22.03	-	-	-			
		GR.LE	1.00	0.80	1.20	1.02	1.01	-	-	-			
		H.L	5.00	4.70	5.30	4.96	4.98	-	-	-			
		TH.L	9.50	9.00	10.00	9.50	9.49	-	-	-			
		GR.OD	26.00	25.50	26.50	26.05	26.04	-	-	-			
		GR.LE	1.00	0.80	1.20	1.03	1.02	-	-	-			
		LD	20.00	19.50	20.50	20.05	20.04	-	-	-			
		LD	22.50	22.00	23.00	22.51	22.52	-	-	-			
		DEPTH	7.00	6.70	7.30	6.98	6.97	-	-	-			
		LD	20.50	20.00	21.00	20.54	20.56	-	-	-			
		LD.LE	6.00	5.70	6.30	6.05	6.04	-	-	-			
		DEPTH	13.00	12.50	13.50	12.95	12.97	-	-	-			
		THREAD	M24x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		THREAD	M28x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	MIDDLE BODY	Size	1/2" NPT	Drawing No.	313002-01	Date:	23-09-2026			
Wo No.	26000227	Total Quantity	22	Lot Quantity	22	Sample Size-	2	Variable & Gauging	2PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS			REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No- (1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-02	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION	VALUE	-	+	1	2	-	-	-			
		A/F	31.00	30.84	31.00	30.93	30.95	-	-	-		
		A/C	34.00	33.20	34.80	34.03	34.02	-	-	-		
		T.L	27.00	26.50	27.50	27.15	27.17	-	-	-		
		TH.L	14.00	13.50	14.50	14.02	14.04	-	-	-		
		GR.OD	27.00	26.50	27.50	27.02	27.01	-	-	-		
		GR.LE	1.00	0.80	1.20	1.02	1.01	-	-	-		
		O.D	30.00	29.50	30.50	30.05	30.03	-	-	-		
		O.D.L	6.00	5.70	6.30	6.08	6.09	-	-	-		
		H.L	7.00	6.70	7.30	7.10	7.09	-	-	-		
		LD	21.00	20.50	21.50	21.03	21.05	-	-	-		
		INT.TH.L	11.50	11.00	12.00	11.42	11.45	-	-	-		
		LD	24.00	23.50	24.50	24.32	24.33	-	-	-		
		DEPTH	15.50	15.00	16.00	15.47	15.49	-	-	-		
		THREAD	M29x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M28x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	BACK NUT		Size	1/2" NPT		Drawing No.	313003-01	Date:	23-09-2026			
Wo No.	26000227	Total Quantity	22		Lot Quantity	22		Sample Size-	2	Variable & Gauging	2PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	-	-	-					
		Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LG No.			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-02			
		Assembly Perfection	As per Drg.		OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping		OK	OK	-	-	-					
		All Dimensions Are In MM												
			VALUE	-	+	1	2	-	-	-				
		A/F	31.00	30.84	31.00	30.95	30.92	-	-	-				
		A/C	34.00	33.20	34.80	33.93	33.95	-	-	-				
		T.L	20.00	19.50	20.50	20.03	20.02	-	-	-				
		O.D	30.50	29.70	31.30	30.43	30.42	-	-	-				
		O.D.L	8.00	7.70	8.30	8.00	7.99	-	-	-				
		H.L	12.00	11.50	12.50	12.04	12.06	-	-	-				
		L.D	24.50	24.00	25.00	24.55	24.54	-	-	-				
		INT.THIL	4.00	3.70	4.30	4.04	4.06	-	-	-				
		GR.ID	29.20	28.70	29.70	29.25	29.24	-	-	-				
		GR.LE	12.50	12.00	13.00	12.54	12.56	-	-	-				
		DEPTH	16.50	16.00	17.00	16.54	16.56	-	-	-				
		GR.ID	27.50	27.00	28.00	27.54	27.60	-	-	-				
		GR.LE	2.00	1.80	2.20	2.03	2.02	-	-	-				
		DEPTH	18.50	18.00	19.00	18.54	18.56	-	-	-				
		INT.THREAD	M29x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



INSP. No.		FIR-02		Product Name		UNIVERSAL CLAMPING CONE		Size		1/2" NPT		Drawing No.		313005-01		Date:		23-09-2026	
Wo No.		26000227		Total Quantity		22		Lot Quantity		22		Sample Size-				Variable & Gauging		2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY							
		PARAMETER	CRITERIA			1	2	-	-				-						
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-									
		Size wise No of Pcs. of Parts	As per Drg. No.	15	15	15	-	-	-		Measuring Instruments (I.D. No.)								
		With Internal Parts	Surface Finishing	NICKEL	OK	OK	-	-	-		(1) DV-55								
		Washing & Plating	RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01							
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-02								
		Assembly Perfection	As per Drg.			OK	OK	-	-	-									
		Inner Packing	Labeling & Printing		OK	OK	-	-	-										
		Outer Packing	Printing & Stamping			OK	OK	-	-	-									
		All Dimensions Are In MM																	
2	DIMENSION	VALUE	-	+	1	2	-	-	-										
		T.L	22.00	21.50	22.50	22.00	21.99	-	-	-									
		O.D	16.50	16.00	17.00	16.55	16.54	-	-	-									
		O.D.L	4.00	3.70	4.30	4.11	4.13	-	-	-									
		O.D	17.80	17.30	18.30	17.87	17.86	-	-	-									
		O.D.L	2.50	2.30	2.70	2.55	2.54	-	-	-									
		GR.LENGTH	0.50	0.30	0.70	0.54	0.56	-	-	-									
		O.D	18.80	18.30	19.30	18.78	18.80	-	-	-									
		O.D.L	7.50	7.20	7.80	7.55	7.54	-	-	-									
		O.D	22.00	21.50	22.50	21.93	21.95	-	-	-									
		O.D.L	7.00	6.70	7.30	7.11	7.12	-	-	-									
		O.D	16.50	16.00	17.00	16.54	16.56	-	-	-									
		O.D.L	4.50	4.20	4.80	4.50	4.49	-	-	-									
		O.D	17.00	16.50	17.50	17.03	17.05	-	-	-									
		O.D	17.50	17.00	18.00	17.49	17.45	-	-	-									
		O.D	18.00	17.50	18.50	17.98	17.99	-	-	-									
		O.D.L	7.50	7.20	7.80	7.54	7.56	-	-	-									
		LD	14.00	13.50	14.50	14.04	14.06	-	-	-									
		RADIUS	0.5 MM AS PER PP FOUND				OK	OK	-	-	-								
		RADIUS	0.3 AS PER PP FOUND				OK	OK	-	-	-								
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant									

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-02	Product Name	REVERSIBLE ARMOUR RING			Size		1/2" NPT		Drawing No.	313004-01	Date:	23-09-2026
Wo No.	26000227	Total Quantity	22			Lot Quantity		22		Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-02		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.00	5.70	6.30	5.98	6.00	-	-	-			
		O.D	23.50	23.00	24.00	23.46	23.45	-	-	-			
		I.D	18.50	18.00	19.00	18.44	18.46	-	-	-			
		I.D	19.50	19.00	20.00	19.42	19.45	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :
 ☒ Accept
 ☐ Reject
 ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	COMPRESSIBLE INNER SEAL		Size	1/2" NPT		Drawing No.	GI-01	Date:	23-09-2026	
Wo No.	26000227	Total Quantity	22		Lot Quantity	22		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-02	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	10.50	10.00	11.00	10.50	10.51	-	-	-		
		O.D.L	4.00	3.70	4.30	3.94	3.96	-	-	-		
		O.D	22.50	22.30	22.50	22.41	22.39	-	-	-		
		O.D.L	6.50	6.20	6.80	6.50	6.49	-	-	-		
		I.D	14.00	14.00	14.20	14.07	14.09	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-02	Product Name	COMPRESSIBLE OUTER SEAL			Size	1/2" NPT			Drawing No.	GE-01	Date:	23-09-2026
Wo No.	26000227	Total Quantity	22			Lot Quantity	22			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	11.00	10.50	11.50	11.01	11.03	-	-	-			
		O.D	28.50	28.30	28.50	28.41	28.43	-	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.50	3.48	-	-	-			
		I.D	20.90	20.90	21.00	20.92	20.93	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-02	Product Name	INNER SKID WASHER			Size	1/2" NPT			Drawing No.	IW-01	Date:	23-09-2026
Wo No.	26000227	Total Quantity	22			Lot Quantity	22			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.00	4.70	5.30	5.03	5.02	-	-	-			
		O.D	22.00	21.80	22.00	21.90	21.89	-	-	-			
		O.D	19.50	19.00	5.00	19.42	19.39	-	-	-			
		O.D.L	3.00	3.00	3.20	3.02	3.00	-	-	-			
		I.D	14.00	14.00	14.20	14.10	14.09	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-02	Product Name	OUTER SKID WASHER			Size	1/2" NPT			Drawing No.	OW-01		Date:	23-09-2026
Wo No.	26000227	Total Quantity	22			Lot Quantity	22			Sample Size-	2		Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-02			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		T.L	6.50	6.20	6.80	6.50	6.49	-	-	-				
		O.D	27.00	27.00	27.10	27.00	27.01	-	-	-				
		O.D	24.50	24.30	24.50	24.39	24.38	-	-	-				
		O.D.L	4.00	4.00	4.10	4.02	4.01	-	-	-				
		I.D	6.50	6.50	6.60	6.52	6.54	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	EARTH TAG		Size		1/2" NPT		Drawing No.		-	Date:	23-09-2026
Wo No.	26000227	Total Quantity	22		Lot Quantity		22		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.00	0.80	1.20	1.00	0.99	-	-	-			
		O.D	29.20	28.70	29.70	29.28	29.27	-	-	-			
		O.D	13.00	12.50	13.50	13.08	13.07	-	-	-			
		I.D	22.00	21.50	22.50	22.16	22.19	-	-	-			
		I.D	6.20	5.90	6.50	6.25	6.24	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	SHROUD		Size		C-2032		Drawing No.		-	Date:	23-09-2026
Wo No.	26000227	Total Quantity	22		Lot Quantity		22		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-02		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	130.00	129.20	130.80	130.11	130.16	-	-	-			
		I.D	32.00	31.20	32.80	32.05	32.09	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	NYLON WASHER		Size		1/2" NPT		Drawing No.		-	Date:	23-09-2026
Wo No.	26000227	Total Quantity	22		Lot Quantity		22		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-				-
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15		15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX260919-02	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.48	-	-	-			
		I.D	22.00	21.50	22.50	22.25	22.24	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	STAR WASHER		Size	1/2" NPT		Drawing No.	-	Date:	23-09-2026	
Wo No.	26000227	Total Quantity	22		Lot Quantity	22		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260919-02	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		O.D	33.00	32.70	33.30	33.06	33.05	-	-	-		
		I.D	21.50	21.00	22.00	21.59	21.60	-	-	-		
		T.L	4.00	3.70	4.30	4.06	4.05	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold

