

INSP. No.		FIR-03		Product Name		ENTRY COMPONENT		Size		M63		Drawing No.		313001M-06s		Date:		29-09-2026	
Wo No.		26000307		Total Quantity		8		Lot Quantity		8		Sample Size-		2		Variable & Gauging		2PCS	
Sr. No.		Checking Parameter		REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL		REMARK		CHECKED BY			
				PARAMETER		CRITERIA		1		2		-		-		-			
1	Visual	Surface		Fine, Clean		FINE		FINE		-		-		-					
		Size-wise No of Pcs. With Internal Parts		As per Drg. No. of Parts		11		11		11		-		-		-			
		Washing & Plating		Surface Finishing		NICKEL		OK		OK		-		-		-		(1) DV-55	
		RUBBER MARKING		AS PER DRG.		NA		NA		NA		-		-		-		(2) PP-01	
		Marking		WO Ref. No.		Metalmech Logo MM-EX- E1FUNV636MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC		OK		OK		-		-		-		ASM No :- AEX260923-07	
		Assembly Perfection		As per Drg.				OK		OK		-		-		-			
		Inner Packing		Labeling & Printing				OK		OK		-		-		-			
		Outer Packing		Printing & Stamping				OK		OK		-		-		-			
		All Dimensions Are In MM																	
		2	DIMENSION	VALUE		-		+		1		2		-		-		-	
A/F				70.00		69.81		70.00		69.95		69.94		-		-		-	
A/C				77.00		76.20		77.80		77.01		77.03		-		-		-	
T.L				34.00		34.00		34.50		34.11		34.09		-		-		-	
TH.L				13.00		12.50		13.50		12.99		13.00		-		-		-	
LENGTH				17.00		17.00		17.50		17.07		17.09		-		-		-	
GR.OD				61.00		60.20		61.80		60.98		60.97		-		-		-	
GR.LE				2.50		2.30		2.70		2.55		2.54		-		-		-	
O.D				68.00		67.20		68.80		67.97		68.00		-		-		-	
O.D.L				8.00		7.70		8.30		8.01		8.03		-		-		-	
H.L				9.00		8.50		9.50		9.02		9.05		-		-		-	
I.D				50.00		49.20		50.80		50.05		50.08		-		-		-	
INT.TH.L				15.00		14.50		15.50		15.08		15.07		-		-		-	
THREAD				M63x1.5 AS PER T.R.G GO NOT GO				OK		OK		-		-		-			
INT.THREAD				M63x1.5 AS PER P.G GO NOT GO				OK		OK		-		-		-			
CH.ANGLE				1x45° AS PER PP FOUND				OK		OK		-		-		-			
CH.ANGLE				1.5x45° AS PER PP FOUND				OK		OK		-		-		-			
CH.ANGLE				20° AS PER PP FOUND				OK		OK		-		-		-			
ANGLE		90° AS PER PP FOUND				OK		OK		-		-		-					
INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant																			

Conclusion :

☒ Accept

☐ Reject

☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-03	Product Name	INTERMEDIATE BODY			Size		M63		Drawing No.	313002U-068	Date:	29-09-2026		
Wo No.	26000307	Total Quantity	8			Lot Quantity		8		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	2	-	-	-					
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-					
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts			11	11	-	-	-					
		Washing & Plating	Surface Finishing			OK	OK	-	-	-					
		RUBBER MARKING	AS PER DRG.			NA	NA	-	-	-					
		Marking	WO Ref. No.			NA	NA	-	-	-					
		Assembly Perfection	As per Drg.			OK	OK	-	-	-					
		Inner Packing	Labeling & Printing			OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-					
		All Dimensions Are In MM													
		2	DIMENSION	VALUE	-	+	1	2	-	-	-				
A/F	70.50			70.31	70.50	70.43	70.45	-	-	-					
A/C	77.00			76.20	77.80	77.06	77.08	-	-	-					
T.L	38.00			37.20	38.80	38.08	38.07	-	-	-					
TH.L	14.00			13.50	14.50	14.05	14.08	-	-	-					
GR.OD	61.00			60.20	61.80	60.97	60.99	-	-	-					
GR.LE	1.00			0.80	1.20	1.01	1.03	-	-	-					
H.L	8.00			7.70	8.30	8.00	8.02	-	-	-					
TH.L	16.00			15.50	16.50	16.03	16.05	-	-	-					
GR.OD	68.00			67.20	68.80	67.97	67.99	-	-	-					
GR.LE	1.00			0.80	1.20	1.01	1.03	-	-	-					
LD	56.00			55.20	56.80	56.06	56.08	-	-	-					
LD	61.50			60.70	62.30	61.54	61.56	-	-	-					
DEPTH	7.00			6.70	7.30	7.01	7.05	-	-	-					
LD	59.00			58.20	59.80	59.05	59.08	-	-	-					
LD.LE	15.00			14.50	15.50	15.03	15.05	-	-	-					
DEPTH	22.00			21.50	22.50	22.01	22.03	-	-	-					
THREAD	M63x1.5 AS PER T.R.G GO NOT GO				OK	OK	-	-	-						
THREAD	M70x1.5 AS PER T.R.G GO NOT GO				OK	OK	-	-	-						
CH.ANGLE	1.5x45° AS PER PP FOUND				OK	OK	-	-	-						
CH.ANGLE	20° AS PER PP FOUND				OK	OK	-	-	-						
CH.ANGLE	0.5x45° AS PER PP FOUND				OK	OK	-	-	-						
INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant															

Conclusion :



Accent



Reiect



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-03	Product Name	MIDDLE BODY			Size		M63		Drawing No.		313002-06s	Date:	29-09-2026	
Wo No.	26000307	Total Quantity	8			Lot Quantity		8		Sample Size-		2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	2	-	-	-					
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-					
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts			11	11	-	-	-					
		Washing & Plating	Surface Finishing			OK	OK	-	-	-					
		RUBBER MARKING	AS PER DRG.			NA	NA	-	-	-					
		Marking	WO Ref. No.			NA	NA	-	-	-					
		Assembly Perfection	As per Drg.			OK	OK	-	-	-					
		Inner Packing	Labeling & Printing			OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-					
		All Dimensions Are In MM													
		2	DIMENSION	VALUE	-	+	1	2	-	-	-				
A/F	75.00			74.81	75.00	74.91	74.93	-	-	-					
A/C	83.00			82.20	83.80	83.05	83.04	-	-	-					
T.L	45.00			44.20	45.80	45.03	45.05	-	-	-					
TH.L	16.00			15.50	16.50	16.04	16.06	-	-	-					
GR.OD	70.00			69.20	70.80	69.97	69.99	-	-	-					
GR.LE	1.00			0.80	1.20	1.01	1.03	-	-	-					
H.L	17.00			16.50	17.50	17.03	17.05	-	-	-					
O.D	74.00			73.20	74.80	73.97	73.99	-	-	-					
O.D.L	12.00			11.70	12.30	12.02	12.04	-	-	-					
I.D	60.00			59.20	60.80	60.05	60.03	-	-	-					
I.D	61.50			60.70	62.30	61.54	61.56	-	-	-					
I.D.LE	7.00			6.80	7.20	7.02	7.05	-	-	-					
INT.TH.L	17.00			16.50	17.50	17.03	17.06	-	-	-					
GR.ID	67.00			66.20	67.80	67.04	67.06	-	-	-					
GR.LE	11.00			10.70	11.30	11.02	11.05	-	-	-					
DEPTH	28.00			27.50	28.50	28.01	28.03	-	-	-					
THREAD	M70x1.5 AS PER T.R.G GO NOT GO				OK	OK	-	-	-						
INT.THREAD	M72x1.5 AS PER P.G GO NOT GO				OK	OK	-	-	-						
CH.ANGLE	0.5x45° AS PER PP FOUND				OK	OK	-	-	-						
CH.ANGLE	1.5x45° AS PER PP FOUND				OK	OK	-	-	-						
CH.ANGLE	30° AS PER PP FOUND				OK	OK	-	-	-						
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant					

Conclusion :



Accept



Reiect



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-03	Product Name	BACK NUT			Size		M63		Drawing No.		313003-068	Date:	29-09-2026
Wo No.	26000307	Total Quantity	8			Lot Quantity		8		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	2	-	-				-	
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	-	-	-				
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-					
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		A/F	75.00	74.81	75.00	74.96	74.93	-	-	-				
		A/C	83.00	82.20	83.80	83.02	83.05	-	-	-				
		T.L	24.00	23.50	24.50	24.05	24.04	-	-	-				
		O.D	74.50	73.70	75.30	74.48	74.47	-	-	-				
		O.D.L	12.00	11.50	12.50	12.02	12.05	-	-	-				
		H.L	12.00	11.50	12.50	12.01	12.03	-	-	-				
		LD	66.00	65.20	66.80	66.05	66.08	-	-	-				
		INT.THL	4.00	3.70	4.30	4.03	4.05	-	-	-				
		GR.ID	72.20	71.40	73.00	72.25	72.23	-	-	-				
		GR.LE	15.00	14.50	15.50	15.03	15.05	-	-	-				
		DEPTH	19.00	18.50	19.50	19.04	19.06	-	-	-				
		GR.ID	70.50	69.70	71.30	70.53	70.55	-	-	-				
		GR.LE	3.00	2.80	3.20	3.02	3.04	-	-	-				
		DEPTH	22.00	21.50	22.50	22.03	22.05	-	-	-				
		INT.THREAD	M72x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-				
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :

☒ Accept

☐ Reject

☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-03	Product Name	UNIVERSAL CLAMPING CONE			Size	M63		Drawing No.	313005-066			Date:	29-09-2026	
Wo No.	26000307	Total Quantity	8			Lot Quantity	8		Sample Size-	2			Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION Rework Detail	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	-	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-						
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-						
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-						
		Marking	WO Ref. No.	NA	NA	NA	-	-	-						
		Assembly Perfection	As per Drg.		OK	OK	-	-	-						
		Inner Packing	Labeling & Printing		OK	OK	-	-	-						
		Outer Packing	Printing & Stamping		OK	OK	-	-	-						
		All Dimensions Are In MM													
		2	DIMENSION	VALUE	-	+	1	2	-	-	-				
T.L	35.00			34.20	35.80	35.04	35.06	-	-	-					
O.D	56.00			55.20	56.80	55.95	55.94	-	-	-					
O.D.L	7.50			7.00	8.00	7.53	7.55	-	-	-					
O.D	57.20			56.40	58.00	57.21	57.23	-	-	-					
O.D	58.20			57.40	59.00	58.18	58.17	-	-	-					
GR.LE	2.50			2.30	2.70	2.53	2.55	-	-	-					
O.D.L	14.00			13.50	14.50	14.01	14.03	-	-	-					
O.D	52.50			51.70	53.30	52.48	52.50	-	-	-					
O.D.L	8.00			7.70	8.30	8.01	8.03	-	-	-					
O.D	53.50			52.70	54.30	53.48	53.49	-	-	-					
O.D	54.00			53.20	54.80	54.01	54.03	-	-	-					
O.D	55.50			54.70	56.30	55.45	55.43	-	-	-					
O.D	61.00			60.20	61.80	61.01	61.03	-	-	-					
O.D.L	7.00			6.50	7.50	7.02	7.05	-	-	-					
O.D.L	14.00			13.50	14.50	14.01	14.06	-	-	-					
LD	50.00			49.20	50.80	50.04	50.06	-	-	-					
GROOVE STEP LE	0.5 MM AS PER PP FOUND			OK	OK	-	-	-							
RADIUS	0.50 MM AS PER PP FOUND			OK	OK	-	-	-							
RADIUS	0.3 MM AS PER PP FOUND			OK	OK	-	-	-							
INSPECTED BY: Jay Hadiyal												APPROVED BY: Shreekant			

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	REVERSIBLE ARMoured RING		Size		M63		Drawing No.		313004-06s	Date:	29-09-2026
Wo No.	26000307	Total Quantity	8		Lot Quantity		8		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260923-07		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	12.00	11.50	12.50	12.02	12.01	-	-	-			
		O.D	64.00	63.20	64.80	63.97	63.99	-	-	-			
		I.D	57.50	56.70	58.30	57.53	57.55	-	-	-			
		I.D	58.50	57.70	59.30	58.54	58.56	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	COMPRESSIBLE INNER SEAL		Size		M63		Drawing No.		GI-06s	Date:	29-09-2026
Wo No.	26000307	Total Quantity	8		Lot Quantity		8		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260923-07		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.50	15.00	16.00	15.53	15.55	-	-	-			
		O.D.L	5.50	5.20	5.80	5.45	5.48	-	-	-			
		O.D	61.50	61.30	61.50	61.45	61.43	-	-	-			
		O.D.L	10.00	9.50	10.50	10.02	10.01	-	-	-			
		I.D	49.70	49.70	49.90	49.75	49.73	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	O-RING	Size	M63	Drawing No.	OR-6M	Date:	29-09-2026				
Wo No.	26000307	Total Quantity	8	Lot Quantity	8	Sample Size-	2	Variable & Gauging	2PCS				
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260923-07		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.04	2.03	-	-	-			
		I.D	55.00	54.20	55.80	55.03	55.05	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	COMPRESSIBLE OUTER SEAL		Size		M63		Drawing No.		GE-06s	Date:	29-09-2026
Wo No.	26000307	Total Quantity	8		Lot Quantity		8		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260923-07		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.50	15.00	16.00	15.45	15.43	-	-	-			
		O.D	72.20	72.00	72.20	72.14	72.18	-	-	-			
		GR.LENGTH	5.50	5.20	5.80	5.54	5.56	-	-	-			
		I.D	59.20	59.10	59.30	59.23	59.25	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	INNER SKID WASHER		Size	M63		Drawing No.	IW-06s		Date:	29-09-2026	
Wo No.	26000307	Total Quantity	8		Lot Quantity	8		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-				
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.50	5.20	5.80	5.53	5.55	-	-	-			
		O.D	60.00	59.80	60.00	59.91	59.93	-	-	-			
		O.D	55.00	54.80	55.00	54.89	54.91	-	-	-			
		O.D.L	4.00	4.00	4.20	4.01	4.03	-	-	-			
		I.D	49.70	49.70	49.90	49.75	49.77	-	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:				<i>Shreekant</i>				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-03	Product Name	OUTER SKID WASHER		Size	M63		Drawing No.	IW-06s		Date:	29-09-2026	
Wo No.	26000307	Total Quantity	8		Lot Quantity	8		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-				
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.50	6.20	6.80	6.54	6.56	-	-	-			
		O.D	69.50	69.50	69.60	69.53	69.55	-	-	-			
		O.D	65.50	65.30	65.50	65.41	65.43	-	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.04	-	-	-			
		I.D	59.20	59.20	59.40	59.23	59.25	-	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:			<i>Shreekant</i>					

Conclusion :



Accept



Reject



Hold

