

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	LOCK NUT		Size		M20		Drawing No.		DL1M	Date:	25-08-2026
Wo No.	26000245	Total Quantity	40		Lot Quantity		40		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260822-01		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	24.00	23.87	24.00	23.96	23.98	-	-	-			
		A/C	26.00	25.50	26.50	26.05	26.04	-	-	-			
		T.L	3.50	3.20	3.80	3.54	3.56	-	-	-			
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-01	Product Name	ENTRY COMPONENT			Size		M20		Drawing No.		313001M-01s	Date:	25-08-2026	
Wo No.	26000245	Total Quantity	40			Lot Quantity		40		Sample Size-		2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	2	-	-	-					
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-					
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9		9	9	-	-	-					
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-					
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-					
		Marking	WO Ref. No.	Metalmech Logo MM-EX-A2F201MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db HC Gb, Ex eb		OK	OK	-	-	-					
		Assembly Perfection	As per Drg.		OK	OK	-	-	-						
		Inner Packing	Labeling & Printing			OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-					
2	DIMENSION	All Dimensions Are In MM													
			VALUE	-	+	1	2	-	-	-					
		A/F	27.00	26.87	27.00	26.96	26.95	-	-	-					
		A/C	30.00	29.50	30.50	30.04	30.08	-	-	-					
		T.L	33.00	33.00	33.50	33.11	33.13	-	-	-					
		TH.L	13.00	12.50	13.50	13.03	13.02	-	-	-					
		LENGTH	17.00	17.00	17.50	17.06	17.05	-	-	-					
		GR.OD	18.00	17.50	18.50	18.03	18.09	-	-	-					
		GR.LE	2.50	2.30	2.70	2.54	2.56	-	-	-					
		O.D	26.50	26.00	27.00	26.52	26.51	-	-	-					
		O.D.L	9.00	8.50	9.50	9.04	9.06	-	-	-					
		H.L	7.00	6.70	7.30	7.09	7.08	-	-	-					
		LD	14.10	13.60	14.60	14.16	14.15	-	-	-					
		INT.TH.L	11.50	11.00	12.00	11.54	11.56	-	-	-					
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-					
		INT.THREAD	M24x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-					
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-					
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-					
		CHANGLE	20° AS PER PP FOUND			OK	OK	-	-	-					
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-					
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant						

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	BACK NUT		Size		M20		Drawing No.		314006-00	Date:	25-08-2026
Wo No.	26000245	Total Quantity	40		Lot Quantity		40		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260822-01		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	27.00	26.87	27.00	26.95	26.94	-	-	-			
		A/C	30.00	29.50	30.50	30.00	29.99	-	-	-			
		T.L	15.00	14.50	15.50	15.05	15.07	-	-	-			
		TH.L	10.50	10.00	11.00	10.50	10.49	-	-	-			
		GR.OD	22.00	21.50	22.50	22.02	22.01	-	-	-			
		GR.LE	1.50	1.30	1.70	1.53	1.55	-	-	-			
		H.L	4.50	4.20	4.80	4.55	4.59	-	-	-			
		I.D	20.00	19.50	20.50	20.06	20.08	-	-	-			
		THREAD	M24x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	3 MM AS PER PP FOUND			OK	OK	-	-	-			
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	COMPRESSIBLE SEALING RING			Size	M20			Drawing No.	GI-01S	Date:	25-08-2026
Wo No.	26000245	Total Quantity	40			Lot Quantity	40			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION Rework Detail	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260822-01		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	10.50	10.00	11.00	10.55	10.54	-	-	-			
		O.D	22.50	22.30	22.50	22.43	22.45	-	-	-			
		O.D.L	6.50	6.20	6.80	6.54	6.56	-	-	-			
		O.D.L	4.00	3.70	4.30	4.03	4.05	-	-	-			
		I.D	14.00	14.00	14.20	14.06	14.05	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	SKID WASHER		Size		M20		Drawing No.		IW-01s	Date:	25-08-2026
Wo No.	26000245	Total Quantity	40		Lot Quantity		40		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260822-01		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.00	4.70	5.30	5.05	5.04	-	-	-			
		O.D	22.00	21.80	22.00	21.93	21.95	-	-	-			
		O.D.L	3.00	3.00	3.20	3.03	3.05	-	-	-			
		O.D	19.50	19.30	19.50	19.43	19.45	-	-	-			
		I.D	14.00	14.00	14.20	14.06	14.05	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :
 ☒ Accept
 ☐ Reject
 ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	O-RING		Size		M20		Drawing No.		OR-1M	Date:	25-08-2026
Wo No.	26000245	Total Quantity	40		Lot Quantity		40		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	-	-	-			ASM No - AEX260822-01	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.04	2.06	-	-	-			
		I.D	16.00	15.50	16.50	16.03	16.05	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :

☒ Accept
 ☐ Reject
 ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	EARTH TAG		Size		M20		Drawing No.		-	Date:	25-08-2026
Wo No.	26000245	Total Quantity	40		Lot Quantity		40		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260822-01		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.00	0.80	1.20	1.03	1.02	-	-	-			
		O.D	29.20	28.70	29.70	29.25	29.24	-	-	-			
		O.D	13.00	12.50	13.50	13.04	13.06	-	-	-			
		I.D	20.00	19.50	20.50	20.25	20.24	-	-	-			
		I.D	6.20	5.90	6.50	6.23	6.25	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	SHROUD			Size	M20			Drawing No.		Date:	25-08-2026
Wo No.	26000245	Total Quantity	40			Lot Quantity	40			Sample Size-		Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX260822-01		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	90.00	89.20	90.80	90.15	90.12	-	-	-			
		I.D	30.00	29.50	30.50	30.03	30.09	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	NYLON WASHER			Size	M20			Drawing No.	-	Date:	25-08-2026
Wo No.	26000245	Total Quantity	40			Lot Quantity	40			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	-	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	-	-	-			ASM No - AEX260822-01	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.49	-	-	-			
		I.D	20.00	19.50	20.50	20.27	20.29	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :

☒

Accept

☐

Reject

☐

Hold

