

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	ENTRY COMPONENT		Size		M20		Drawing No.		313001M-018	Date:	05-08-2026
Wo No.	26000191	Total Quantity	6		Lot Quantity		6		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-			Measuring Instruments ID No.	
		Size wise No of Pes. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-			(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUNV20s1MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC	OK	OK	-	-	-			ASM No :- AEX260802-06	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	25.00	24.87	25.00	24.96	24.95	-	-	-			
		A/C	27.50	27.00	28.00	27.53	27.55	-	-	-			
		T.L	32.00	32.00	32.50	32.15	32.14	-	-	-			
		TH.L	13.00	12.50	13.50	13.05	13.06	-	-	-			
		LENGTH	17.00	17.00	17.50	17.07	17.06	-	-	-			
		GR.OD	18.00	18.00	18.50	18.08	18.07	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.54	-	-	-			
		O.D	24.50	24.00	25.00	24.55	24.53	-	-	-			
		O.D.L	9.00	8.50	9.50	9.04	9.01	-	-	-			
		H.L	6.00	5.70	6.30	6.06	6.09	-	-	-			
		LD	12.00	11.50	12.50	12.11	12.12	-	-	-			
		DEPTH	11.50	11.00	12.00	11.54	11.55	-	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CHANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold





INSP. No.		FIR-01		Product Name		MIDDLE BODY		Size		M20		Drawing No.		313002-018		Date:		05-08-2026	
Wo No.		26000191		Total Quantity		6		Lot Quantity		6		Sample Size-		2		Variable & Gauging		2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY							
		PARAMETER	CRITERIA		1	2	-	-	-										
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-										
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts		11	11	11	-	-	-			Measuring Instruments ID No. (1) DV-55						
		Washing & Plating	Surface Finishing		NICKEL	OK	OK	-	-	-			(2) PP-01						
		RUBBER MARKING	AS PER DRG.		NA	NA	NA	-	-	-									
		Marking	WO Ref. No.		NA	NA	NA	-	-	-			ASM No > AEX260002-06						
		Assembly Perfection	As per Drg.		OK	OK	-	-	-										
		Inner Packing	Labeling & Printing			OK	OK	-	-	-									
		Outer Packing	Printing & Stamping		OK	OK	-	-	-										
		All Dimensions Are In MM																	
			VALUE	-	+	1	2	-	-	-									
A/F	25.00	24.87	25.00	24.95	24.94	-	-	-											
A/C	27.50	27.00	28.00	27.45	27.48	-	-	-											
T.L	28.00	27.50	28.50	28.09	28.08	-	-	-											
TH.L	12.00	11.50	12.50	12.03	12.05	-	-	-											
GR.OD	20.50	20.00	21.00	20.55	20.54	-	-	-											
GR.LE	1.00	0.80	1.20	1.02	1.01	-	-	-											
O.D	24.50	24.00	25.00	24.37	24.39	-	-	-											
O.D.L	8.00	7.70	8.30	8.04	8.03	-	-	-											
H.L	8.00	7.70	8.30	8.05	8.04	-	-	-											
LD	16.00	15.50	16.50	16.05	16.04	-	-	-											
LD	17.00	16.50	17.50	17.06	17.05	-	-	-											
LD.LE	4.00	3.70	4.30	4.03	4.05	-	-	-											
INT.TH.L	9.50	9.00	10.00	9.53	9.55	-	-	-											
LD	20.00	19.50	20.50	20.04	20.03	-	-	-											
DEPTH	14.00	13.50	14.50	14.09	14.08	-	-	-											
THREAD	M22x1 AS PER T.R.G GO NOT GO				OK	OK	-	-	-										
INT.THREAD	M22x1.5 AS PER P.G GO NOT GO				OK	OK	-	-	-										
CHANGLE	0.5x45° AS PER PP FOUND				OK	OK	-	-	-										
CHANGLE	1x45° AS PER PP FOUND				OK	OK	-	-	-										
CHANGLE	1.5x45° AS PER PP FOUND				OK	OK	-	-	-										
CHANGLE	30° AS PER PP FOUND				OK	OK	-	-	-										
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant									

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	BACK NUT		Size	M20		Drawing No.	313003-018		Date:	05-08-2026		
Wo No.	26000191	Total Quantity	6		Lot Quantity	6		Sample Size:	2		Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	-	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D. No.			
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-06			
		Assembly Perfection	As per Drg.		OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping		OK	OK	-	-	-					
		All Dimensions Are In MM												
		2	DIMENSION		VALUE	-	+	1	2	-	-	-		
A/F	25.00			24.87	25.00	24.95	24.94	-	-	-				
A/C	27.50			27.00	28.00	27.50	27.49	-	-	-				
T.L	17.00			16.50	17.50	17.08	17.07	-	-	-				
O.D	24.00			23.50	24.50	24.07	24.06	-	-	-				
O.D.L	8.00			7.70	8.30	8.02	8.01	-	-	-				
H.L	9.00			8.50	9.50	9.06	9.05	-	-	-				
LD	19.00			18.50	19.50	19.03	19.02	-	-	-				
INT.THLD	3.00			2.80	3.20	3.02	3.01	-	-	-				
GR.ID	22.20			21.70	22.70	22.25	22.24	-	-	-				
GR.LE	10.50			10.00	11.00	10.51	10.53	-	-	-				
DEPTH	13.50			13.00	14.00	13.52	13.51	-	-	-				
GR.ID	21.00			20.50	21.50	21.03	21.02	-	-	-				
GR.LE	2.50			2.30	2.70	2.52	2.51	-	-	-				
DEPTH	16.00			15.50	16.50	16.03	16.05	-	-	-				
INT.THREAD	M22x1 AS PER P.G GO NOT GO			OK	OK	-	-	-						
CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-						
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-						
CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-						
INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant														

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.		FIR-01		Product Name		UNIVERSAL CLAMPING CONE		Size		M20		Drawing No.		313005-01s		Date:		05-08-2026			
Wo No.		26000191		Total Quantity		6		Lot Quantity		6		Sample Size-		2		Variable & Gauging		2PCS			
Sr. No.		Checking Parameter		REQUIRED PARAMETER					OBSERVED RESULTS					REJECTION REWORK DETAIL		REMARK		CHECKED BY			
				PARAMETER		CRITERIA		1		2		-		-		-					
				Surface		Fine, Clean		FINE		FINE		-		-		-					
				Sizewise No of Pcs. With Internal Parts		As per Drg. No. of Parts		11		11		11		-		-					
				Washing & Plating		Surface Finishing		NICKEL		OK		OK		-		-					
				RUBBER MARKING		AS PER DRG.		NA		NA		NA		-		-					
				Marking		WO Ref. No.		NA		NA		NA		-		-					
				Assembly Perfection		As per Drg.		OK		OK		OK		-		-					
				Inner Packing		Labeling & Printing		OK		OK		OK		-		-					
				Outer Packing		Printing & Stamping		OK		OK		OK		-		-					
				All Dimensions Are In MM																	
				VALUE		-		+		1		2		-		-					
				T.L		22.00		21.50		22.50		22.05		22.04		-					
				O.D		14.00		13.50		14.50		14.05		14.04		-					
				O.D.L		3.50		3.20		3.80		3.45		3.48		-					
				GR.OD		15.50		15.00		16.00		15.51		15.49		-					
				GR.LE		2.50		2.30		2.70		2.52		2.51		-					
				O.D		16.20		15.70		16.70		16.23		16.22		-					
				O.D.L		7.50		7.20		7.80		7.51		7.53		-					
				O.D		17.50		17.00		18.00		17.46		17.45		-					
				O.D.L		7.00		6.70		7.30		7.06		7.05		-					
				O.D		14.00		13.50		14.50		14.08		14.06		-					
				O.D.L		4.50		4.20		4.80		4.45		4.48		-					
				O.D		14.50		14.00		15.00		14.52		14.55		-					
				O.D		15.00		14.50		15.50		15.05		15.04		-					
				O.D		15.50		15.00		16.00		15.53		15.55		-					
				O.D.L		7.50		7.20		7.80		7.53		7.55		-					
				L.D		12.00		11.50		12.50		12.06		12.09		-					
				GROOVE,STEP,LE		0.50		0.30		0.70		0.48		0.50		-					
				RADIUS		0.5 MM AS PER PP FOUND					OK		OK		-		-				
				RADIUS		0.3 AS PER PP FOUND					OK		OK		-		-				
INSPECTED BY:		Jay Hadiyal					APPROVED BY:					Shreekant									

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	REVERSIBLE ARMOUR RING		Size		M20		Drawing No.		313004-01s	Date:	05-08-2026
Wo No.	26000191	Total Quantity	6		Lot Quantity		6		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-06		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.00	5.70	6.30	6.02	6.03	-	-	-			
		O.D	18.50	18.00	19.00	18.73	18.75	-	-	-			
		I.D	16.00	15.50	16.50	16.16	16.15	-	-	-			
		I.D	16.50	16.00	17.00	16.65	16.64	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	O-RING		Size		M20		Drawing No.		OR-1M	Date:	05-08-2026
Wo No.	26000191	Total Quantity	6		Lot Quantity		6		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	-	-	-		Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-		(2) PP-01	
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX260802-06	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.22	2.23	-	-	-			
		I.D	16.00	15.50	16.50	16.03	16.05	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	COMPRESSIBLE INNER SEAL			Size		M20		Drawing No.		GI-01S	Date:	05-08-2026
Wo No.	26000191	Total Quantity	6			Lot Quantity		6		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-06			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		T.L	9.50	9.00	10.00	9.53	9.52	-	-	-				
		O.D.L	3.00	2.70	3.30	3.01	3.03	-	-	-				
		O.D	18.50	18.30	18.50	18.42	18.44	-	-	-				
		O.D.L	6.50	6.20	6.80	6.52	6.53	-	-	-				
		I.D	11.70	11.70	11.90	11.77	11.76	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL		Size		M20		Drawing No.		GE-01s	Date:	05-08-2026
Wo No.	26000191	Total Quantity	6		Lot Quantity		6		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-06		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	10.00	9.50	10.50	10.04	10.06	-	-	-			
		O.D	22.20	22.00	22.20	22.11	22.13	-	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.53	3.52	-	-	-			
		I.D	15.70	15.70	15.80	15.74	15.76	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	INNER SKID WASHER			Size	M20			Drawing No.	IW-01s	Date:	05-08-2026
Wo No.	26000191	Total Quantity	6			Lot Quantity	6			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-06		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	4.50	4.20	4.80	4.48	4.47	-	-	-			
		O.D	18.00	17.80	18.00	17.95	17.92	-	-	-			
		O.D	15.50	15.30	15.50	15.43	15.42	-	-	-			
		O.D.L	2.50	2.50	2.70	2.52	2.54	-	-	-			
		I.D	12.00	12.00	12.20	12.05	12.04	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	OUTER SKID WASHER		Size	M20		Drawing No.	OW-01s	Date:	05-08-2026	
Wo No.	26000191	Total Quantity	6		Lot Quantity	6		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-06	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	6.50	6.20	6.80	6.52	6.53	-	-	-		
		O.D	20.50	20.50	20.60	20.52	20.55	-	-	-		
		O.D	18.50	18.30	18.50	18.40	18.39	-	-	-		
		O.D.L	4.00	4.00	4.10	4.02	4.01	-	-	-		
		I.D	16.00	16.00	16.20	16.03	16.05	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold

