METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-032	Product Name	LOCK NUT	Size	M16	Drawing No.	DL01IB	Date:	20-10-2026
Wo No.	26000279	Total Quantity	30	Lot Quantity	30	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	4	4	4	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CEX261010-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	21.00	20.87	21.00	20.96	20.95	-	-	-		
		A/C	23.00	22.50	23.50	23.01	23.00	-	-	-		
		T.L	3.00	2.70	3.30	3.04	3.05	-	-	-		
		THREAD	M16x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-032	Product Name	O-RING	Size	M16	Drawing No.	OR-0M	Date:	20-10-2026
Wo No.	26000279	Total Quantity	30	Lot Quantity	30	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	4	4	4	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CEX261010-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.41	2.45	-	-	-		
		I.D	12.00	11.50	12.50	12.07	12.05	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-032	**Product Name**	PLUG	**Size**	M16	**Drawing No.**	PLG0M	**Date:**	20-10-2026
Wo No.	26000279	**Total Quantity**	30	**Lot Quantity**	30	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	4		4	4	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-PLG0MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 24571X IECEx PRE 20.0123X		-	-	-			ASM No :- CEX261010-09	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	21.00	20.50	21.50	21.13	21.10	-	-	-			
		TH.L	13.00	12.50	13.50	12.99	12.98	-	-	-			
		LENGTH	16.00	15.50	16.50	16.05	16.03	-	-	-			
		GR.OD	14.00	13.50	14.50	14.04	14.05	-	-	-			
		GR.LE	1.50	1.30	1.70	1.53	1.55	-	-	-			
		O.D	22.00	21.50	22.50	22.04	22.03	-	-	-			
		O.D.L	5.00	4.70	5.30	5.05	5.04	-	-	-			
		GR.ID	11.50	11.00	12.00	11.53	11.54	-	-	-			
		GR.LE	4.00	3.70	4.30	4.04	4.05	-	-	-			
		INT-(A/F)	8.00	8.00	8.20	8.05	8.04	-	-	-			
		INT-(A/F)-LENGTH	10.00	9.50	10.50	10.04	10.03	-	-	-			
		DEPTH	14.00	13.50	14.50	14.05	14.04	-	-	-			
		THREAD	M16x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	2x45° AS PER PP FOUND			OK	OK	-	-	-			
		GR.ANGLE	67° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-032	**Product Name**	NYOLON WASHER	**Size**	M16	**Drawing No.**	-	**Date:**	20-10-2026
Wo No.	26000279	**Total Quantity**	30	**Lot Quantity**	30	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	4	4	4	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- CEX261010-09	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	1.50	1.30	1.70	1.45	1.48	-	-	-		
		I.D	17.00	16.70	17.30	17.04	17.06	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED