MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	**Product Name**	LOCK NUT	**Size**	M20	**Drawing No.**	DL1M	**Date:**	20-10-2026
Wo No.	26000279	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261010-08**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	24.00	23.87	24.00	23.97	23.94	-	-	-		
		A/C	26.00	25.50	26.50	26.00	25.99	-	-	-		
		T.L	3.50	3.20	3.80	3.53	3.55	-	-	-		
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	**Product Name**	ENTRY COMPONENT	**Size**	M20	**Drawing No.**	313001M-01s	**Date:**	20-10-2026
Wo No.	26000279	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments ID No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16		16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-E1FUNV20s161MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X		-	-	-			ASM No :- AEX261010-08	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	25.00	24.87	25.00	24.93	24.92	-	-	-			
		A/C	27.50	27.00	28.00	27.54	27.56	-	-	-			
		T.L	32.00	32.00	32.50	32.11	32.13	-	-	-			
		TH.L	13.00	12.50	13.50	13.03	13.02	-	-	-			
		LENGTH	17.00	17.00	17.50	17.08	17.06	-	-	-			
		GR.OD	18.00	18.00	18.50	18.00	17.99	-	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.55	-	-	-			
		O.D	24.50	24.00	25.00	24.50	24.49	-	-	-			
		O.D.L	9.00	8.50	9.50	9.02	9.01	-	-	-			
		H.L	6.00	5.70	6.30	6.07	6.06	-	-	-			
		I.D	9.00	8.50	9.50	9.04	9.03	-	-	-			
		DEPTH	11.50	11.00	12.00	11.55	11.54	-	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	**Product Name**	INTERMIDIATE BODY	**Size**	M20	**Drawing No.**	313002U-01s	**Date:**	20-10-2026
Wo No.	26000279	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16		16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX261010-08	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	25.00	24.87	25.00	24.96	24.95	-	-	-			
		A/C	27.50	27.00	28.00	27.43	27.45	-	-	-			
		T.L	22.00	21.50	22.50	22.15	22.16	-	-	-			
		TH.L	10.00	9.50	10.50	10.13	10.15	-	-	-			
		GR.OD	18.00	17.50	18.50	18.11	18.12	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.00	-	-	-			
		H.L	4.00	3.70	4.30	3.93	3.91	-	-	-			
		TH.L	8.00	7.70	8.30	8.12	8.11	-	-	-			
		GR.OD	20.00	19.50	20.50	20.03	20.05	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.00	-	-	-			
		I.D	16.00	15.50	16.50	16.03	16.02	-	-	-			
		I.D	18.00	17.50	18.50	18.03	18.01	-	-	-			
		DEPTH	7.00	6.70	7.30	7.00	7.00	-	-	-			
		I.D	17.00	16.50	17.50	17.03	17.02	-	-	-			
		I.D.LE	4.50	4.20	4.80	4.49	4.51	-	-	-			
		DEPTH	11.50	11.00	12.00	11.51	11.53	-	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	Product Name	MIDDLE BODY	Size	M20	Drawing No.	313002-015	Date:	20-10-2026
Wo No.	26000279	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-08	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	25.00	24.87	25.00	24.96	24.95	-	-	-		
		A/C	27.50	27.00	28.00	27.50	27.49	-	-	-		
		T.L	28.00	27.50	28.50	28.07	28.06	-	-	-		
		TH.L	12.00	11.50	12.50	12.03	12.02	-	-	-		
		GR.OD	20.50	20.00	21.00	20.55	20.54	-	-	-		
		GR.LE	1.00	0.80	1.20	1.01	1.00	-	-	-		
		O.D	24.50	24.00	25.00	24.52	24.51	-	-	-		
		O.D.L	8.00	7.70	8.30	8.02	8.01	-	-	-		
		H.L	8.00	7.70	8.30	7.99	8.00	-	-	-		
		I.D	16.00	15.50	16.50	16.03	16.02	-	-	-		
		I.D	17.00	16.50	17.50	17.02	17.04	-	-	-		
		I.D.LE	4.00	3.70	4.30	4.01	4.03	-	-	-		
		INT.THL	9.50	9.00	10.00	9.51	9.49	-	-	-		
		I.D	20.00	19.50	20.50	20.03	20.04	-	-	-		
		DEPTH	14.00	13.50	14.50	14.00	13.99	-	-	-		
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	Product Name	BACK NUT	Size	M20	Drawing No.	313003-018	Date:	20-10-2026
Wo No.	26000279	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	-	-	-			
		Marking	WO Ref. No. NA	NA	NA	-	-	-		ASM No :- AEX261010-08	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	A/F	25.00	24.87	25.00	24.92	24.91	-	-	-			
		A/C	27.50	27.00	28.00	27.41	27.39	-	-	-			
		T.L	17.00	16.50	17.50	17.11	17.13	-	-	-			
		O.D	24.00	23.50	24.50	24.02	24.01	-	-	-			
		O.D.L	8.00	7.70	8.30	8.02	8.01	-	-	-			
		H.L	9.00	8.50	9.50	9.01	9.03	-	-	-			
		I.D	19.00	18.50	19.50	19.03	19.02	-	-	-			
		INT.THL	3.00	2.80	3.20	3.02	3.01	-	-	-			
		GR.ID	22.20	21.70	22.70	22.25	22.24	-	-	-			
		GR.LE	10.50	10.00	11.00	10.51	10.53	-	-	-			
		DEPTH	13.50	13.00	14.00	13.52	13.51	-	-	-			
		GR.ID	21.00	20.50	21.50	21.03	21.02	-	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.50	-	-	-			
		DEPTH	16.00	15.50	16.50	16.03	16.02	-	-	-			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING
QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	Product Name	UNIVERSAL CLAMPING CONE	Size	M20	Drawing No.	313005-018	Date:	20-10-2026
Wo No.	26000279	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No.	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16		16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX261010-08	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	22.00	21.50	22.50	22.01	22.00	-	-	-			
		O.D	14.00	13.50	14.50	14.00	13.99	-	-	-			
		O.D.L	3.50	3.20	3.80	3.52	3.51	-	-	-			
		GR.OD	15.50	15.00	16.00	15.51	15.49	-	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.51	-	-	-			
		O.D	16.20	15.70	16.70	16.20	16.19	-	-	-			
		O.D.L	7.50	7.20	7.80	7.52	7.49	-	-	-			
		O.D	17.50	17.00	18.00	17.46	17.45	-	-	-			
		O.D.L	7.00	6.70	7.30	7.02	6.99	-	-	-			
		O.D	14.00	13.50	14.50	14.00	13.99	-	-	-			
		O.D.L	4.50	4.20	4.80	4.51	4.50	-	-	-			
		O.D	14.50	14.00	15.00	14.52	14.51	-	-	-			
		O.D	15.00	14.50	15.50	15.02	15.01	-	-	-			
		O.D	15.50	15.00	16.00	15.51	15.49	-	-	-			
		O.D.L	7.50	7.20	7.80	7.49	7.51	-	-	-			
		I.D	12.00	11.50	12.50	12.05	12.04	-	-	-			
		GROOVE.STEP.LE	0.50	0.30	0.70	0.50	0.49	-	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.3 AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECA ENGINEERING PVT. LTD. CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	**Product Name**	REVERSIBLE ARMOUR RING	**Size**	M20	**Drawing No.**	313004-01S	**Date:**	20-10-2026
Wo No.	26000279	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261010-08**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.00	5.70	6.30	6.02	6.03	-	-	-		
		O.D	18.50	18.00	19.00	18.73	18.75	-	-	-		
		I.D	16.00	15.50	16.50	16.16	16.15	-	-	-		
		I.D	16.50	16.00	17.00	16.65	16.64	-	-	-		
								-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	**Product Name**	O-RING	**Size**	M20	**Drawing No.**	OR-1M	**Date:**	20-10-2026
Wo No.	26000279	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-08	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	2.50	2.00	2.50	2.05	2.04	-	-	-		
		I.D	16.00	15.50	16.50	16.03	16.02	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	Product Name	COMPRESSIBLE INNER SEAL	Size	M20	Drawing No.	GI-00	Date:	20-10-2026
Wo No.	26000279	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-08	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	9.50	9.00	10.00	9.54	9.56	-	-	-		
		O.D.L	6.50	6.20	6.80	6.52	6.51	-	-	-		
		O.D	18.50	18.30	18.50	18.45	18.43	-	-	-		
		O.D.L	3.00	2.80	3.20	3.02	3.01	-	-	-		
		I.D	8.70	8.70	8.90	8.75	8.77	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	M20	**Drawing No.**	GE-00	**Date:**	20-10-2026
Wo No.	26000279	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261010-08**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	10.00	9.50	10.50	10.03	10.05	-	-	-		
		O.D	22.20	22.00	22.20	22.14	22.13	-	-	-		
		GR.LENGTH	3.00	2.70	3.30	3.02	3.04	-	-	-		
		I.D	13.10	13.10	13.20	13.15	13.17	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	**Product Name**	INNER SKID WASHER	**Size**	M20	**Drawing No.**	IW-01s	**Date:**	20-10-2026
Wo No.	26000279	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261010-08**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	4.50	4.20	4.80	4.49	4.51	-	-	-		
		O.D	18.00	17.80	18.00	17.90	17.92	-	-	-		
		O.D	15.50	15.30	15.50	15.42	15.40	-	-	-		
		O.D.L	2.50	2.50	2.70	2.52	2.54	-	-	-		
		I.D	12.00	12.00	12.20	12.05	12.04	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	**Product Name**	OUTER SKID WASHER	**Size**	M20	**Drawing No.**	OW-01s	**Date:**	20-10-2026
Wo No.	26000279	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16		16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX261010-08	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.50	6.20	6.80	6.52	6.51	-	-	-			
		O.D	20.50	20.50	20.60	20.52	20.55	-	-	-			
		O.D	18.50	18.30	18.50	18.40	18.39	-	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	-	-	-			
		I.D	16.00	16.00	16.20	16.03	16.05	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	**Product Name**	SHROUD	**Size**	C-2027	**Drawing No.**	-	**Date:**	20-10-2026
Wo No.	26000279	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-08	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	125.00	124.20	125.80	125.11	125.13	-	-	-		
		I.D	27.00	26.50	27.50	27.09	27.08	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	**Product Name**	EARTH TAG	**Size**	M20	**Drawing No.**	-	**Date:**	20-10-2026
Wo No.	26000279	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261010-08**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	THICKNESS	1.00	0.80	1.20	1.01	1.03	-	-	-			
		O.D	29.20	28.70	29.70	29.18	29.20	-	-	-			
		O.D	13.00	12.50	13.50	13.02	13.01	-	-	-			
		I.D	20.20	19.70	20.70	20.23	20.25	-	-	-			
		I.D	6.20	5.90	6.50	6.25	6.24	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	**Product Name**	NYLON WASHER	**Size**	M20	**Drawing No.**	-	**Date:**	20-10-2026
Wo No.	26000279	**Total Quantity**	50	**Lot Quantity**	50	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-08	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	1.50	1.30	1.70	1.45	1.49	-	-	-		
		I.D	20.20	19.70	20.70	20.29	20.30	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-034	Product Name	STAR WASHER	Size	M20	Drawing No.	-	Date:	20-10-2026
Wo No.	26000279	Total Quantity	50	Lot Quantity	50	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-08	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		O.D	33.00	32.70	33.30	33.06	33.05	-	-	-		
		I.D	21.00	20.50	21.50	21.36	21.35	-	-	-		
		T.L	4.00	3.70	4.30	4.06	4.05	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED