

## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                              |       |              |                  |       |   |              |   |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|------------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-08             | Product Name                               | LOCK NUT                     |       | Size         |                  | M25   |   | Drawing No.  |   | DL2M                          | Date:                            | 19-09-2026 |
| Wo No.        | 26000219           | Total Quantity                             | 9                            |       | Lot Quantity |                  | 9     |   | Sample Size- |   | 2                             | Variable & Gauging               | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                              |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                     |       |              | 1                | 2     | - | -            | - |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                  |       |              | FINE             | FINE  | - | -            | - |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts  | 3     | 3            | 3                | -     | - | -            |   | (1) DV-55                     |                                  |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing         | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                     |                                  |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                  | NA    | NA           | NA               | -     | - | -            |   |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                  | NA    | NA           | NA               | -     | - | -            |   | ASM No :-<br>CEX260914-02     |                                  |            |
|               |                    | Assembly Perfection                        | As per Drg.                  |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing       |       | OK           | OK               | -     | - | -            |   |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping          |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                              |       |              |                  |       |   |              |   |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                        | -     | +            | 1                | 2     | - | -            | - |                               |                                  |            |
|               |                    | A/F                                        | 30.00                        | 29.84 | 30.00        | 29.95            | 29.94 | - | -            | - |                               |                                  |            |
|               |                    | A/C                                        | 33.00                        | 32.20 | 33.80        | 33.01            | 33.03 | - | -            | - |                               |                                  |            |
|               |                    | T.L                                        | 4.00                         | 3.70  | 4.30         | 4.04             | 4.06  | - | -            | - |                               |                                  |            |
|               |                    | THREAD                                     | M25x1.5 AS PER P.G GO NOT GO |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | CH.ANGLE                                   | 30° AS PER PP FOUND          |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    |                                            |                              |       |              |                  |       |   |              |   |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                              |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                                  |            |

Conclusion :



Accept



Reject



Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-o8             | Product Name                               | O-RING                      |       | Size         |                  | M25   |    | Drawing No.  |   | OR-2M                         | Date:                            | 19-09-2026 |  |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|----|--------------|---|-------------------------------|----------------------------------|------------|--|
| Wo No.        | 26000219           | Total Quantity                             | 9                           |       | Lot Quantity |                  | 9     |    | Sample Size- |   | 2                             | Variable & Gauging               | 2PCS       |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |    |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |  |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2     | -  | -            | - |                               |                                  |            |  |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE  | -  | -            | - |                               | Measuring<br>Instruments I.D No- |            |  |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 3     | 3            | 3                | -     | -  | -            |   | (1) DV-55                     |                                  |            |  |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | -  | -            |   | (2) PP-01                     |                                  |            |  |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | NA               | -     | -  | -            |   |                               |                                  |            |  |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | -  | -            |   | ASM No :-<br>CEX260914-02     |                                  |            |  |
|               |                    | Assembly Perfection                        | As per Drg.                 |       |              | OK               | OK    | -  | -            | - |                               |                                  |            |  |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       |              |                  | OK    | OK | -            | - | -                             |                                  |            |  |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              |                  | OK    | OK | -            | - | -                             |                                  |            |  |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |    |              |   |                               |                                  |            |  |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | -  | -            | - |                               |                                  |            |  |
|               |                    | THICKNESS                                  | 2.50                        | 2.00  | 2.50         | 2.05             | 2.03  | -  | -            | - |                               |                                  |            |  |
|               |                    | I.D                                        | 20.00                       | 19.50 | 20.50        | 20.03            | 20.02 | -  | -            | - |                               |                                  |            |  |
|               |                    |                                            |                             |       |              |                  |       |    |              |   |                               |                                  |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |    | Shreekant    |   |                               |                                  |            |  |

Conclusion :



Accept



Reject



Hold





### MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                          |                                |                                                                                    |              |                  |       |              |           |                         |                               |                        |  |
|---------------|--------------------|------------------------------------------|--------------------------------|------------------------------------------------------------------------------------|--------------|------------------|-------|--------------|-----------|-------------------------|-------------------------------|------------------------|--|
| INSP. No.     | FIR-08             | Product Name                             | PLUG                           |                                                                                    | Size         | M25              |       | Drawing No.  | PLG2M     | Date:                   | 19-09-2026                    |                        |  |
| Wo No.        | 26000219           | Total Quantity                           | 9                              |                                                                                    | Lot Quantity | 9                |       | Sample Size- | 2         | Variable & Gauging      | 2PCS                          |                        |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                       |                                |                                                                                    |              | OBSERVED RESULTS |       |              |           | REJECTION REWORK DETAIL | REMARK                        | CHECKED BY             |  |
|               |                    | PARAMETER                                | CRITERIA                       |                                                                                    | 1            | 2                | -     | -            | -         |                         |                               |                        |  |
| 1             | Visual             | Surface                                  | Fine, Clean                    |                                                                                    | FINE         | FINE             | -     | -            | -         |                         | Measuring Instruments I.D No. |                        |  |
|               |                    | Size wise No of Pcs. With Internal Parts | As per Drg. No. of Parts       | 3                                                                                  | 3            | 3                | -     | -            | -         |                         | (1) DV-55                     |                        |  |
|               |                    | Washing & Plating                        | Surface Finishing              | NICKEL                                                                             | OK           | OK               | -     | -            | -         |                         | (2) PP-01                     |                        |  |
|               |                    | RUBBER MARKING                           | AS PER DRG.                    | NA                                                                                 | NA           | NA               | -     | -            | -         |                         |                               |                        |  |
|               |                    | Marking                                  | WO Ref. No.                    | Metalmech Logo MM-EX-PLG2MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb |              | OK               | OK    | -            | -         | -                       |                               | ASM No :- CEX260914-02 |  |
|               |                    | Assembly Perfection                      | As per Drg.                    |                                                                                    | OK           | OK               | -     | -            | -         |                         |                               |                        |  |
|               |                    | Inner Packing                            | Labeling & Printing            |                                                                                    | OK           | OK               | -     | -            | -         |                         |                               |                        |  |
|               |                    | Outer Packing                            | Printing & Stamping            |                                                                                    | OK           | OK               | -     | -            | -         |                         |                               |                        |  |
|               |                    | All Dimensions Are In MM                 |                                |                                                                                    |              |                  |       |              |           |                         |                               |                        |  |
| 2             | DIMENSION          | VALUE                                    | -                              | +                                                                                  | 1            | 2                | -     | -            | -         |                         |                               |                        |  |
|               |                    | T.L                                      | 22.00                          | 21.50                                                                              | 22.50        | 22.09            | 22.08 | -            | -         | -                       |                               |                        |  |
|               |                    | TH.L                                     | 13.00                          | 12.50                                                                              | 13.50        | 12.99            | 12.97 | -            | -         | -                       |                               |                        |  |
|               |                    | LENGTH                                   | 16.00                          | 15.50                                                                              | 16.50        | 16.10            | 16.09 | -            | -         | -                       |                               |                        |  |
|               |                    | GR.OD                                    | 23.00                          | 22.50                                                                              | 23.50        | 22.99            | 22.98 | -            | -         | -                       |                               |                        |  |
|               |                    | GR.LE                                    | 1.50                           | 1.30                                                                               | 1.70         | 1.52             | 1.50  | -            | -         | -                       |                               |                        |  |
|               |                    | O.D                                      | 30.00                          | 29.50                                                                              | 30.50        | 30.03            | 30.00 | -            | -         | -                       |                               |                        |  |
|               |                    | O.D.L                                    | 6.00                           | 5.70                                                                               | 6.30         | 6.02             | 6.01  | -            | -         | -                       |                               |                        |  |
|               |                    | GR.ID                                    | 13.50                          | 13.00                                                                              | 14.00        | 5.98             | 5.97  | -            | -         | -                       |                               |                        |  |
|               |                    | GR.LE                                    | 4.00                           | 3.70                                                                               | 4.30         | 4.03             | 4.02  | -            | -         | -                       |                               |                        |  |
|               |                    | INT-(A/F)                                | 10.00                          | 10.00                                                                              | 10.20        | 10.11            | 10.13 | -            | -         | -                       |                               |                        |  |
|               |                    | INT-(A/F)-LENGTH                         | 10.00                          | 9.50                                                                               | 10.50        | 10.02            | 10.01 | -            | -         | -                       |                               |                        |  |
|               |                    | DEPTH                                    | 14.00                          | 13.50                                                                              | 14.50        | 14.03            | 14.02 | -            | -         | -                       |                               |                        |  |
|               |                    | THREAD                                   | M25x1.5 AS PER T.R.G GO NOT GO |                                                                                    |              | OK               | OK    | -            | -         | -                       |                               |                        |  |
|               |                    | CH.ANGLE                                 | 1.5x45° AS PER PP FOUND        |                                                                                    |              | OK               | OK    | -            | -         | -                       |                               |                        |  |
|               |                    | CH.ANGLE                                 | 2x45° AS PER PP FOUND          |                                                                                    |              | OK               | OK    | -            | -         | -                       |                               |                        |  |
|               |                    | GR.ANGLE                                 | 67° AS PER PP FOUND            |                                                                                    |              | OK               | OK    | -            | -         | -                       |                               |                        |  |
| INSPECTED BY: |                    | Jay Hadiyal                              |                                |                                                                                    | APPROVED BY: |                  |       |              | Shreekant |                         |                               |                        |  |

Conclusion :



Accept



Reject



Hold

