MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	**Product Name**	LOCK NUT	**Size**	M50	**Drawing No.**	DL5IS	**Date:**	19-10-2026
Wo No.	26000279	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261010-11**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- / +	1	2	-	-	-			
		A/F	55.00	54.81 / 55.00	54.95	54.97	-	-	-			
		A/C	60.00	59.20 / 60.80	60.01	60.03	-	-	-			
		T.L	7.00	6.70 / 7.30	7.02	7.01	-	-	-			
		THREAD	M50x1.5 AS PER P.G GO NOT GO		OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND		OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	Product Name	ENTRY COMPONENT	Size	M50	Drawing No.	313001M-05S	Date:	19-10-2026
Wo No.	26000279	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-E1FUNV50s5MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X	-	-	-		ASM No :- AEX261010-11	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	55.00	54.81	55.00	54.97	54.96	-	-	-		
		A/C	60.00	59.20	60.80	60.04	60.06	-	-	-		
		T.L	34.00	34.00	34.50	34.11	34.12	-	-	-		
		TH.L	13.00	12.50	13.50	12.97	12.99	-	-	-		
		LENGTH	17.00	17.00	17.50	17.07	17.09	-	-	-		
		GR.OD	48.00	47.20	48.80	47.99	48.00	-	-	-		
		GR.LE	2.50	2.30	2.70	2.52	2.51	-	-	-		
		O.D	54.00	53.20	54.80	53.98	54.00	-	-	-		
		O.D.L	8.00	7.70	8.30	8.02	8.01	-	-	-		
		H.L	9.00	8.50	9.50	9.01	9.03	-	-	-		
		I.D	38.50	37.70	39.30	38.55	38.56	-	-	-		
		DEPTH	15.00	14.50	15.50	15.02	15.03	-	-	-		
		THREAD	M50x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M50x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS PVT. LTD. QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	**Product Name**	INTERMIDIATE BODY	**Size**	M50	**Drawing No.**	313002U-05s	**Date:**	19-10-2026
Wo No.	26000279	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	-	-	-			
		Marking	WO Ref. No. NA	NA	NA	-	-	-		ASM No :- AEX261010-11	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	2	-	-	-			
		A/F	60.00 59.81 60.00	59.95	59.93	-	-	-			
		A/C	66.00 65.20 66.80	66.05	66.04	-	-	-			
		T.L	32.00 31.20 32.80	32.10	32.09	-	-	-			
		TH.L	13.50 13.00 14.00	13.48	13.50	-	-	-			
		GR.OD	48.00 47.20 48.80	48.00	47.99	-	-	-			
		GR.LE	1.00 0.80 1.20	1.01	1.03	-	-	-			
		H.L	8.00 7.70 8.30	8.04	8.06	-	-	-			
		TH.L	10.50 10.00 11.00	10.46	10.48	-	-	-			
		GR.OD	55.00 54.20 55.80	54.99	54.98	-	-	-			
		GR.LE	1.00 0.80 1.20	1.00	1.02	-	-	-			
		I.D	44.50 43.70 45.30	44.48	44.47	-	-	-			
		I.D	50.50 49.70 51.30	50.46	50.48	-	-	-			
		DEPTH	4.00 3.70 4.30	3.97	3.99	-	-	-			
		I.D	48.00 47.20 48.80	48.04	48.06	-	-	-			
		I.D.LE	13.00 12.50 13.50	13.02	13.01	-	-	-			
		DEPTH	17.00 16.50 17.50	17.03	17.05	-	-	-			
		THREAD	M50x1.5 AS PER T.R.G GO NOT GO	OK	OK	-	-	-			
		THREAD	M57x1.5 AS PER T.R.G GO NOT GO	OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accent** ☐ **Reiect** ☐ **Hold**

METALTECH ENGINEERS CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	**Product Name**	MIDDLE BODY	**Size**	M50	**Drawing No.**	313002-058	**Date:**	19-10-2026
Wo No.	26000279	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-11	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	60.00	59.81	60.00	59.96	59.95	-	-	-		
		A/C	66.00	65.20	66.80	65.96	65.98	-	-	-		
		T.L	32.00	31.20	32.80	32.07	32.06	-	-	-		
		TH.L	16.00	15.50	16.50	15.99	16.00	-	-	-		
		GR.OD	56.00	55.20	56.80	55.93	55.92	-	-	-		
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-		
		H.L	10.00	9.50	10.50	10.05	10.04	-	-	-		
		O.D	59.50	58.70	60.30	59.45	59.44	-	-	-		
		O.D.L	6.00	5.70	6.30	6.05	6.06	-	-	-		
		I.D	47.00	46.20	47.80	47.05	47.03	-	-	-		
		I.D	48.00	47.20	48.80	48.04	48.06	-	-	-		
		I.D.LE	5.50	5.30	5.70	5.52	5.51	-	-	-		
		INT.THL	12.50	12.00	13.00	12.53	12.52	-	-	-		
		GR.ID	52.00	51.20	52.80	52.05	52.04	-	-	-		
		GR.LE	7.00	6.70	7.30	7.03	7.01	-	-	-		
		DEPTH	19.50	19.00	20.00	19.51	19.50	-	-	-		
		THREAD	M57x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M58x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accent** ☐ **Reiect** ☐ **Hold**

METALTECH ENGINEERS CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	Product Name	BACK NUT	Size	M50	Drawing No.	313003-058	Date:	19-10-2026
Wo No.	26000279	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	-	-	-			
		Marking	WO Ref. No. NA	NA	NA	-	-	-		ASM No :- AEX261010-11	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	A/F	61.00	60.81	61.00	60.91	60.90	-	-	-			
		A/C	66.50	65.70	67.30	66.55	66.54	-	-	-			
		T.L	23.00	22.50	23.50	23.03	23.05	-	-	-			
		O.D	60.50	59.70	61.30	60.55	60.54	-	-	-			
		O.D.L	10.00	9.50	10.50	10.02	10.01	-	-	-			
		H.L	13.00	12.50	13.50	13.00	13.03	-	-	-			
		I.D	52.50	51.70	53.30	52.54	52.53	-	-	-			
		INT.THL	4.00	3.70	4.30	4.01	4.03	-	-	-			
		GR.ID	58.20	57.40	59.00	58.25	58.23	-	-	-			
		GR.LE	15.00	14.50	15.50	15.02	15.01	-	-	-			
		DEPTH	19.00	18.50	19.50	19.03	19.05	-	-	-			
		GR.ID	56.50	55.70	57.30	56.51	56.53	-	-	-			
		GR.LE	2.00	1.80	2.20	2.02	2.01	-	-	-			
		DEPTH	21.00	20.50	21.50	21.03	21.02	-	-	-			
		INT.THREAD	M58x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECA ENGINEERS QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	Product Name	UNIVERSAL CLAMPING CONE	Size	M50	Drawing No.	313005-058	Date:	19-10-2026
Wo No.	26000279	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16		16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX261010-11	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	32.00	31.20	32.80	32.12	32.11	-	-	-			
		O.D	43.00	42.20	43.80	42.98	42.97	-	-	-			
		O.D.L	8.50	8.00	9.00	8.50	8.49	-	-	-			
		O.D	46.50	45.70	47.30	46.49	46.48	-	-	-			
		O.D	47.50	46.70	48.30	47.51	47.49	-	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.51	-	-	-			
		O.D.L	14.00	13.50	14.50	14.01	14.03	-	-	-			
		O.D	50.00	49.20	50.80	50.00	49.98	-	-	-			
		O.D.L	4.00	3.70	4.30	4.01	4.03	-	-	-			
		O.D	41.00	40.20	41.80	41.00	40.98	-	-	-			
		O.D	43.00	42.20	43.80	42.99	42.98	-	-	-			
		O.D	43.50	42.70	44.30	43.51	43.50	-	-	-			
		O.D	44.50	43.70	45.30	44.49	44.51	-	-	-			
		O.D.L	8.50	8.00	9.00	8.51	8.50	-	-	-			
		O.D.L	14.00	13.50	14.50	14.03	14.01	-	-	-			
		I.D	38.50	37.70	39.30	38.50	38.49	-	-	-			
		GROOVE.STEP.LE	0.5 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.50 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	Product Name	REVERSIBLE ARMOURED RING	Size	M50	Drawing No.	313004-05s	Date:	19-10-2026
Wo No.	26000279	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-11	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	9.00	8.50	9.50	9.06	9.08	-	-	-		
		O.D	51.00	50.20	51.80	51.00	50.98	-	-	-		
		I.D	47.00	46.20	47.80	47.03	47.02	-	-	-		
		I.D	48.00	47.20	48.80	48.04	48.03	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	**Product Name**	COMPRESSIBLE INNER SEAL	**Size**	M50	**Drawing No.**	GI-05s	**Date:**	19-10-2026
Wo No.	26000279	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-11	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.50	15.00	16.00	15.51	15.49	-	-	-		
		O.D.L	5.50	5.20	5.80	5.50	5.52	-	-	-		
		O.D	48.50	48.30	48.50	48.40	48.39	-	-	-		
		O.D.L	9.50	9.00	10.00	9.51	9.53	-	-	-		
		I.D	37.90	37.90	38.10	37.94	37.96	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	**Product Name**	O-RING	**Size**	M50	**Drawing No.**	OR-5M	**Date:**	19-10-2026
Wo No.	26000279	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-11	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	2.50	2.00	2.50	2.05	2.04	-	-	-		
		I.D	45.00	44.20	45.80	45.03	45.02	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	M50	**Drawing No.**	GE-05s	**Date:**	19-10-2026
Wo No.	26000279	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261010-11**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	15.00	14.50	15.50	15.02	15.01	-	-	-		
		O.D	58.20	58.00	58.20	58.14	58.13	-	-	-		
		GR.LENGTH	5.00	4.70	5.30	5.02	5.03	-	-	-		
		I.D	46.70	45.90	47.50	46.64	46.66	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	Product Name	INNER SKID WASHER	Size	M50	Drawing No.	IW-05s	Date:	19-10-2026
Wo No.	26000279	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-11	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	5.50	5.20	5.80	5.51	5.53	-	-	-			
		O.D	47.50	47.30	47.50	47.49	47.51	-	-	-			
		O.D	43.50	43.30	43.50	43.48	43.50	-	-	-			
		O.D.L	3.50	3.50	3.70	3.52	3.51	-	-	-			
		I.D	38.20	38.20	38.40	38.23	38.25	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	**Product Name**	OUTER SKID WASHER	**Size**	M50	**Drawing No.**	IW-05s	**Date:**	19-10-2026
Wo No.	26000279	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261010-11**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	6.00	5.70	6.30	6.01	6.03	-	-	-			
		O.D	55.50	55.50	55.60	55.53	55.52	-	-	-			
		O.D	51.50	51.30	51.50	51.40	51.39	-	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	-	-	-			
		I.D	46.50	46.50	46.70	46.54	46.53	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	**Product Name**	EARTH TAG	**Size**	M50	**Drawing No.**	-	**Date:**	19-10-2026
Wo No.	26000279	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261010-11**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	THICKNESS	1.00	0.80	1.20	1.01	1.03	-	-	-			
		O.D	64.50	63.70	65.30	64.45	64.42	-	-	-			
		O.D	16.00	15.50	16.50	16.19	16.22	-	-	-			
		I.D	51.00	50.20	51.80	51.03	51.05	-	-	-			
		I.D	7.00	6.70	7.30	7.04	7.06	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	**Product Name**	SHROUD	**Size**	C-5065	**Drawing No.**	-	**Date:**	19-10-2026
Wo No.	26000279	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-11	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	175.00	174.20	175.80	175.19	175.22	-	-	-		
		I.D	65.00	64.20	65.80	65.14	65.16	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	**Product Name**	NYLON WASHER	**Size**	M50	**Drawing No.**	-	**Date:**	19-10-2026
Wo No.	26000279	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-11	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		THICKNESS	1.50	1.30	1.70	1.48	1.50	-	-	-		
		I.D	51.00	50.20	51.80	51.05	51.07	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-014	**Product Name**	STAR WASHER	**Size**	M50	**Drawing No.**	-	**Date:**	19-10-2026
Wo No.	26000279	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261010-11	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.00	4.70	5.30	5.04	5.06	-	-	-		
		O.D	66.00	65.20	66.80	66.03	66.05	-	-	-		
		I.D	51.00	50.20	51.80	50.85	50.84	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED