



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                              |                                            |                             |        |              |                  |   |              |      |                               |                                  |            |  |
|---------------|------------------------------|--------------------------------------------|-----------------------------|--------|--------------|------------------|---|--------------|------|-------------------------------|----------------------------------|------------|--|
| INSP. No.     | FIR-08                       | Product Name                               | LOCK NUT                    |        | Size         | M32              |   | Drawing No.  | DL3M | Date:                         | 23-09-2026                       |            |  |
| Wo No.        | 26000227                     | Total Quantity                             | 1                           |        | Lot Quantity | 1                |   | Sample Size- | 1    | Variable & Gauging            | 1PC                              |            |  |
| Sr. No.       | Checking Parameter           | REQUIRED PARAMETER                         |                             |        |              | OBSERVED RESULTS |   |              |      | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |  |
|               |                              | PARAMETER                                  | CRITERIA                    |        | 1            | -                | - | -            | -    |                               |                                  |            |  |
| 1             | Visual                       | Surface                                    | Fine, Clean                 |        | FINE         | -                | - | -            | -    |                               | Measuring<br>Instruments I.D No- |            |  |
|               |                              | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16     | 16           | -                | - | -            | -    |                               | (1) DV-55                        |            |  |
|               |                              | Washing & Plating                          | Surface<br>Finishing        | NICKEL | OK           | -                | - | -            | -    |                               | (2) PP-01                        |            |  |
|               |                              | RUBBER MARKING                             | AS PER DRG.                 | NA     | NA           | -                | - | -            | -    |                               |                                  |            |  |
|               |                              | Marking                                    | WO Ref. No.                 | NA     | NA           | -                | - | -            | -    |                               | ASM No -<br>AEX260919-04         |            |  |
|               |                              | Assembly Perfection                        | As per Drg.                 |        | OK           | -                | - | -            | -    |                               |                                  |            |  |
|               |                              | Inner Packing                              | Labeling &<br>Printing      |        | OK           | -                | - | -            | -    |                               |                                  |            |  |
|               |                              | Outer Packing                              | Printing & Stamping         |        | OK           | -                | - | -            | -    |                               |                                  |            |  |
|               |                              | All Dimensions Are In MM                   |                             |        |              |                  |   |              |      |                               |                                  |            |  |
|               |                              | 2                                          | DIMENSION                   |        | VALUE        | -                | + | 1            | -    | -                             | -                                | -          |  |
| A/F           | 36.00                        |                                            |                             | 35.84  | 36.00        | 35.94            | - | -            | -    | -                             |                                  |            |  |
| A/C           | 39.00                        |                                            |                             | 38.20  | 39.80        | 39.01            | - | -            | -    | -                             |                                  |            |  |
| T.L           | 4.00                         |                                            |                             | 3.70   | 4.30         | 4.04             | - | -            | -    | -                             |                                  |            |  |
| THREAD        | M32x1.5 AS PER P.G GO NOT GO |                                            |                             | OK     | -            | -                | - | -            |      |                               |                                  |            |  |
| CH.ANGLE      | 30° AS PER PP FOUND          |                                            |                             | OK     | -            | -                | - | -            |      |                               |                                  |            |  |
|               |                              |                                            |                             |        |              |                  |   |              |      |                               |                                  |            |  |
| INSPECTED BY: |                              | Jay Hadiyal                                |                             |        | APPROVED BY: |                  |   | Shreekant    |      |                               |                                  |            |  |

Conclusion :



Accept



Reject



Hold





# MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|           |                    |                                         |                                |                                                                                      |              |                  |     |   |              |                               |            |                                            |            |
|-----------|--------------------|-----------------------------------------|--------------------------------|--------------------------------------------------------------------------------------|--------------|------------------|-----|---|--------------|-------------------------------|------------|--------------------------------------------|------------|
| INSP. No. | FIR-08             | Product Name                            | ENTRY COMPONENT                |                                                                                      | Size         |                  | M32 |   | Drawing No.  |                               | 313001M-03 | Date:                                      | 23-09-2026 |
| Wo No.    | 26000227           | Total Quantity                          | 1                              |                                                                                      | Lot Quantity |                  | 1   |   | Sample Size- |                               | 1          | Variable & Gauging                         | 1PC        |
| Sr. No.   | Checking Parameter | REQUIRED PARAMETER                      |                                |                                                                                      |              | OBSERVED RESULTS |     |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY                                 |            |
|           |                    | PARAMETER                               | CRITERIA                       |                                                                                      | 1            | -                | -   | - | -            |                               |            |                                            |            |
|           |                    | Surface                                 | Fine, Clean                    |                                                                                      | FINE         | -                | -   | - | -            |                               |            |                                            |            |
|           |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts       | 16                                                                                   | 16           | -                | -   | - | -            |                               |            | Measuring Instruments I.D No-<br>(1) DV-55 |            |
|           |                    | Washing & Plating                       | Surface Finishing              | NICKEL                                                                               | OK           | -                | -   | - | -            |                               |            | (2) PP-01                                  |            |
|           |                    | RUBBER MARKING                          | AS PER DRG.                    | NA                                                                                   | NA           | -                | -   | - | -            |                               |            |                                            |            |
|           |                    | Marking                                 | WO Ref. No.                    | MetalMech Logo MM-EX-<br>EIFUNV323MB2 2026 CE Logo<br>2460 Ex Logo II 2 GD Ex db IIC | OK           | -                | -   | - | -            |                               |            | ASM No -<br>AEX260919-04                   |            |
|           |                    | Assembly Perfection                     | As per Drg.                    |                                                                                      | OK           | -                | -   | - | -            |                               |            |                                            |            |
|           |                    | Inner Packing                           | Labeling & Printing            |                                                                                      | OK           | -                | -   | - | -            |                               |            |                                            |            |
|           |                    | Outer Packing                           | Printing & Stamping            |                                                                                      | OK           | -                | -   | - | -            |                               |            |                                            |            |
|           |                    | All Dimensions Are In MM                |                                |                                                                                      |              |                  |     |   |              |                               |            |                                            |            |
|           |                    |                                         | VALUE                          | -                                                                                    | +            | 1                | -   | - | -            | -                             |            |                                            |            |
|           |                    | A/F                                     | 42.00                          | 41.84                                                                                | 42.00        | 41.95            | -   | - | -            | -                             |            |                                            |            |
|           |                    | A/C                                     | 46.00                          | 45.20                                                                                | 46.80        | 45.93            | -   | - | -            | -                             |            |                                            |            |
|           |                    | T.L                                     | 38.00                          | 38.00                                                                                | 38.50        | 38.21            | -   | - | -            | -                             |            |                                            |            |
|           |                    | TH.L                                    | 13.00                          | 12.50                                                                                | 13.50        | 13.05            | -   | - | -            | -                             |            |                                            |            |
|           |                    | LENGTH                                  | 17.00                          | 17.00                                                                                | 17.50        | 17.08            | -   | - | -            | -                             |            |                                            |            |
|           |                    | GR.OD                                   | 30.00                          | 29.50                                                                                | 30.50        | 29.93            | -   | - | -            | -                             |            |                                            |            |
|           |                    | GR.LE                                   | 2.50                           | 2.30                                                                                 | 2.70         | 2.53             | -   | - | -            | -                             |            |                                            |            |
|           |                    | O.D                                     | 41.00                          | 40.20                                                                                | 41.80        | 40.97            | -   | - | -            | -                             |            |                                            |            |
|           |                    | O.D.L                                   | 12.00                          | 11.50                                                                                | 12.50        | 12.05            | -   | - | -            | -                             |            |                                            |            |
|           |                    | H.L                                     | 9.00                           | 8.50                                                                                 | 9.50         | 9.07             | -   | - | -            | -                             |            |                                            |            |
|           |                    | I.D                                     | 26.50                          | 26.00                                                                                | 27.00        | 26.52            | -   | - | -            | -                             |            |                                            |            |
|           |                    | INT.TH.L                                | 14.50                          | 14.00                                                                                | 15.00        | 14.55            | -   | - | -            | -                             |            |                                            |            |
|           |                    | THREAD                                  | M32x1.5 AS PER T.R.G GO NOT GO |                                                                                      |              | OK               | -   | - | -            | -                             |            |                                            |            |
|           |                    | INT.THREAD                              | M38x1.5 AS PER P.G GO NOT GO   |                                                                                      |              | OK               | -   | - | -            | -                             |            |                                            |            |
|           |                    | CH.ANGLE                                | 1.5x45° AS PER PP FOUND        |                                                                                      |              | OK               | -   | - | -            | -                             |            |                                            |            |
|           |                    | CH.ANGLE                                | 0.5x45° AS PER PP FOUND        |                                                                                      |              | OK               | -   | - | -            | -                             |            |                                            |            |
|           |                    | CH.ANGLE                                | 20° AS PER PP FOUND            |                                                                                      |              | OK               | -   | - | -            | -                             |            |                                            |            |
|           |                    | ANGLE                                   | 90° AS PER PP FOUND            |                                                                                      |              | OK               | -   | - | -            | -                             |            |                                            |            |
|           |                    |                                         |                                |                                                                                      |              |                  |     |   |              |                               |            |                                            |            |

INSPECTED BY: Jay Hadiyal

APPROVED BY: Shreekant

Conclusion :

☒ Accept ☐ Reject ☐ Hold



|  |                         | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                                |        |                  |       |     |   |              |                               |                                    |                    |            |
|----------------------------------------------------------------------------------|-------------------------|-----------------------------------------------------|--------------------------------|--------|------------------|-------|-----|---|--------------|-------------------------------|------------------------------------|--------------------|------------|
| INSP. No.                                                                        | FIR-08                  | Product Name                                        | INTERMEDIATE BODY              |        | Size             |       | M32 |   | Drawing No.  |                               | 313002U-03                         | Date:              | 23-09-2026 |
| Wo No.                                                                           | 26000227                | Total Quantity                                      | 1                              |        | Lot Quantity     |       | 1   |   | Sample Size: |                               | 1                                  | Variable & Gauging | 1PC        |
| Sr. No.                                                                          | Checking Parameter      | REQUIRED PARAMETER                                  |                                |        | OBSERVED RESULTS |       |     |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                             | CHECKED BY         |            |
|                                                                                  |                         | PARAMETER                                           | CRITERIA                       |        | 1                | -     | -   | - | -            |                               |                                    |                    |            |
| 1                                                                                | Visual                  | Surface                                             | Fine, Clean                    |        | FINE             | -     | -   | - | -            |                               | Measuring Instruments<br>(10 Nos.) |                    |            |
|                                                                                  |                         | Sizewise No of Pcs. With Internal Parts             | As per Drg. No. of Parts       | 16     | 16               | -     | -   | - | -            |                               | (1) DV-55                          |                    |            |
|                                                                                  |                         | Washing & Plating                                   | Surface Finishing              | NICKEL | OK               | -     | -   | - | -            |                               | (2) PP-01                          |                    |            |
|                                                                                  |                         | RUBBER MARKING                                      | AS PER DRG.                    | NA     | NA               | -     | -   | - | -            |                               |                                    |                    |            |
|                                                                                  |                         | Marking                                             | WO Ref. No.                    | NA     | NA               | -     | -   | - | -            |                               | ASM No -<br>AEX260919-04           |                    |            |
|                                                                                  |                         | Assembly Perfection                                 | As per Drg.                    |        | OK               | -     | -   | - | -            |                               |                                    |                    |            |
|                                                                                  |                         | Inner Packing                                       | Labeling & Printing            |        | OK               | -     | -   | - | -            |                               |                                    |                    |            |
|                                                                                  |                         | Outer Packing                                       | Printing & Stamping            |        | OK               | -     | -   | - | -            |                               |                                    |                    |            |
| All Dimensions Are In MM                                                         |                         |                                                     |                                |        |                  |       |     |   |              |                               |                                    |                    |            |
| 2                                                                                | DIMENSION               |                                                     | VALUE                          | -      | +                | 1     | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | A/F                                                 | 42.00                          | 41.84  | 42.00            | 41.93 | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | A/C                                                 | 46.00                          | 45.20  | 46.80            | 45.93 | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | T.L                                                 | 29.00                          | 28.50  | 29.50            | 29.06 | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | TH.L                                                | 13.50                          | 13.00  | 14.00            | 13.55 | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | GR.OD                                               | 36.00                          | 35.20  | 36.80            | 36.05 | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | GR.LE                                               | 1.00                           | 0.80   | 1.20             | 1.00  | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | H.L                                                 | 6.00                           | 5.70   | 6.30             | 6.03  | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | TH.L                                                | 9.50                           | 9.00   | 10.00            | 9.55  | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | GR.OD                                               | 38.00                          | 37.20  | 38.80            | 38.03 | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | GR.LE                                               | 1.50                           | 1.30   | 1.70             | 1.52  | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | LD                                                  | 32.50                          | 31.70  | 33.30            | 32.58 | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | LD                                                  | 35.00                          | 34.20  | 35.80            | 35.05 | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | DEPTH                                               | 8.00                           | 7.50   | 8.50             | 7.93  | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | LD                                                  | 33.20                          | 32.40  | 34.00            | 33.17 | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | LD.LE                                               | 10.00                          | 9.50   | 10.50            | 10.02 | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | THREAD                                              | M38x1.5 AS PER T.R.G GO NOT GO |        |                  | OK    | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | THREAD                                              | M40x1.5 AS PER T.R.G GO NOT GO |        |                  | OK    | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | CH.ANGLE                                            | 1x45° AS PER PP FOUND          |        |                  | OK    | -   | - | -            | -                             |                                    |                    |            |
|                                                                                  |                         | CH.ANGLE                                            | 20° AS PER PP FOUND            |        |                  | OK    | -   | - | -            | -                             |                                    |                    |            |
| CH.ANGLE                                                                         | 0.5x45° AS PER PP FOUND |                                                     |                                | OK     | -                | -     | -   | - |              |                               |                                    |                    |            |
| INSPECTED BY:                                                                    |                         | Jay Hadiyal                                         |                                |        | APPROVED BY:     |       |     |   | Shreekant    |                               |                                    |                    |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                                |              |                  |              |           |                    |                         |        |            |  |
|---------------|--------------------|-----------------------------------------|--------------------------------|--------------|------------------|--------------|-----------|--------------------|-------------------------|--------|------------|--|
| INSP. No.     | FIR-08             | Product Name                            | MIDDLE BODY                    | Size         | M32              | Drawing No.  | 313002-03 | Date:              | 23-09-2026              |        |            |  |
| Wo No.        | 26000227           | Total Quantity                          | 1                              | Lot Quantity | 1                | Sample Size- | 1         | Variable & Gauging | 1PC                     |        |            |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                                |              | OBSERVED RESULTS |              |           |                    | REJECTION REWORK DETAIL | REMARK | CHECKED BY |  |
|               |                    | PARAMETER                               | CRITERIA                       |              | 1                | -            | -         | -                  | -                       |        |            |  |
|               |                    | Surface                                 | Fine, Clean                    |              | FINE             | -            | -         | -                  | -                       |        |            |  |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts       | 16           | 16               | -            | -         | -                  | -                       |        |            |  |
|               |                    | Washing & Plating                       | NICKEL Surface Finishing       |              | OK               | -            | -         | -                  | -                       |        |            |  |
|               |                    | RUBBER MARKING                          | AS PER DRG.                    |              | NA               | -            | -         | -                  | -                       |        |            |  |
|               |                    | Marking                                 | WO Ref. No.                    | NA           | NA               | -            | -         | -                  | -                       |        |            |  |
|               |                    | Assembly Perfection                     | As per Drg.                    |              | OK               | -            | -         | -                  | -                       |        |            |  |
|               |                    | Inner Packing                           | Labeling & Printing            |              | OK               | -            | -         | -                  | -                       |        |            |  |
|               |                    | Outer Packing                           | Printing & Stamping            |              | OK               | -            | -         | -                  | -                       |        |            |  |
|               |                    | All Dimensions Are In MM                |                                |              |                  |              |           |                    |                         |        |            |  |
|               |                    |                                         | VALUE                          | -            | +                | 1            | -         | -                  | -                       | -      |            |  |
|               |                    | A/F                                     | 46.00                          | 45.84        | 46.00            | 45.89        | -         | -                  | -                       | -      |            |  |
|               |                    | A/C                                     | 51.00                          | 50.20        | 51.80            | 50.90        | -         | -                  | -                       | -      |            |  |
|               |                    | T.L                                     | 30.00                          | 29.50        | 30.50            | 30.05        | -         | -                  | -                       | -      |            |  |
|               |                    | TH.L                                    | 15.00                          | 14.50        | 15.50            | 15.04        | -         | -                  | -                       | -      |            |  |
|               |                    | GR.OD                                   | 41.00                          | 40.20        | 41.80            | 41.03        | -         | -                  | -                       | -      |            |  |
|               |                    | GR.LE                                   | 1.50                           | 1.30         | 1.70             | 1.52         | -         | -                  | -                       | -      |            |  |
|               |                    | O.D                                     | 44.00                          | 43.20        | 44.80            | 44.08        | -         | -                  | -                       | -      |            |  |
|               |                    | O.D.L                                   | 7.00                           | 6.70         | 7.30             | 6.98         | -         | -                  | -                       | -      |            |  |
|               |                    | H.L                                     | 8.00                           | 7.50         | 8.50             | 8.05         | -         | -                  | -                       | -      |            |  |
|               |                    | I.D                                     | 34.00                          | 33.20        | 34.80            | 34.04        | -         | -                  | -                       | -      |            |  |
|               |                    | I.D                                     | 35.00                          | 34.20        | 35.80            | 35.02        | -         | -                  | -                       | -      |            |  |
|               |                    | I.D.LE                                  | 5.00                           | 4.70         | 5.30             | 5.01         | -         | -                  | -                       | -      |            |  |
|               |                    | INT.TH.L                                | 11.50                          | 11.00        | 12.00            | 11.52        | -         | -                  | -                       | -      |            |  |
|               |                    | GR.ID                                   | 37.50                          | 36.70        | 38.30            | 37.97        | -         | -                  | -                       | -      |            |  |
|               |                    | GR.LE                                   | 7.00                           | 6.70         | 7.30             | 7.01         | -         | -                  | -                       | -      |            |  |
|               |                    | DEPTH                                   | 18.50                          | 18.00        | 19.00            | 18.52        | -         | -                  | -                       | -      |            |  |
|               |                    | THREAD                                  | M43x1.5 AS PER T.R.G GO NOT GO |              |                  | OK           | -         | -                  | -                       | -      |            |  |
|               |                    | INT.THREAD                              | M40x1.5 AS PER P.G GO NOT GO   |              |                  | OK           | -         | -                  | -                       | -      |            |  |
|               |                    | CH.ANGLE                                | 1x45° AS PER PP FOUND          |              |                  | OK           | -         | -                  | -                       | -      |            |  |
|               |                    | CH.ANGLE                                | 30° AS PER PP FOUND            |              |                  | OK           | -         | -                  | -                       | -      |            |  |
|               |                    |                                         |                                |              |                  |              |           |                    |                         |        |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                             |                                |              | APPROVED BY:     |              |           |                    | Shreekant               |        |            |  |

Conclusion :



Accept



Reject



Hold





### MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                             |                              |        |              |                  |   |              |           |                               |                                 |            |  |
|---------------|--------------------|---------------------------------------------|------------------------------|--------|--------------|------------------|---|--------------|-----------|-------------------------------|---------------------------------|------------|--|
| INSP. No.     | FIR-08             | Product Name                                | BACK NUT                     |        | Size         | M32              |   | Drawing No.  | 313003-03 | Date:                         | 23-09-2026                      |            |  |
| Wo No.        | 26000227           | Total Quantity                              | 1                            |        | Lot Quantity | 1                |   | Sample Size- | 1         | Variable & Gauging            | 1PC                             |            |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                          |                              |        |              | OBSERVED RESULTS |   |              |           | REJECTION<br>REWORK<br>DETAIL | REMARK                          | CHECKED BY |  |
|               |                    | PARAMETER                                   | CRITERIA                     |        | 1            | -                | - | -            | -         |                               |                                 |            |  |
|               |                    | Surface                                     | Fine, Clean                  |        | FINE         | -                | - | -            | -         |                               | Measuring<br>Instruments ID No. |            |  |
|               |                    | Size wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts  | 16     | 16           | -                | - | -            | -         |                               | (1) DV-55                       |            |  |
|               |                    | Surface<br>Washing & Plating                | Surface<br>Finishing         | NICKEL | OK           | -                | - | -            | -         |                               | (2) PP-01                       |            |  |
|               |                    | RUBBER MARKING                              | AS PER DRG.                  | NA     | NA           | -                | - | -            | -         |                               |                                 |            |  |
|               |                    | Marking                                     | WO Ref. No.                  | NA     | NA           | -                | - | -            | -         |                               | ASM No -<br>AEX260919-04        |            |  |
|               |                    | Assembly Perfection                         | As per Drg.                  |        | OK           | -                | - | -            | -         |                               |                                 |            |  |
|               |                    | Inner Packing                               | Labeling &<br>Printing       |        | OK           | -                | - | -            | -         |                               |                                 |            |  |
|               |                    | Outer Packing                               | Printing & Stamping          |        | OK           | -                | - | -            | -         |                               |                                 |            |  |
|               |                    | All Dimensions Are In MM                    |                              |        |              |                  |   |              |           |                               |                                 |            |  |
|               |                    |                                             | VALUE                        | -      | +            | 1                | - | -            | -         | -                             |                                 |            |  |
|               |                    | A/F                                         | 46.00                        | 45.84  | 46.00        | 45.89            | - | -            | -         | -                             |                                 |            |  |
|               |                    | A/C                                         | 51.00                        | 50.20  | 51.80        | 50.89            | - | -            | -         | -                             |                                 |            |  |
|               |                    | T.L                                         | 23.00                        | 22.50  | 23.50        | 23.06            | - | -            | -         | -                             |                                 |            |  |
|               |                    | O.D                                         | 45.20                        | 44.40  | 46.00        | 45.22            | - | -            | -         | -                             |                                 |            |  |
|               |                    | O.D.L                                       | 10.00                        | 9.50   | 10.50        | 10.08            | - | -            | -         | -                             |                                 |            |  |
|               |                    | H.L                                         | 13.00                        | 12.50  | 13.50        | 13.07            | - | -            | -         | -                             |                                 |            |  |
|               |                    | I.D                                         | 38.50                        | 37.70  | 39.30        | 38.52            | - | -            | -         | -                             |                                 |            |  |
|               |                    | INT.THL                                     | 4.00                         | 3.70   | 4.30         | 4.01             | - | -            | -         | -                             |                                 |            |  |
|               |                    | GR.ID                                       | 43.20                        | 42.40  | 44.00        | 43.25            | - | -            | -         | -                             |                                 |            |  |
|               |                    | GR.LE                                       | 14.50                        | 14.00  | 15.00        | 14.52            | - | -            | -         | -                             |                                 |            |  |
|               |                    | DEPTH                                       | 18.00                        | 17.50  | 18.50        | 18.01            | - | -            | -         | -                             |                                 |            |  |
|               |                    | GR.ID                                       | 41.50                        | 40.70  | 42.30        | 41.52            | - | -            | -         | -                             |                                 |            |  |
|               |                    | GR.LE                                       | 3.00                         | 2.80   | 3.20         | 3.02             | - | -            | -         | -                             |                                 |            |  |
|               |                    | DEPTH                                       | 21.00                        | 20.50  | 21.50        | 21.03            | - | -            | -         | -                             |                                 |            |  |
|               |                    | INT.THREAD                                  | M43x1.5 AS PER P.G GO NOT GO |        |              | OK               | - | -            | -         | -                             |                                 |            |  |
|               |                    | CH.ANGLE                                    | 0.5x45° AS PER PP FOUND      |        |              | OK               | - | -            | -         | -                             |                                 |            |  |
|               |                    | CH.ANGLE                                    | 1x45° AS PER PP FOUND        |        |              | OK               | - | -            | -         | -                             |                                 |            |  |
|               |                    | CH.ANGLE                                    | 45° AS PER PP FOUND          |        |              | OK               | - | -            | -         | -                             |                                 |            |  |
|               |                    |                                             |                              |        |              |                  |   |              |           |                               |                                 |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                                 |                              |        |              | APPROVED BY:     |   |              |           | Shreekant                     |                                 |            |  |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                             |                             |        |              |                  |   |              |           |                               |                                  |            |  |
|---------------|--------------------|---------------------------------------------|-----------------------------|--------|--------------|------------------|---|--------------|-----------|-------------------------------|----------------------------------|------------|--|
| INSP. No.     | FIR-08             | Product Name                                | UNIVERSAL CLAMPING CONE     |        | Size         | M32              |   | Drawing No.  | 313005-03 |                               | Date:                            | 23-09-2026 |  |
| Wo No.        | 26000227           | Total Quantity                              | 1                           |        | Lot Quantity | 1                |   | Sample Size- | 1         |                               | Variable & Gauging               | 1PC        |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                          |                             |        |              | OBSERVED RESULTS |   |              |           | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |  |
|               |                    | PARAMETER                                   | CRITERIA                    |        | 1            | -                | - | -            | -         |                               |                                  |            |  |
|               |                    | Surface                                     | Fine, Clean                 |        | FINE         | -                | - | -            | -         |                               | Measuring Instruments<br>(I) No. |            |  |
|               |                    | Size wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16     | 16           | -                | - | -            | -         |                               | (1) DV-55                        |            |  |
|               |                    | Washing & Plating                           | Surface<br>Finishing        | NICKEL | OK           | -                | - | -            | -         |                               | (2) PP-01                        |            |  |
|               |                    | RUBBER MARKING                              | AS PER DRG.                 | NA     | NA           | -                | - | -            | -         |                               |                                  |            |  |
|               |                    | Marking                                     | WO Ref. No.                 | NA     | NA           | -                | - | -            | -         |                               | ASM No -<br>AEX260919-04         |            |  |
|               |                    | Assembly Perfection                         | As per Drg.                 |        | OK           | -                | - | -            | -         |                               |                                  |            |  |
|               |                    | Inner Packing                               | Labeling &<br>Printing      |        | OK           | -                | - | -            | -         |                               |                                  |            |  |
|               |                    | Outer Packing                               | Printing & Stamping         |        | OK           | -                | - | -            | -         |                               |                                  |            |  |
|               |                    | All Dimensions Are In MM                    |                             |        |              |                  |   |              |           |                               |                                  |            |  |
|               |                    |                                             | VALUE                       | -      | +            | 1                | - | -            | -         | -                             |                                  |            |  |
|               |                    | T.L                                         | 30.00                       | 29.50  | 30.50        | 30.09            | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D                                         | 29.70                       | 29.20  | 30.20        | 29.73            | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D.L                                       | 5.50                        | 5.20   | 5.80         | 5.56             | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D                                         | 31.50                       | 30.70  | 32.30        | 31.55            | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D.L                                       | 2.50                        | 2.30   | 2.70         | 2.54             | - | -            | -         | -                             |                                  |            |  |
|               |                    | GR.LENGTH                                   | 0.50                        | 0.30   | 0.70         | 0.50             | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D                                         | 33.00                       | 32.20  | 33.80        | 33.03            | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D.L                                       | 11.00                       | 10.50  | 11.50        | 11.01            | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D                                         | 34.50                       | 33.70  | 35.30        | 34.54            | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D.L                                       | 8.00                        | 7.70   | 8.30         | 8.00             | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D                                         | 29.00                       | 28.50  | 29.50        | 29.06            | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D.L                                       | 6.50                        | 6.20   | 6.80         | 6.52             | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D                                         | 29.50                       | 29.00  | 30.00        | 29.55            | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D                                         | 30.00                       | 29.50  | 30.50        | 29.99            | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D                                         | 31.00                       | 30.20  | 31.80        | 31.01            | - | -            | -         | -                             |                                  |            |  |
|               |                    | O.D.L                                       | 11.00                       | 10.50  | 11.50        | 11.03            | - | -            | -         | -                             |                                  |            |  |
|               |                    | LD                                          | 26.50                       | 26.00  | 27.00        | 26.53            | - | -            | -         | -                             |                                  |            |  |
|               |                    | RADIUS                                      | 0.50 MM AS PER PP FOUND     |        |              | OK               | - | -            | -         | -                             |                                  |            |  |
|               |                    | RADIUS                                      | 0.3 MM AS PER PP FOUND      |        |              | OK               | - | -            | -         | -                             |                                  |            |  |
|               |                    |                                             |                             |        |              |                  |   |              |           |                               |                                  |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                                 |                             |        |              | APPROVED BY:     |   |              |           | Shreekant                     |                                  |            |  |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |        |       |              |                  |   |   |              |                                  |                               |            |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------|-------|--------------|------------------|---|---|--------------|----------------------------------|-------------------------------|------------|------------|
| INSP. No.     | FIR-08             | Product Name                               | REVERSIBLE ARMOUR RING      |        |       | Size         | M32              |   |   | Drawing No.  | 313004-03                        | Date:                         | 23-09-2026 |            |
| Wo No.        | 26000227           | Total Quantity                             | 1                           |        |       | Lot Quantity | 1                |   |   | Sample Size- | 1                                | Variable & Gauging            | 1PC        |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |        |       |              | OBSERVED RESULTS |   |   |              |                                  | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |        | 1     | -            | -                | - | - |              |                                  |                               |            |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |        | FINE  | -            | -                | - | - |              | Measuring<br>Instruments I.D No- |                               |            |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16     | 16    | -            | -                | - | - |              | (1) DV-55                        |                               |            |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NICKEL | OK    | -            | -                | - | - |              | (2) PP-01                        |                               |            |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA     | NA    | -            | -                | - | - |              |                                  |                               |            |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA     | NA    | -            | -                | - | - |              | ASM No -<br>AEX260919-04         |                               |            |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |        | OK    | -            | -                | - | - |              |                                  |                               |            |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |        | OK    | -            | -                | - | - |              |                                  |                               |            |            |
|               |                    | Outer Packing                              | Printing & Stamping         |        | OK    | -            | -                | - | - |              |                                  |                               |            |            |
|               |                    | All Dimensions Are In MM                   |                             |        |       |              |                  |   |   |              |                                  |                               |            |            |
| 2             | DIMENSION          |                                            | VALUE                       | -      | +     | 1            | -                | - | - | -            |                                  |                               |            |            |
|               |                    | T.L                                        | 9.00                        | 8.50   | 9.50  | 9.01         | -                | - | - | -            |                                  |                               |            |            |
|               |                    | O.D                                        | 37.00                       | 36.20  | 37.80 | 37.07        | -                | - | - | -            |                                  |                               |            |            |
|               |                    | I.D                                        | 32.50                       | 31.70  | 33.30 | 32.53        | -                | - | - | -            |                                  |                               |            |            |
|               |                    | I.D                                        | 33.50                       | 32.70  | 34.30 | 33.55        | -                | - | - | -            |                                  |                               |            |            |
|               |                    |                                            |                             |        |       |              |                  |   |   |              |                                  |                               |            |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |        |       | APPROVED BY: |                  |   |   | Shreekant    |                                  |                               |            |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                          |       |              |                  |   |              |       |                               |                               |            |  |
|---------------|--------------------|-----------------------------------------|--------------------------|-------|--------------|------------------|---|--------------|-------|-------------------------------|-------------------------------|------------|--|
| INSP. No.     | FIR-08             | Product Name                            | COMPRESSIBLE INNER SEAL  |       | Size         | M32              |   | Drawing No.  | GI-03 | Date:                         | 23-09-2026                    |            |  |
| Wo No.        | 26000227           | Total Quantity                          | 1                        |       | Lot Quantity | 1                |   | Sample Size- | 1     | Variable & Gauging            | 1PC                           |            |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                          |       |              | OBSERVED RESULTS |   |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY |  |
|               |                    | PARAMETER                               | CRITERIA                 |       | 1            | -                | - | -            | -     |                               |                               |            |  |
| 1             | Visual             | Surface                                 | Fine, Clean              |       | FINE         | -                | - | -            | -     |                               |                               |            |  |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16    | 16           | -                | - | -            | -     |                               | Measuring Instruments I.D No- |            |  |
|               |                    | Washing & Plating                       | Surface Finishing        | NA    | NA           | -                | - | -            | -     |                               | (1) DV-55                     |            |  |
|               |                    | RUBBER MARKING                          | AS PER DRG.              | OK    | OK           | -                | - | -            | -     |                               | (2) PP-01                     |            |  |
|               |                    | Marking                                 | WO Ref. No.              | NA    | NA           | -                | - | -            | -     |                               | ASM No - AEX260919-04         |            |  |
|               |                    | Assembly Perfection                     | As per Drg.              |       | OK           | -                | - | -            | -     |                               |                               |            |  |
|               |                    | Inner Packing                           | Labeling & Printing      |       | OK           | -                | - | -            | -     |                               |                               |            |  |
|               |                    | Outer Packing                           | Printing & Stamping      |       | OK           | -                | - | -            | -     |                               |                               |            |  |
|               |                    | All Dimensions Are In MM                |                          |       |              |                  |   |              |       |                               |                               |            |  |
|               |                    | 2                                       | DIMENSION                |       | VALUE        | -                | + | 1            | -     | -                             | -                             | -          |  |
| T.L           | 14.00              |                                         |                          | 13.50 | 14.50        | 14.04            | - | -            | -     | -                             |                               |            |  |
| O.D.L         | 5.00               |                                         |                          | 4.70  | 5.30         | 5.05             | - | -            | -     | -                             |                               |            |  |
| O.D           | 36.50              |                                         |                          | 36.30 | 36.50        | 36.40            | - | -            | -     | -                             |                               |            |  |
| O.D.L         | 9.00               |                                         |                          | 8.50  | 9.50         | 9.04             | - | -            | -     | -                             |                               |            |  |
| I.D           | 26.30              |                                         |                          | 26.30 | 26.50        | 26.35            | - | -            | -     | -                             |                               |            |  |
|               |                    |                                         |                          |       |              |                  |   |              |       |                               |                               |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                             |                          |       | APPROVED BY: |                  |   | Shreekant    |       |                               |                               |            |  |

Conclusion :



Accept



Reject



Hold







## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                          |              |                  |              |       |                    |                               |                       |                               |
|---------------|--------------------|-----------------------------------------|--------------------------|--------------|------------------|--------------|-------|--------------------|-------------------------------|-----------------------|-------------------------------|
| INSP. No.     | FIR-08             | Product Name                            | O-RING                   | Size         | M32              | Drawing No.  | OR-3M | Date:              | 23-09-2026                    |                       |                               |
| Wo No.        | 26000227           | Total Quantity                          | 1                        | Lot Quantity | 1                | Sample Size- | 1     | Variable & Gauging | 1PC                           |                       |                               |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                          |              | OBSERVED RESULTS |              |       |                    | REJECTION<br>REWORK<br>DETAIL | REMARK                | CHECKED BY                    |
|               |                    | PARAMETER                               | CRITERIA                 |              | 1                | -            | -     | -                  |                               |                       |                               |
| 1             | Visual             | Surface                                 | Fine, Clean              |              | FINE             | -            | -     | -                  | -                             |                       |                               |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16           | 16               | -            | -     | -                  | -                             |                       | Measuring Instruments I.D No- |
|               |                    | Washing & Plating                       | Surface Finishing        | NA           | NA               | -            | -     | -                  | -                             | (1) DV-55             |                               |
|               |                    | RUBBER MARKING                          | AS PER DRG.              | NA           | NA               | -            | -     | -                  | -                             | (2) PP-01             |                               |
|               |                    | Marking                                 | WO Ref. No.              | NA           | NA               | -            | -     | -                  | -                             | ASM No - AEX260919-04 |                               |
|               |                    | Assembly Perfection                     | As per Drg.              |              | OK               | -            | -     | -                  | -                             |                       |                               |
|               |                    | Inner Packing                           | Labeling & Printing      |              | OK               | -            | -     | -                  | -                             |                       |                               |
|               |                    | Outer Packing                           | Printing & Stamping      |              | OK               | -            | -     | -                  | -                             |                       |                               |
|               |                    | All Dimensions Are In MM                |                          |              |                  |              |       |                    |                               |                       |                               |
| 2             | DIMENSION          |                                         | VALUE                    | -            | +                | 1            | -     | -                  | -                             | -                     |                               |
|               |                    | THICKNESS                               | 2.50                     | 2.00         | 2.50             | 2.05         | -     | -                  | -                             | -                     |                               |
|               |                    | I.D                                     | 29.00                    | 28.50        | 29.50            | 29.06        | -     | -                  | -                             | -                     |                               |
|               |                    |                                         |                          |              |                  |              |       |                    |                               |                       |                               |
| INSPECTED BY: |                    | Jay Hadiyal                             |                          |              | APPROVED BY:     |              |       | Shreekant          |                               |                       |                               |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                          |       |              |                  |   |              |           |   |                               |            |            |
|---------------|--------------------|-----------------------------------------|--------------------------|-------|--------------|------------------|---|--------------|-----------|---|-------------------------------|------------|------------|
| INSP. No.     | FIR-08             | Product Name                            | COMPRESSIBLE OUTER SEAL  |       | Size         | M32              |   | Drawing No.  | GE-03     |   | Date:                         | 23-09-2026 |            |
| Wo No.        | 26000227           | Total Quantity                          | 1                        |       | Lot Quantity | 1                |   | Sample Size- | 1         |   | Variable & Gauging            | 1PC        |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                          |       |              | OBSERVED RESULTS |   |              |           |   | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY |
|               |                    | PARAMETER                               | CRITERIA                 |       | 1            | -                | - | -            | -         |   |                               |            |            |
| 1             | Visual             | Surface                                 | Fine, Clean              |       | FINE         | -                | - | -            | -         |   |                               |            |            |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16    | 16           | -                | - | -            | -         |   | Measuring Instruments I.D No- |            |            |
|               |                    | Washing & Plating                       | Surface Finishing        | NA    | NA           | -                | - | -            | -         |   | (1) DV-55                     |            |            |
|               |                    | RUBBER MARKING                          | AS PER DRG.              | OK    | OK           | -                | - | -            | -         |   | (2) PP-01                     |            |            |
|               |                    | Marking                                 | WO Ref. No.              | NA    | NA           | -                | - | -            | -         |   | ASM No - AEX260919-04         |            |            |
|               |                    | Assembly Perfection                     | As per Drg.              |       | OK           | -                | - | -            | -         |   |                               |            |            |
|               |                    | Inner Packing                           | Labeling & Printing      |       | OK           | -                | - | -            | -         |   |                               |            |            |
|               |                    | Outer Packing                           | Printing & Stamping      |       | OK           | -                | - | -            | -         |   |                               |            |            |
|               |                    | All Dimensions Are In MM                |                          |       |              |                  |   |              |           |   |                               |            |            |
| 2             | DIMENSION          |                                         | VALUE                    | -     | +            | 1                | - | -            | -         | - |                               |            |            |
|               |                    | T.L                                     | 15.00                    | 14.50 | 15.50        | 15.04            | - | -            | -         | - |                               |            |            |
|               |                    | O.D                                     | 43.20                    | 43.00 | 43.20        | 43.11            | - | -            | -         | - |                               |            |            |
|               |                    | GR.LENGTH                               | 3.50                     | 3.20  | 3.80         | 3.53             | - | -            | -         | - |                               |            |            |
|               |                    | I.D                                     | 33.70                    | 33.60 | 33.80        | 33.74            | - | -            | -         | - |                               |            |            |
|               |                    |                                         |                          |       |              |                  |   |              |           |   |                               |            |            |
| INSPECTED BY: |                    | Jay Hadiyal                             |                          |       | APPROVED BY: |                  |   |              | Shreekant |   |                               |            |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-08             | Product Name                            | INNER SKID WASHER        |       | Size         |                  | M32 |   | Drawing No.  |   | IW-03                         | Date:              | 23-09-2026 |
|---------------|--------------------|-----------------------------------------|--------------------------|-------|--------------|------------------|-----|---|--------------|---|-------------------------------|--------------------|------------|
| Wo No.        | 26000227           | Total Quantity                          | 1                        |       | Lot Quantity |                  | 1   |   | Sample Size- |   | 1                             | Variable & Gauging | 1PC        |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                          |       |              | OBSERVED RESULTS |     |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|               |                    | PARAMETER                               | CRITERIA                 |       |              | 1                | -   | - | -            | - |                               |                    |            |
| 1             | Visual             | Surface                                 | Fine, Clean              |       | FINE         | -                | -   | - | -            |   |                               |                    |            |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16    | 16           | -                | -   | - | -            |   | Measuring Instruments I.D No- | (1) DV-55          |            |
|               |                    | Washing & Plating                       | Surface Finishing        | NA    | NA           | -                | -   | - | -            |   | (2) PP-01                     |                    |            |
|               |                    | RUBBER MARKING                          | AS PER DRG.              | OK    | OK           | -                | -   | - | -            |   |                               |                    |            |
|               |                    | Marking                                 | WO Ref. No.              | NA    | NA           | -                | -   | - | -            |   | ASM No - AEX260919-04         |                    |            |
|               |                    | Assembly Perfection                     | As per Drg.              |       | OK           | -                | -   | - | -            |   |                               |                    |            |
|               |                    | Inner Packing                           | Labeling & Printing      |       | OK           | -                | -   | - | -            |   |                               |                    |            |
|               |                    | Outer Packing                           | Printing & Stamping      |       | OK           | -                | -   | - | -            |   |                               |                    |            |
|               |                    | All Dimensions Are In MM                |                          |       |              |                  |     |   |              |   |                               |                    |            |
| 2             | DIMENSION          |                                         | VALUE                    | -     | +            | 1                | -   | - | -            | - |                               |                    |            |
|               |                    | T.L                                     | 5.00                     | 4.70  | 5.30         | 5.11             | -   | - | -            | - |                               |                    |            |
|               |                    | O.D                                     | 35.50                    | 35.30 | 35.50        | 35.40            | -   | - | -            | - |                               |                    |            |
|               |                    | O.D                                     | 32.00                    | 31.80 | 32.00        | 31.93            | -   | - | -            | - |                               |                    |            |
|               |                    | O.D.L                                   | 3.00                     | 3.00  | 3.20         | 3.02             | -   | - | -            | - |                               |                    |            |
|               |                    | I.D                                     | 26.20                    | 26.20 | 26.40        | 26.24            | -   | - | -            | - |                               |                    |            |
|               |                    |                                         |                          |       |              |                  |     |   |              |   |                               |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                             |                          |       | APPROVED BY: |                  |     |   | Shreekant    |   |                               |                    |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-08             | Product Name                            | OUTER SKID WASHER        |       | Size         |                  | M32 |   | Drawing No.  |   | OW-03                            | Date:              | 23-09-2026 |
|---------------|--------------------|-----------------------------------------|--------------------------|-------|--------------|------------------|-----|---|--------------|---|----------------------------------|--------------------|------------|
| Wo No.        | 26000227           | Total Quantity                          | 1                        |       | Lot Quantity |                  | 1   |   | Sample Size- |   | 1                                | Variable & Gauging | 1PC        |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                          |       |              | OBSERVED RESULTS |     |   |              |   | REJECTION<br>REWORK<br>DETAIL    | REMARK             | CHECKED BY |
|               |                    | PARAMETER                               | CRITERIA                 |       | 1            | -                | -   | - | -            |   |                                  |                    |            |
| 1             | Visual             | Surface                                 | Fine, Clean              |       | FINE         | -                | -   | - | -            |   | Measuring<br>Instruments I.D No- |                    |            |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 16    | 16           | -                | -   | - | -            |   | (1) DV-55                        |                    |            |
|               |                    | Washing & Plating                       | Surface Finishing        | NA    | NA           | -                | -   | - | -            |   | (2) PP-01                        |                    |            |
|               |                    | RUBBER MARKING                          | AS PER DRG.              | OK    | OK           | -                | -   | - | -            |   |                                  |                    |            |
|               |                    | Marking                                 | WO Ref. No.              | NA    | NA           | -                | -   | - | -            |   | ASM No -<br>AEX260919-04         |                    |            |
|               |                    | Assembly Perfection                     | As per Drg.              |       | OK           | -                | -   | - | -            |   |                                  |                    |            |
|               |                    | Inner Packing                           | Labeling & Printing      |       | OK           | -                | -   | - | -            |   |                                  |                    |            |
|               |                    | Outer Packing                           | Printing & Stamping      |       | OK           | -                | -   | - | -            |   |                                  |                    |            |
|               |                    | All Dimensions Are In MM                |                          |       |              |                  |     |   |              |   |                                  |                    |            |
| 2             | DIMENSION          |                                         | VALUE                    | -     | +            | 1                | -   | - | -            | - |                                  |                    |            |
|               |                    | T.L                                     | 6.00                     | 5.70  | 6.30         | 6.04             | -   | - | -            | - |                                  |                    |            |
|               |                    | O.D                                     | 41.00                    | 41.00 | 41.10        | 41.05            | -   | - | -            | - |                                  |                    |            |
|               |                    | O.D                                     | 37.50                    | 37.30 | 37.50        | 37.45            | -   | - | -            | - |                                  |                    |            |
|               |                    | O.D.L                                   | 4.00                     | 4.00  | 4.10         | 4.03             | -   | - | -            | - |                                  |                    |            |
|               |                    | I.D                                     | 34.00                    | 34.00 | 34.20        | 34.06            | -   | - | -            | - |                                  |                    |            |
|               |                    |                                         |                          |       |              |                  |     |   |              |   |                                  |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                             |                          |       | APPROVED BY: |                  |     |   | Shreekant    |   |                                  |                    |            |

Conclusion :



Accept



Reject



Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-08             | Product Name                               | NYLON WASHER                |       | Size         | M32              |   | Drawing No.  | -         | Date:                         | 23-09-2026                       |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|---|--------------|-----------|-------------------------------|----------------------------------|------------|
| Wo No.        | 26000227           | Total Quantity                             | 1                           |       | Lot Quantity | 1                |   | Sample Size- | 1         | Variable & Gauging            | 1PC                              |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |   |              |           | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       | 1            | -                | - | -            | -         |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       | FINE         | -                | - | -            | -         |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | -                | - | -            | -         |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | -                | - | -            | -         |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | -                | - | -            | -         |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | -                | - | -            | -         |                               | ASM No -<br>AEX260919-04         |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | -                | - | -            | -         |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | -                | - | -            | -         |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK           | -                | - | -            | -         |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |   |              |           |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | - | -            | -         | -                             |                                  |            |
|               |                    | THICKNESS                                  | 1.50                        | 1.30  | 1.70         | 1.45             | - | -            | -         | -                             |                                  |            |
|               |                    | I.D                                        | 32.00                       | 31.20 | 32.80        | 32.29            | - | -            | -         | -                             |                                  |            |
|               |                    |                                            |                             |       |              |                  |   |              |           |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |   |              | Shreekant |                               |                                  |            |

Conclusion :



Accept



Reject



Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |        |              |                  |   |              |   |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------|--------------|------------------|---|--------------|---|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-08             | Product Name                               | EARTH TAG                   |        | Size         | M32              |   | Drawing No.  | - | Date:                         | 23-09-2026                       |            |
| Wo No.        | 26000227           | Total Quantity                             | 1                           |        | Lot Quantity | 1                |   | Sample Size- | 1 | Variable & Gauging            | 1PC                              |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |        |              | OBSERVED RESULTS |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |        | 1            | -                | - | -            | - |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |        | FINE         | -                | - | -            | - |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16     | 16           | -                | - | -            | - |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NICKEL | OK           | -                | - | -            | - |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA     | NA           | -                | - | -            | - |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA     | NA           | -                | - | -            | - |                               | ASM No -<br>AEX260919-04         |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |        | OK           | -                | - | -            | - |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |        | OK           | -                | - | -            | - |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |        | OK           | -                | - | -            | - |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |        |              |                  |   |              |   |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -      | +            | 1                | - | -            | - | -                             |                                  |            |
|               |                    | THICKNESS                                  | 1.00                        | 0.80   | 1.20         | 1.01             | - | -            | - | -                             |                                  |            |
|               |                    | O.D                                        | 44.00                       | 43.20  | 44.80        | 43.75            | - | -            | - | -                             |                                  |            |
|               |                    | O.D                                        | 16.00                       | 15.50  | 16.50        | 16.05            | - | -            | - | -                             |                                  |            |
|               |                    | I.D                                        | 32.00                       | 31.20  | 32.80        | 32.26            | - | -            | - | -                             |                                  |            |
|               |                    | I.D                                        | 7.50                        | 7.20   | 7.80         | 7.55             | - | -            | - | -                             |                                  |            |
|               |                    |                                            |                             |        |              |                  |   |              |   |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |        | APPROVED BY: |                  |   | Shreekant    |   |                               |                                  |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |        |              |                  |   |              |   |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------|--------------|------------------|---|--------------|---|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-08             | Product Name                               | SHROUD                      |        | Size         | M32              |   | Drawing No.  | - | Date:                         | 23-09-2026                       |            |
| Wo No.        | 26000227           | Total Quantity                             | 1                           |        | Lot Quantity | 1                |   | Sample Size- | 1 | Variable & Gauging            | 1PC                              |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |        |              | OBSERVED RESULTS |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |        | 1            | -                | - | -            | - |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |        | FINE         | -                | - | -            | - |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16     | 16           | -                | - | -            | - |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA     | NA           | -                | - | -            | - |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA     | NA           | -                | - | -            | - |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA     | NA           | -                | - | -            | - |                               | ASM No -<br>AEX260919-04         |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |        | OK           | -                | - | -            | - |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |        | OK           | -                | - | -            | - |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |        | OK           | -                | - | -            | - |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |        |              |                  |   |              |   |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -      | +            | 1                | - | -            | - | -                             |                                  |            |
|               |                    | T.L                                        | 145.00                      | 144.20 | 145.80       | 145.15           | - | -            | - | -                             |                                  |            |
|               |                    | I.D                                        | 51.00                       | 50.20  | 51.80        | 51.08            | - | -            | - | -                             |                                  |            |
|               |                    |                                            |                             |        |              |                  |   |              |   |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |        | APPROVED BY: |                  |   | Shreekant    |   |                               |                                  |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |   |              |   |                    |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|---|--------------|---|--------------------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-o8             | Product Name                               | STAR WASHER                 |       | Size         | M32              |   | Drawing No.  | - | Date:              | 23-09-2026                    |                                  |            |
| Wo No.        | 26000227           | Total Quantity                             | 1                           |       | Lot Quantity | 1                |   | Sample Size- | 1 | Variable & Gauging | 1PC                           |                                  |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |   |              |   |                    | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | - | -            | - | -                  |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | - | -            | - | -                  |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 16    | 16           | -                | - | -            | - |                    | (1) DV-55                     |                                  |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | -                | - | -            | - |                    | (2) PP-01                     |                                  |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA    | NA           | -                | - | -            | - |                    |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | -                | - | -            | - |                    | ASM No -<br>AEX260919-04      |                                  |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       |              | OK               | - | -            | - | -                  |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | -                | - | -            | - |                    |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              | OK               | - | -            | - | -                  |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |   |              |   |                    |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | - | -            | - | -                  |                               |                                  |            |
|               |                    | T.L                                        | 4.00                        | 3.80  | 4.20         | 4.04             | - | -            | - | -                  |                               |                                  |            |
|               |                    | O.D                                        | 48.00                       | 47.80 | 48.20        | 48.05            | - | -            | - | -                  |                               |                                  |            |
|               |                    | I.D                                        | 33.00                       | 32.80 | 33.20        | 33.07            | - | -            | - | -                  |                               |                                  |            |
|               |                    |                                            |                             |       |              |                  |   |              |   |                    |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       |              | APPROVED BY:     |   |              |   | Shreekant          |                               |                                  |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold

