

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	LOCK NUT		Size		M63		Drawing No.		DL6M	Date:	25-08-2026
Wo No.	26100084	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260815-04		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	70.00	69.81	70.00	69.92	69.91	-	-	-			
		A/C	76.00	75.20	76.80	76.01	76.03	-	-	-			
		T.L	7.00	6.70	7.30	7.07	7.09	-	-	-			
		THREAD	M63x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-05	Product Name	ENTRY COMPONENT			Size		M63		Drawing No.		313001M-068	Date:	25-08-2026
Wo No.	26100084	Total Quantity	2			Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION Rework Detail	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	2	-	-				-	
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-				
		Sizewise No of Pes. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-					
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	Metalmech Logo MM-EX-E1FUNV63s6MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC			OK	OK	-	-	-		ASM No :- AEX260815-04	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing				OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		A/F	70.00	69.81	70.00	69.95	69.94	-	-	-				
		A/C	77.00	76.20	77.80	77.01	77.03	-	-	-				
		T.L	34.00	34.00	34.50	34.11	34.09	-	-	-				
		TH.L	13.00	12.50	13.50	12.99	13.00	-	-	-				
		LENGTH	17.00	17.00	17.50	17.07	17.09	-	-	-				
		GR.OD	61.00	60.20	61.80	60.98	60.97	-	-	-				
		GR.LE	2.50	2.30	2.70	2.55	2.54	-	-	-				
		O.D	68.00	67.20	68.80	67.97	68.00	-	-	-				
		O.D.L	8.00	7.70	8.30	8.01	8.03	-	-	-				
		H.L	9.00	8.50	9.50	9.02	9.05	-	-	-				
		I.D	50.00	49.20	50.80	50.05	50.08	-	-	-				
		INT.TH.L	15.00	14.50	15.50	15.08	15.07	-	-	-				
		THREAD	M63x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		INT.THREAD	M63x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-				
		CHANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-				
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		CHANGLE	20° AS PER PP FOUND			OK	OK	-	-	-				
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :

☒ Accept

☐ Reject

☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-05	Product Name	INTERMEDIATE BODY		Size		M63		Drawing No.		3130092U-06s	Date:	25-08-2026		
Wo No.	26100084	Total Quantity	2		Lot Quantity		2		Sample Size:		2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	-	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-						
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-							
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-						
		Marking	WO Ref. No.	NA	NA	NA	-	-	-						
		Assembly Perfection	As per Drg.	OK	OK	-	-	-							
		Inner Packing	Labeling & Printing	OK	OK	-	-	-							
		Outer Packing	Printing & Stamping	OK	OK	-	-	-							
		All Dimensions Are In MM													
		2	DIMENSION	VALUE	-	+	1	2	-	-	-				
A/F	70.50			70.31	70.50	70.43	70.45	-	-	-					
A/C	77.00			76.20	77.80	77.06	77.08	-	-	-					
T.L	38.00			37.20	38.80	38.08	38.07	-	-	-					
TH.L	14.00			13.50	14.50	14.05	14.08	-	-	-					
GR.OD	61.00			60.20	61.80	60.97	60.99	-	-	-					
GR.LE	1.00			0.80	1.20	1.01	1.03	-	-	-					
H.L	8.00			7.70	8.30	8.00	8.02	-	-	-					
TH.L	16.00			15.50	16.50	16.03	16.05	-	-	-					
GR.OD	68.00			67.20	68.80	67.97	67.99	-	-	-					
GR.LE	1.00			0.80	1.20	1.01	1.03	-	-	-					
L.D	56.00			55.20	56.80	56.06	56.08	-	-	-					
L.D	61.50			60.70	62.30	61.54	61.56	-	-	-					
DEPTH	7.00			6.70	7.30	7.01	7.05	-	-	-					
L.D	59.00			58.20	59.80	59.05	59.08	-	-	-					
L.D.LE	15.00			14.50	15.50	15.03	15.05	-	-	-					
DEPTH	22.00			21.50	22.50	22.01	22.03	-	-	-					
THREAD	M63x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-							
THREAD	M70x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-							
CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-							
CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-							
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-							
INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant															

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-05	Product Name	MIDDLE BODY		Size		M63		Drawing No.		313002-068	Date:	25-08-2026		
Wo No.	26100084	Total Quantity	2		Lot Quantity		2		Sample Size:		2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	-	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-						
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-							
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-						
		Marking	WO Ref. No.	NA	NA	NA	-	-	-						
		Assembly Perfection	As per Drg.	OK	OK	-	-	-							
		Inner Packing	Labeling & Printing	OK	OK	-	-	-							
		Outer Packing	Printing & Stamping	OK	OK	-	-	-							
		All Dimensions Are In MM													
		2	DIMENSION		VALUE	-	+	1	2	-	-	-			
A/F	75.00			74.81	75.00	74.91	74.93	-	-	-					
A/C	83.00			82.20	83.80	83.05	83.04	-	-	-					
T.L	45.00			44.20	45.80	45.03	45.05	-	-	-					
TH.L	16.00			15.50	16.50	16.04	16.06	-	-	-					
GR.OD	70.00			69.20	70.80	69.97	69.99	-	-	-					
GR.LE	1.00			0.80	1.20	1.01	1.03	-	-	-					
H.L	17.00			16.50	17.50	17.03	17.05	-	-	-					
O.D	74.00			73.20	74.80	73.97	73.99	-	-	-					
O.D.L	12.00			11.70	12.30	12.02	12.04	-	-	-					
LD	60.00			59.20	60.80	60.05	60.03	-	-	-					
LD	61.50			60.70	62.30	61.54	61.56	-	-	-					
LD.LE	7.00			6.80	7.20	7.02	7.05	-	-	-					
INT.TH.L	17.00			16.50	17.50	17.03	17.06	-	-	-					
GR.ID	67.00			66.20	67.80	67.04	67.06	-	-	-					
GR.LE	11.00			10.70	11.30	11.02	11.05	-	-	-					
DEPTH	28.00			27.50	28.50	28.01	28.03	-	-	-					
THREAD	M70x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-							
INT.THREAD	M72x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-							
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-							
CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-							
CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-							
INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant															

Conclusion :



Accept



Reject



Hold



INSP. No.		FIR-05		Product Name		BACK NUT		Size		M63		Drawing No.		313003-068		Date:		25-08-2026	
Wo No.		26100084		Total Quantity		2		Lot Quantity		2		Sample Size-		2		Variable & Gauging		2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY						
		PARAMETER	CRITERIA			1	2	-	-	-									
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-									
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-										
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-										
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-										
		Marking	WO Ref. No.	NA	NA	NA	-	-	-										
		Assembly Perfection	As per Drg.			OK	OK	-	-	-									
		Inner Packing	Labeling & Printing		OK	OK	-	-	-										
		Outer Packing	Printing & Stamping			OK	OK	-	-	-									
All Dimensions Are In MM																			
2	DIMENSION		VALUE	-	+	1	2	-	-	-									
		A/F	75.00	74.81	75.00	74.96	74.93	-	-	-									
		A/C	83.00	82.20	83.80	83.02	83.05	-	-	-									
		T.L	24.00	23.50	24.50	24.05	24.04	-	-	-									
		O.D	74.50	73.70	75.30	74.48	74.47	-	-	-									
		O.D.L	12.00	11.50	12.50	12.02	12.05	-	-	-									
		H.L	12.00	11.50	12.50	12.01	12.03	-	-	-									
		LD	66.00	65.20	66.80	66.05	66.08	-	-	-									
		INT.THL	4.00	3.70	4.30	4.03	4.05	-	-	-									
		GR.ID	72.20	71.40	73.00	72.25	72.23	-	-	-									
		GR.LE	15.00	14.50	15.50	15.03	15.05	-	-	-									
		DEPTH	19.00	18.50	19.50	19.04	19.06	-	-	-									
		GR.ID	70.50	69.70	71.30	70.53	70.55	-	-	-									
		GR.LE	3.00	2.80	3.20	3.02	3.04	-	-	-									
		DEPTH	22.00	21.50	22.50	22.03	22.05	-	-	-									
		INT.THREAD	M72x1.5 AS PER P.G GO NOT GO				OK	OK	-	-	-								
		CH.ANGLE	0.5x45° AS PER PP FOUND				OK	OK	-	-	-								
		CH.ANGLE	1x45° AS PER PP FOUND				OK	OK	-	-	-								
CH.ANGLE	45° AS PER PP FOUND				OK	OK	-	-	-										
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant									

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	UNIVERSAL CLAMPING CONE		Size		M63		Drawing No.		313005-068	Date:	25-08-2026
Wo No.	26100084	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Ganglines	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-					
		Washing & Plating	NICKEL	OK	OK	-	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-				
		Assembly Perfection	As per Drg.	OK	OK	-	-	-					
		Inner Packing	Labeling & Printing	OK	OK	-	-	-					
		Outer Packing	Printing & Stamping	OK	OK	-	-	-					
		All Dimensions Are In MM											
2	DIMENSION	VALUE	-	+	1	2	-	-	-				
		T.L	35.00	34.20	35.80	35.04	35.06	-	-	-			
		O.D	56.00	55.20	56.80	55.95	55.94	-	-	-			
		O.D.L	7.50	7.00	8.00	7.53	7.55	-	-	-			
		O.D	57.20	56.40	58.00	57.21	57.23	-	-	-			
		O.D	58.20	57.40	59.00	58.18	58.17	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	-	-	-			
		O.D.L	14.00	13.50	14.50	14.01	14.03	-	-	-			
		O.D	52.50	51.70	53.30	52.48	52.50	-	-	-			
		O.D.L	8.00	7.70	8.30	8.01	8.03	-	-	-			
		O.D	53.50	52.70	54.30	53.48	53.49	-	-	-			
		O.D	54.00	53.20	54.80	54.01	54.03	-	-	-			
		O.D	55.50	54.70	56.30	55.45	55.43	-	-	-			
		O.D	61.00	60.20	61.80	61.01	61.03	-	-	-			
		O.D.L	7.00	6.50	7.50	7.02	7.05	-	-	-			
		O.D.L	14.00	13.50	14.50	14.01	14.06	-	-	-			
		I.D	50.00	49.20	50.80	50.04	50.06	-	-	-			
		GROOVE.STEP.LE	0.5 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.50 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒ Accept
 ☐ Reject
 ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-05	Product Name	REVERSIBLE ARMoured RING		Size		M63		Drawing No.		313004-06s	Date:	25-08-2026
Wo No.	26100084	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260815-04		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	12.00	11.50	12.50	12.02	12.01	-	-	-			
		O.D	64.00	63.20	64.80	63.97	63.99	-	-	-			
		I.D	57.50	56.70	58.30	57.53	57.55	-	-	-			
		I.D	58.50	57.70	59.30	58.54	58.56	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	COMPRESSIBLE INNER SEAL		Size		M63		Drawing No.		GI-06s	Date:	25-08-2026
Wo No.	26100084	Total Quantity	2		Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260815-04		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.50	15.00	16.00	15.53	15.55	-	-	-			
		O.D.L	5.50	5.20	5.80	5.45	5.48	-	-	-			
		O.D	61.50	61.30	61.50	61.45	61.43	-	-	-			
		O.D.L	10.00	9.50	10.50	10.02	10.01	-	-	-			
		I.D	49.70	49.70	49.90	49.75	49.73	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-05	Product Name	O-RING			Size	M63			Drawing No.	OR-6M		Date:	25-08-2026
Wo No.	26100084	Total Quantity	2			Lot Quantity	2			Sample Size-	2		Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-					
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260815-04			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		THICKNESS	2.50	2.00	2.50	2.04	2.03	-	-	-				
		I.D	55.00	54.20	55.80	55.03	55.05	-	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-05	Product Name	COMPRESSIBLE OUTER SEAL			Size		M63		Drawing No.		GE-06s	Date:	25-08-2026
Wo No.	26100084	Total Quantity	2			Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260815-04			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		T.L	15.50	15.00	16.00	15.45	15.43	-	-	-				
		O.D	72.20	72.00	72.20	72.14	72.18	-	-	-				
		GR.LENGTH	5.50	5.20	5.80	5.54	5.56	-	-	-				
		I.D	59.20	59.10	59.30	59.23	59.25	-	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	INNER SKID WASHER			Size	M63			Drawing No.	IW-06s	Date:	25-08-2026
Wo No.	26100084	Total Quantity	2			Lot Quantity	2			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260815-04		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.50	5.20	5.80	5.53	5.55	-	-	-			
		O.D	60.00	59.80	60.00	59.91	59.93	-	-	-			
		O.D	55.00	54.80	55.00	54.89	54.91	-	-	-			
		O.D.L	4.00	4.00	4.20	4.01	4.03	-	-	-			
		I.D	49.70	49.70	49.90	49.75	49.77	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	OUTER SKID WASHER			Size	M63			Drawing No.	IW-06s	Date:	25-08-2026
Wo No.	26100084	Total Quantity	2			Lot Quantity	2			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260815-04		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.50	6.20	6.80	6.54	6.56	-	-	-			
		O.D	69.50	69.50	69.60	69.53	69.55	-	-	-			
		O.D	65.50	65.30	65.50	65.41	65.43	-	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.04	-	-	-			
		I.D	59.20	59.20	59.40	59.23	59.25	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	SHROUD			Size	M63			Drawing No.		Date:	25-08-2026
Wo No.	26100084	Total Quantity	2			Lot Quantity	2			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260815-04		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	190.00	189.50	190.50	189.54	189.56	-	-	-			
		I.D	82.00	81.50	82.50	82.15	82.11	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-05	Product Name	EARTH TAG			Size		M63		Drawing No.			Date:	25-08-2026
Wo No.	26100084	Total Quantity	2			Lot Quantity		2		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260815-04			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		THICKNESS	1.00	0.80	1.20	1.02	1.00	-	-	-				
		O.D	79.50	79.30	79.70	79.45	79.44	-	-	-				
		O.D	23.20	23.00	23.40	23.15	23.18	-	-	-				
		I.D	63.00	62.80	63.20	63.20	63.19	-	-	-				
		I.D	7.00	6.80	7.20	7.04	7.06	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	THREAD SEAL			Size	M63			Drawing No.		Date:	25-08-2026
Wo No.	26100084	Total Quantity	2			Lot Quantity	2			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260815-04		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	1.50	1.30	1.70	1.45	1.44	-	-	-			
		I.D	65.00	64.80	65.20	65.05	65.08	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-05	Product Name	STAR WASHER		Size	M63		Drawing No.	-		Date:	25-08-2026	
Wo No.	26100084	Total Quantity	2		Lot Quantity	2		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260815-04		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.00	4.80	5.20	5.05	5.04	-	-	-			
		O.D	80.00	79.80	80.20	80.03	80.06	-	-	-			
		I.D	63.00	62.20	63.80	63.59	63.60	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

