

## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                      |                           |                                         |                               |        |                     |                         |          |                     |      |                    |                                        |                               |                   |
|----------------------|---------------------------|-----------------------------------------|-------------------------------|--------|---------------------|-------------------------|----------|---------------------|------|--------------------|----------------------------------------|-------------------------------|-------------------|
| <b>INSP. No.</b>     | FIR-01                    | <b>Product Name</b>                     | LOCK NUT                      |        | <b>Size</b>         | 1/2" NPT                |          | <b>Drawing No.</b>  | DLIN | <b>Date:</b>       | 23-09-2026                             |                               |                   |
| <b>Wo No.</b>        | 26000227                  | <b>Total Quantity</b>                   | 40                            |        | <b>Lot Quantity</b> | 40                      |          | <b>Sample Size-</b> | 2    | Variable & Gauging | 2PCS                                   |                               |                   |
| <b>Sr. No.</b>       | <b>Checking Parameter</b> | <b>REQUIRED PARAMETER</b>               |                               |        |                     | <b>OBSERVED RESULTS</b> |          |                     |      |                    | <b>REJECTION<br/>REWORK<br/>DETAIL</b> | <b>REMARK</b>                 | <b>CHECKED BY</b> |
|                      |                           | <b>PARAMETER</b>                        | <b>CRITERIA</b>               |        |                     | <b>1</b>                | <b>2</b> | -                   | -    | -                  |                                        |                               |                   |
| 1                    | Visual                    | Surface                                 | Fine, Clean                   |        |                     | FINE                    | FINE     | -                   | -    | -                  |                                        | Measuring Instruments I.D No- |                   |
|                      |                           | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts      | 15     | 15                  | 15                      | -        | -                   | -    |                    | (1) DV-55                              |                               |                   |
|                      |                           | Washing & Plating                       | Surface Finishing             | NICKEL | OK                  | OK                      | -        | -                   | -    |                    | (2) PP-01                              |                               |                   |
|                      |                           | RUBBER MARKING                          | AS PER DRG.                   | NA     | NA                  | NA                      | -        | -                   | -    |                    |                                        |                               |                   |
|                      |                           | Marking                                 | WO Ref. No.                   | NA     | NA                  | NA                      | -        | -                   | -    |                    | ASM No :- AEX260921-01                 |                               |                   |
|                      |                           | Assembly Perfection                     | As per Drg.                   |        |                     | OK                      | OK       | -                   | -    | -                  |                                        |                               |                   |
|                      |                           | Inner Packing                           | Labeling & Printing           |        | OK                  | OK                      | -        | -                   | -    |                    |                                        |                               |                   |
|                      |                           | Outer Packing                           | Printing & Stamping           |        |                     | OK                      | OK       | -                   | -    | -                  |                                        |                               |                   |
|                      |                           | All Dimensions Are In MM                |                               |        |                     |                         |          |                     |      |                    |                                        |                               |                   |
| 2                    | DIMENSION                 |                                         | VALUE                         | -      | +                   | 1                       | 2        | -                   | -    | -                  |                                        |                               |                   |
|                      |                           | A/F                                     | 25.00                         | 24.87  | 25.00               | 24.96                   | 24.95    | -                   | -    | -                  |                                        |                               |                   |
|                      |                           | A/C                                     | 28.00                         | 27.50  | 28.50               | 28.04                   | 28.03    | -                   | -    | -                  |                                        |                               |                   |
|                      |                           | T.L                                     | 4.00                          | 3.70   | 4.30                | 4.05                    | 4.04     | -                   | -    | -                  |                                        |                               |                   |
|                      |                           | THREAD                                  | 1/2" NPT AS PER P.G GO NOT GO |        |                     | OK                      | OK       | -                   | -    | -                  |                                        |                               |                   |
|                      |                           | CH.ANGLE                                | 30° AS PER PP FOUND           |        |                     | OK                      | OK       | -                   | -    | -                  |                                        |                               |                   |
|                      |                           |                                         |                               |        |                     |                         |          |                     |      |                    |                                        |                               |                   |
| <b>INSPECTED BY:</b> |                           | <i>Jay Hadiyal</i>                      |                               |        | <b>APPROVED BY:</b> |                         |          | <i>Shreekant</i>    |      |                    |                                        |                               |                   |

Conclusion :



Accept



Reject



Hold



|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                                 |                                                                                                 |                  |       |          |   |              |                               |                                   |                    |            |
|----------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|---------------------------------|-------------------------------------------------------------------------------------------------|------------------|-------|----------|---|--------------|-------------------------------|-----------------------------------|--------------------|------------|
| INSP. No.                                                                        | FIR-01             | Product Name                                        | ENTRY COMPONENT                 |                                                                                                 | Size             |       | 1/2" NPT |   | Drawing No.  |                               | 313001M-01s                       | Date:              | 23-09-2026 |
| Wo No.                                                                           | 26000227           | Total Quantity                                      | 40                              |                                                                                                 | Lot Quantity     |       | 40       |   | Sample Size- |                               | 2                                 | Variable & Gauging | 2PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                  |                                 |                                                                                                 | OBSERVED RESULTS |       |          |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                            | CHECKED BY         |            |
|                                                                                  |                    | PARAMETER                                           | CRITERIA                        |                                                                                                 | 1                | 2     | -        | - | -            |                               |                                   |                    |            |
| 1                                                                                | Visual             | Surface                                             | Fine, Clean                     |                                                                                                 | FINE             | FINE  | -        | - | -            |                               | Measuring<br>Instrument's I.D No. |                    |            |
|                                                                                  |                    | Size wise No of Pcs.<br>With Internal Parts         | As per Drg. No.<br>of Parts     | 15                                                                                              | 15               | 15    | -        | - | -            |                               | (1) DV-55                         |                    |            |
|                                                                                  |                    | Washing & Plating                                   | Surface<br>Finishing            | NICKEL                                                                                          | OK               | OK    | -        | - | -            |                               | (2) PP-01                         |                    |            |
|                                                                                  |                    | RUBBER MARKING                                      | AS PER DRG.                     | NA                                                                                              | NA               | NA    | -        | - | -            |                               |                                   |                    |            |
|                                                                                  |                    | Marking                                             | WO Ref. No.                     | Metalmech Logo MM-EX-<br>EHUNV20SINB2 2026 CE Logo 2460<br>Ex Logo II 2 GD Ex dib IIC Gb, Ex eh | OK               | OK    | -        | - | -            |                               | ASM No :-<br>AEX260921-01         |                    |            |
|                                                                                  |                    | Assembly Perfection                                 | As per Drg.                     |                                                                                                 | OK               | OK    | -        | - | -            |                               |                                   |                    |            |
|                                                                                  |                    | Inner Packing                                       | Labeling &<br>Printing          |                                                                                                 | OK               | OK    | -        | - | -            |                               |                                   |                    |            |
|                                                                                  |                    | Outer Packing                                       | Printing & Stamping             |                                                                                                 | OK               | OK    | -        | - | -            |                               |                                   |                    |            |
| All Dimensions Are In MM                                                         |                    |                                                     |                                 |                                                                                                 |                  |       |          |   |              |                               |                                   |                    |            |
| 2                                                                                | DIMENSION          |                                                     | VALUE                           | -                                                                                               | +                | 1     | 2        | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | A/F                                                 | 25.00                           | 24.87                                                                                           | 25.00            | 24.95 | 24.96    | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | A/C                                                 | 27.50                           | 27.00                                                                                           | 28.00            | 27.54 | 27.53    | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | T.L                                                 | 35.00                           | 35.00                                                                                           | 35.50            | 35.15 | 35.13    | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | LENGTH                                              | 20.00                           | 20.00                                                                                           | 20.50            | 20.11 | 20.12    | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | O.D                                                 | 24.50                           | 24.00                                                                                           | 25.00            | 24.50 | 24.49    | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | O.D.L                                               | 9.00                            | 8.50                                                                                            | 9.50             | 9.04  | 9.06     | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | H.L                                                 | 6.00                            | 5.70                                                                                            | 6.30             | 6.06  | 6.05     | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | I.D                                                 | 12.00                           | 11.50                                                                                           | 12.50            | 12.07 | 12.06    | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | DEPTH                                               | 11.50                           | 11.00                                                                                           | 12.00            | 11.54 | 11.56    | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | THREAD                                              | 1/2" NPT AS PER T.R.G GO NOT GO |                                                                                                 |                  | OK    | OK       | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | INT.THREAD                                          | M20x1.5 AS PER P.G GO NOT GO    |                                                                                                 |                  | OK    | OK       | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | CH.ANGLE                                            | 0.5x45° AS PER PP FOUND         |                                                                                                 |                  | OK    | OK       | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | CH.ANGLE                                            | 1.6x45° AS PER PP FOUND         |                                                                                                 |                  | OK    | OK       | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | CH.ANGLE                                            | 1.5x45° AS PER PP FOUND         |                                                                                                 |                  | OK    | OK       | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | CH.ANGLE                                            | 20° AS PER PP FOUND             |                                                                                                 |                  | OK    | OK       | - | -            | -                             |                                   |                    |            |
|                                                                                  |                    | ANGLE                                               | 90° AS PER PP FOUND             |                                                                                                 |                  | OK    | OK       | - | -            | -                             |                                   |                    |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                         |                                 |                                                                                                 | APPROVED BY:     |       |          |   | Shreekant    |                               |                                   |                    |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                     |                                          |                                |       |              |                  |       |          |           |                               |             |                    |            |  |
|---------------|---------------------|------------------------------------------|--------------------------------|-------|--------------|------------------|-------|----------|-----------|-------------------------------|-------------|--------------------|------------|--|
| INSP. No.     | FIR-01              | Product Name                             | INTERMEDIATE BODY              |       |              | Size             |       | 1/2" NPT |           | Drawing No.                   | 313002U-01s | Date:              | 23-09-2026 |  |
| Wo No.        | 26000227            | Total Quantity                           | 40                             |       |              | Lot Quantity     |       | 40       |           | Sample Size-                  | 2           | Variable & Gauging | 2PCS       |  |
| Sr. No.       | Checking Parameter  | REQUIRED PARAMETER                       |                                |       |              | OBSERVED RESULTS |       |          |           | REJECTION<br>REWORK<br>DETAIL | REMARK      | CHECKED BY         |            |  |
|               |                     | PARAMETER                                | CRITERIA                       |       | 1            | 2                | -     | -        | -         |                               |             |                    |            |  |
| 1             | Visual              | Surface                                  | Fine, Clean                    |       | FINE         | FINE             | -     | -        | -         |                               |             |                    |            |  |
|               |                     | Size/wise No of Pcs. With Internal Parts | As per Drg. No. of Parts       |       | 15           | 15               | -     | -        | -         |                               |             |                    |            |  |
|               |                     | Washing & Plating                        | NICKEL                         |       | OK           | OK               | -     | -        | -         |                               |             |                    |            |  |
|               |                     | RUBBER MARKING                           | AS PER DRG.                    |       | NA           | NA               | -     | -        | -         |                               |             |                    |            |  |
|               |                     | Marking                                  | WO Ref. No.                    |       | NA           | NA               | -     | -        | -         |                               |             |                    |            |  |
|               |                     | Assembly Perfection                      | As per Drg.                    |       | OK           | OK               | -     | -        | -         |                               |             |                    |            |  |
|               |                     | Inner Packing                            | Labeling & Printing            |       |              | OK               | OK    | -        | -         | -                             |             |                    |            |  |
|               |                     | Outer Packing                            | Printing & Stamping            |       | OK           | OK               | -     | -        | -         |                               |             |                    |            |  |
|               |                     | All Dimensions Are In MM                 |                                |       |              |                  |       |          |           |                               |             |                    |            |  |
| 2             | DIMENSION           |                                          | VALUE                          | -     | +            | 1                | 2     | -        | -         | -                             |             |                    |            |  |
|               |                     | A/F                                      | 25.00                          | 24.87 | 25.00        | 24.93            | 24.95 | -        | -         | -                             |             |                    |            |  |
|               |                     | A/C                                      | 27.50                          | 27.00 | 28.00        | 27.48            | 27.49 | -        | -         | -                             |             |                    |            |  |
|               |                     | T.L                                      | 22.00                          | 21.50 | 22.50        | 22.07            | 22.06 | -        | -         | -                             |             |                    |            |  |
|               |                     | TH.L                                     | 10.00                          | 9.50  | 10.50        | 10.05            | 10.04 | -        | -         | -                             |             |                    |            |  |
|               |                     | GR.OD                                    | 18.00                          | 17.50 | 18.50        | 18.04            | 18.03 | -        | -         | -                             |             |                    |            |  |
|               |                     | GR.LE                                    | 1.00                           | 0.80  | 1.20         | 1.02             | 1.01  | -        | -         | -                             |             |                    |            |  |
|               |                     | H.L                                      | 4.00                           | 3.70  | 4.30         | 4.05             | 4.04  | -        | -         | -                             |             |                    |            |  |
|               |                     | TH.L                                     | 8.00                           | 7.70  | 8.30         | 8.04             | 8.06  | -        | -         | -                             |             |                    |            |  |
|               |                     | GR.OD                                    | 20.00                          | 19.50 | 20.50        | 20.04            | 20.05 | -        | -         | -                             |             |                    |            |  |
|               |                     | GR.LE                                    | 1.00                           | 0.80  | 1.20         | 1.02             | 1.01  | -        | -         | -                             |             |                    |            |  |
|               |                     | I.D                                      | 16.00                          | 15.50 | 16.50        | 16.03            | 16.02 | -        | -         | -                             |             |                    |            |  |
|               |                     | I.D                                      | 18.00                          | 17.50 | 18.50        | 18.06            | 18.05 | -        | -         | -                             |             |                    |            |  |
|               |                     | DEPTH                                    | 7.00                           | 6.70  | 7.30         | 7.04             | 7.06  | -        | -         | -                             |             |                    |            |  |
|               |                     | I.D                                      | 17.00                          | 16.50 | 17.50        | 16.96            | 16.95 | -        | -         | -                             |             |                    |            |  |
|               |                     | I.D.LE                                   | 4.50                           | 4.20  | 4.80         | 4.56             | 4.55  | -        | -         | -                             |             |                    |            |  |
|               |                     | DEPTH                                    | 11.50                          | 11.00 | 12.00        | 11.56            | 11.55 | -        | -         | -                             |             |                    |            |  |
|               |                     | THREAD                                   | M20x1.5 AS PER T.R.G GO NOT GO |       |              |                  | OK    | OK       | -         | -                             | -           |                    |            |  |
|               |                     | THREAD                                   | M22x1.5 AS PER P.G GO NOT GO   |       |              |                  | OK    | OK       | -         | -                             | -           |                    |            |  |
|               |                     | CH.ANGLE                                 | 1.5x45° AS PER PP FOUND        |       |              |                  | OK    | OK       | -         | -                             | -           |                    |            |  |
|               |                     | CH.ANGLE                                 | 0.5x45° AS PER PP FOUND        |       |              |                  | OK    | OK       | -         | -                             | -           |                    |            |  |
| CH.ANGLE      | 20° AS PER PP FOUND |                                          |                                |       | OK           | OK               | -     | -        | -         |                               |             |                    |            |  |
| INSPECTED BY: |                     | Jay Hadiyal                              |                                |       | APPROVED BY: |                  |       |          | Shreekant |                               |             |                    |            |  |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                             |                              |        |              |                  |          |    |              |           |                               |                                  |            |  |
|---------------|--------------------|---------------------------------------------|------------------------------|--------|--------------|------------------|----------|----|--------------|-----------|-------------------------------|----------------------------------|------------|--|
| INSP. No.     | FIR-01             | Product Name                                | MIDDLE BODY                  |        | Size         |                  | 1/2" NPT |    | Drawing No.  |           | 313002-018                    | Date:                            | 23-09-2026 |  |
| Wo No.        | 26000227           | Total Quantity                              | 40                           |        | Lot Quantity |                  | 40       |    | Sample Size- |           | 2                             | Variable & Gauging               | 2PCS       |  |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                          |                              |        |              | OBSERVED RESULTS |          |    |              |           | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |  |
|               |                    | PARAMETER                                   | CRITERIA                     |        |              | 1                | 2        | -  | -            | -         |                               |                                  |            |  |
| 1             | Visual             | Surface                                     | Fine, Clean                  |        |              | FINE             | FINE     | -  | -            | -         |                               | Measuring<br>Instrument I.D. No. |            |  |
|               |                    | Size wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts  | 15     | 15           | 15               | -        | -  | -            |           | (1) DV-55                     |                                  |            |  |
|               |                    | Washing & Plating                           | Surface<br>Finishing         | NICKEL | OK           | OK               | -        | -  | -            |           | (2) PP-01                     |                                  |            |  |
|               |                    | RUBBER MARKING                              | AS PER DRG.                  | NA     | NA           | NA               | -        | -  | -            |           |                               |                                  |            |  |
|               |                    | Marking                                     | WO Ref. No.                  | NA     | NA           | NA               | -        | -  | -            |           | ASM No :-<br>AEX260921-01     |                                  |            |  |
|               |                    | Assembly Perfection                         | As per Drg.                  |        |              | OK               | OK       | -  | -            | -         |                               |                                  |            |  |
|               |                    | Inner Packing                               | Labeling &<br>Printing       |        |              |                  | OK       | OK | -            | -         | -                             |                                  |            |  |
|               |                    | Outer Packing                               | Printing & Stamping          |        |              | OK               | OK       | -  | -            | -         |                               |                                  |            |  |
|               |                    | All Dimensions Are In MM                    |                              |        |              |                  |          |    |              |           |                               |                                  |            |  |
|               |                    |                                             |                              |        |              |                  |          |    |              |           |                               |                                  |            |  |
| 2             | DIMENSION          |                                             | VALUE                        | -      | +            | 1                | 2        | -  | -            | -         |                               |                                  |            |  |
|               |                    | A/F                                         | 25.00                        | 24.87  | 25.00        | 24.93            | 24.95    | -  | -            | -         |                               |                                  |            |  |
|               |                    | A/C                                         | 27.50                        | 27.00  | 28.00        | 27.50            | 27.49    | -  | -            | -         |                               |                                  |            |  |
|               |                    | T.L                                         | 28.00                        | 27.50  | 28.50        | 28.08            | 28.07    | -  | -            | -         |                               |                                  |            |  |
|               |                    | TH.L                                        | 12.00                        | 11.50  | 12.50        | 12.06            | 12.05    | -  | -            | -         |                               |                                  |            |  |
|               |                    | GR.OD                                       | 20.50                        | 20.00  | 21.00        | 20.45            | 20.44    | -  | -            | -         |                               |                                  |            |  |
|               |                    | GR.LE                                       | 1.00                         | 0.80   | 1.20         | 1.02             | 1.01     | -  | -            | -         |                               |                                  |            |  |
|               |                    | O.D                                         | 24.50                        | 24.00  | 25.00        | 24.45            | 24.44    | -  | -            | -         |                               |                                  |            |  |
|               |                    | O.D.L                                       | 8.00                         | 7.70   | 8.30         | 8.04             | 8.06     | -  | -            | -         |                               |                                  |            |  |
|               |                    | H.L                                         | 8.00                         | 7.70   | 8.30         | 8.03             | 8.05     | -  | -            | -         |                               |                                  |            |  |
|               |                    | I.D                                         | 16.00                        | 15.50  | 16.50        | 16.04            | 16.03    | -  | -            | -         |                               |                                  |            |  |
|               |                    | I.D                                         | 17.00                        | 16.50  | 17.50        | 17.07            | 17.05    | -  | -            | -         |                               |                                  |            |  |
|               |                    | I.D.LE                                      | 4.00                         | 3.70   | 4.30         | 4.04             | 4.06     | -  | -            | -         |                               |                                  |            |  |
|               |                    | INT.TH.L                                    | 9.50                         | 9.00   | 10.00        | 9.54             | 9.58     | -  | -            | -         |                               |                                  |            |  |
|               |                    | I.D                                         | 20.00                        | 19.50  | 20.50        | 20.03            | 20.05    | -  | -            | -         |                               |                                  |            |  |
|               |                    | DEPTH                                       | 14.00                        | 13.50  | 14.50        | 14.08            | 14.06    | -  | -            | -         |                               |                                  |            |  |
|               |                    | THREAD                                      | M22x1 AS PER T.R.G GO NOT GO |        |              |                  | OK       | OK | -            | -         | -                             |                                  |            |  |
|               |                    | INT.THREAD                                  | M22x1.5 AS PER P.G GO NOT GO |        |              |                  | OK       | OK | -            | -         | -                             |                                  |            |  |
|               |                    | CH.ANGLE                                    | 0.5x45° AS PER PP FOUND      |        |              |                  | OK       | OK | -            | -         | -                             |                                  |            |  |
|               |                    | CH.ANGLE                                    | 1x45° AS PER PP FOUND        |        |              |                  | OK       | OK | -            | -         | -                             |                                  |            |  |
|               |                    | CH.ANGLE                                    | 1.5x45° AS PER PP FOUND      |        |              |                  | OK       | OK | -            | -         | -                             |                                  |            |  |
|               |                    | CH.ANGLE                                    | 30° AS PER PP FOUND          |        |              |                  | OK       | OK | -            | -         | -                             |                                  |            |  |
|               |                    |                                             |                              |        |              |                  |          |    |              |           |                               |                                  |            |  |
| INSPECTED BY: |                    | Jay Hadiyal                                 |                              |        |              | APPROVED BY:     |          |    |              | Shreekant |                               |                                  |            |  |

Conclusion :



Accept



Reject



Hold



|  |                            | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                          |             |       |                  |          |              |   |                         |            |                    |            |  |  |
|----------------------------------------------------------------------------------|----------------------------|-----------------------------------------------------|--------------------------|-------------|-------|------------------|----------|--------------|---|-------------------------|------------|--------------------|------------|--|--|
| INSP. No.                                                                        | FIR-01                     | Product Name                                        | BACK NUT                 |             |       | Size             | 1/2" NPT |              |   | Drawing No.             | 313003-018 | Date:              | 23-09-2026 |  |  |
| Wo No.                                                                           | 26000227                   | Total Quantity                                      | 40                       |             |       | Lot Quantity     | 40       |              |   | Sample Size-            | 2          | Variable & Gauging | 2PCS       |  |  |
| Sr. No.                                                                          | Checking Parameter         | REQUIRED PARAMETER                                  |                          |             |       | OBSERVED RESULTS |          |              |   | REJECTION REWORK DETAIL | REMARK     | CHECKED BY         |            |  |  |
|                                                                                  |                            | PARAMETER                                           | CRITERIA                 |             |       | 1                | 2        | -            | - |                         |            |                    | -          |  |  |
| 1                                                                                | Visual                     | Surface                                             | Fine, Clean              |             |       | FINE             | FINE     | -            | - | -                       |            |                    |            |  |  |
|                                                                                  |                            | Size/wise No of Pcs. With Internal Parts            | As per Drg. No. of Parts | 15          | 15    | 15               | -        | -            | - |                         |            |                    |            |  |  |
|                                                                                  |                            | Washing & Plating                                   | Surface Finishing        | NICKEL      | OK    | OK               | -        | -            | - |                         |            |                    |            |  |  |
|                                                                                  |                            | RUBBER MARKING                                      | AS PER DRG.              | NA          | NA    | NA               | -        | -            | - |                         |            |                    |            |  |  |
|                                                                                  |                            | Marking                                             | WO Ref. No.              | NA          | NA    | NA               | -        | -            | - |                         |            |                    |            |  |  |
|                                                                                  |                            | Assembly Perfection                                 | As per Drg.              |             |       | OK               | OK       | -            | - | -                       |            |                    |            |  |  |
|                                                                                  |                            | Inner Packing                                       | Labeling & Printing      |             | OK    | OK               | -        | -            | - |                         |            |                    |            |  |  |
|                                                                                  |                            | Outer Packing                                       | Printing & Stamping      |             |       | OK               | OK       | -            | - | -                       |            |                    |            |  |  |
|                                                                                  |                            | All Dimensions Are In MM                            |                          |             |       |                  |          |              |   |                         |            |                    |            |  |  |
|                                                                                  |                            | 2                                                   | DIMENSION                |             | VALUE | -                | +        | 1            | 2 | -                       | -          | -                  |            |  |  |
| A/F                                                                              | 25.00                      |                                                     |                          | 24.87       | 25.00 | 24.95            | 24.94    | -            | - | -                       |            |                    |            |  |  |
| A/C                                                                              | 27.50                      |                                                     |                          | 27.00       | 28.00 | 27.46            | 27.45    | -            | - | -                       |            |                    |            |  |  |
| T.L                                                                              | 17.00                      |                                                     |                          | 16.50       | 17.50 | 17.07            | 17.09    | -            | - | -                       |            |                    |            |  |  |
| O.D                                                                              | 24.00                      |                                                     |                          | 23.50       | 24.50 | 24.07            | 24.09    | -            | - | -                       |            |                    |            |  |  |
| O.D.L                                                                            | 8.00                       |                                                     |                          | 7.70        | 8.30  | 8.04             | 8.06     | -            | - | -                       |            |                    |            |  |  |
| H.L                                                                              | 9.00                       |                                                     |                          | 8.50        | 9.50  | 9.06             | 9.05     | -            | - | -                       |            |                    |            |  |  |
| LD                                                                               | 19.00                      |                                                     |                          | 18.50       | 19.50 | 19.03            | 19.04    | -            | - | -                       |            |                    |            |  |  |
| INT.THLL                                                                         | 3.00                       |                                                     |                          | 2.80        | 3.20  | 3.03             | 3.05     | -            | - | -                       |            |                    |            |  |  |
| GR.ID                                                                            | 22.20                      |                                                     |                          | 21.70       | 22.70 | 22.25            | 22.23    | -            | - | -                       |            |                    |            |  |  |
| GR.LE                                                                            | 10.50                      |                                                     |                          | 10.00       | 11.00 | 10.54            | 10.58    | -            | - | -                       |            |                    |            |  |  |
| DEPTH                                                                            | 13.50                      |                                                     |                          | 13.00       | 14.00 | 13.56            | 13.55    | -            | - | -                       |            |                    |            |  |  |
| GR.ID                                                                            | 21.00                      |                                                     |                          | 20.50       | 21.50 | 21.05            | 21.04    | -            | - | -                       |            |                    |            |  |  |
| GR.LE                                                                            | 2.50                       |                                                     |                          | 2.30        | 2.70  | 2.56             | 2.55     | -            | - | -                       |            |                    |            |  |  |
| DEPTH                                                                            | 16.00                      |                                                     |                          | 15.50       | 16.50 | 16.04            | 16.06    | -            | - | -                       |            |                    |            |  |  |
| INT.THREAD                                                                       | M22x1 AS PER P.G GO NOT GO |                                                     |                          | OK          | OK    | -                | -        | -            |   |                         |            |                    |            |  |  |
| CH.ANGLE                                                                         | 1x45° AS PER PP FOUND      |                                                     |                          | OK          | OK    | -                | -        | -            |   |                         |            |                    |            |  |  |
| CH.ANGLE                                                                         | 0.5x45° AS PER PP FOUND    |                                                     |                          | OK          | OK    | -                | -        | -            |   |                         |            |                    |            |  |  |
| CH.ANGLE                                                                         | 45° AS PER PP FOUND        |                                                     |                          | OK          | OK    | -                | -        | -            |   |                         |            |                    |            |  |  |
| INSPECTED BY:                                                                    |                            |                                                     |                          | Jay Hadiyal |       |                  |          | APPROVED BY: |   |                         |            | Shreekant          |            |  |  |

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-01             | Product Name                               | UNIVERSAL CLAMPING CONE     |        | Size         |                  | 1/2" NPT |   | Drawing No.  |                               | 313005-018                      | Date:              | 23-09-2026 |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------|--------------|------------------|----------|---|--------------|-------------------------------|---------------------------------|--------------------|------------|
| Wo No.        | 26000227           | Total Quantity                             | 40                          |        | Lot Quantity |                  | 40       |   | Sample Size- |                               | 2                               | Variable & Gauging | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |        |              | OBSERVED RESULTS |          |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                          | CHECKED BY         |            |
|               |                    | PARAMETER                                  | CRITERIA                    |        | 1            | 2                | -        | - | -            |                               |                                 |                    |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |        | FINE         | FINE             | -        | - | -            |                               | Measuring Instruments<br>ID No. |                    |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 15     | 15           | 15               | -        | - | -            |                               | (1) DV-55                       |                    |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NICKEL | OK           | OK               | -        | - | -            |                               | (2) PP-01                       |                    |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA     | NA           | NA               | -        | - | -            |                               |                                 |                    |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA     | NA           | NA               | -        | - | -            |                               | ASM No :-<br>AEX260921-01       |                    |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |        | OK           | OK               | -        | - | -            |                               |                                 |                    |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |        | OK           | OK               | -        | - | -            |                               |                                 |                    |            |
|               |                    | Outer Packing                              | Printing & Stamping         |        | OK           | OK               | -        | - | -            |                               |                                 |                    |            |
|               |                    | All Dimensions Are in MM                   |                             |        |              |                  |          |   |              |                               |                                 |                    |            |
| 2             | DIMENSION          |                                            | VALUE                       | -      | +            | 1                | 2        | - | -            | -                             |                                 |                    |            |
|               |                    | T.L                                        | 22.00                       | 21.50  | 22.50        | 22.13            | 22.15    | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 14.00                       | 13.50  | 14.50        | 13.96            | 13.98    | - | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                      | 3.50                        | 3.20   | 3.80         | 3.54             | 3.56     | - | -            | -                             |                                 |                    |            |
|               |                    | GR.OD                                      | 15.50                       | 15.00  | 16.00        | 15.55            | 15.54    | - | -            | -                             |                                 |                    |            |
|               |                    | GR.LE                                      | 2.50                        | 2.30   | 2.70         | 2.56             | 2.55     | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 16.20                       | 15.70  | 16.70        | 16.25            | 16.24    | - | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                      | 7.50                        | 7.20   | 7.80         | 7.56             | 7.55     | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 17.50                       | 17.00  | 18.00        | 17.55            | 17.54    | - | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                      | 7.00                        | 6.70   | 7.30         | 7.05             | 7.07     | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 14.00                       | 13.50  | 14.50        | 13.97            | 13.96    | - | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                      | 4.50                        | 4.20   | 4.80         | 4.55             | 4.54     | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 14.50                       | 14.00  | 15.00        | 14.54            | 14.56    | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 15.00                       | 14.50  | 15.50        | 14.97            | 14.98    | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 15.50                       | 15.00  | 16.00        | 15.55            | 15.54    | - | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                      | 7.50                        | 7.20   | 7.80         | 7.54             | 7.58     | - | -            | -                             |                                 |                    |            |
|               |                    | I.D                                        | 12.00                       | 11.50  | 12.50        | 12.05            | 12.04    | - | -            | -                             |                                 |                    |            |
|               |                    | GROOVE,STEP,LE                             | 0.50                        | 0.30   | 0.70         | 0.48             | 0.50     | - | -            | -                             |                                 |                    |            |
|               |                    | RADIUS                                     | 0.5 MM AS PER PP FOUND      |        |              | OK               | OK       | - | -            | -                             |                                 |                    |            |
|               |                    | RADIUS                                     | 0.3 AS PER PP FOUND         |        |              | OK               | OK       | - | -            | -                             |                                 |                    |            |
|               |                    |                                            |                             |        |              |                  |          |   |              |                               |                                 |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |        | APPROVED BY: |                  |          |   | Shreekant    |                               |                                 |                    |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                          |        |              |                  |       |              |            |                    |                               |        |            |
|---------------|--------------------|-----------------------------------------|--------------------------|--------|--------------|------------------|-------|--------------|------------|--------------------|-------------------------------|--------|------------|
| INSP. No.     | FIR-01             | Product Name                            | REVERSIBLE ARMOUR RING   |        | Size         | 1/2" NPT         |       | Drawing No.  | 313004-01S | Date:              | 23-09-2026                    |        |            |
| Wo No.        | 26000227           | Total Quantity                          | 40                       |        | Lot Quantity | 40               |       | Sample Size- | 2          | Variable & Gauging | 2PCS                          |        |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                          |        |              | OBSERVED RESULTS |       |              |            |                    | REJECTION<br>REWORK<br>DETAIL | REMARK | CHECKED BY |
|               |                    | PARAMETER                               | CRITERIA                 |        | 1            | 2                | -     | -            | -          |                    |                               |        |            |
| 1             | Visual             | Surface                                 | Fine, Clean              |        | FINE         | FINE             | -     | -            | -          |                    |                               |        |            |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15     | 15           | 15               | -     | -            | -          |                    | Measuring Instruments I.D No- |        |            |
|               |                    | Washing & Plating                       | Surface Finishing        | NICKEL | OK           | OK               | -     | -            | -          |                    | (1) DV-55                     |        |            |
|               |                    | RUBBER MARKING                          | AS PER DRG.              | NA     | NA           | NA               | -     | -            | -          |                    | (2) PP-01                     |        |            |
|               |                    | Marking                                 | WO Ref. No.              | NA     | NA           | NA               | -     | -            | -          |                    | ASM No :- AEX260921-01        |        |            |
|               |                    | Assembly Perfection                     | As per Drg.              |        | OK           | OK               | -     | -            | -          |                    |                               |        |            |
|               |                    | Inner Packing                           | Labeling & Printing      |        | OK           | OK               | -     | -            | -          |                    |                               |        |            |
|               |                    | Outer Packing                           | Printing & Stamping      |        | OK           | OK               | -     | -            | -          |                    |                               |        |            |
|               |                    | All Dimensions Are In MM                |                          |        |              |                  |       |              |            |                    |                               |        |            |
| 2             | DIMENSION          |                                         | VALUE                    | -      | +            | 1                | 2     | -            | -          | -                  |                               |        |            |
|               |                    | T.L                                     | 6.00                     | 5.70   | 6.30         | 6.11             | 6.13  | -            | -          | -                  |                               |        |            |
|               |                    | O.D                                     | 19.00                    | 18.50  | 19.50        | 18.77            | 18.76 | -            | -          | -                  |                               |        |            |
|               |                    | I.D                                     | 16.00                    | 15.50  | 16.50        | 16.11            | 16.13 | -            | -          | -                  |                               |        |            |
|               |                    | I.D                                     | 16.50                    | 16.00  | 17.00        | 16.63            | 16.62 | -            | -          | -                  |                               |        |            |
|               |                    |                                         |                          |        |              |                  |       |              |            |                    |                               |        |            |
| INSPECTED BY: |                    | Jay Hadiyal                             |                          |        | APPROVED BY: |                  |       | Shreekant    |            |                    |                               |        |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                         |                          |       |              |                  |          |   |              |                               |                               |            |
|---------------|--------------------|-----------------------------------------|--------------------------|-------|--------------|------------------|----------|---|--------------|-------------------------------|-------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                            | COMPRESSIBLE INNER SEAL  |       | Size         |                  | 1/2" NPT |   | Drawing No.  | GI-01S                        | Date:                         | 23-09-2026 |
| Wo No.        | 26000227           | Total Quantity                          | 40                       |       | Lot Quantity |                  | 40       |   | Sample Size- | 2                             | Variable & Gauging            | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                      |                          |       |              | OBSERVED RESULTS |          |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY |
|               |                    | PARAMETER                               | CRITERIA                 |       | 1            | 2                | -        | - | -            |                               |                               |            |
| 1             | Visual             | Surface                                 | Fine, Clean              |       | FINE         | FINE             | -        | - | -            |                               |                               |            |
|               |                    | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15    | 15           | 15               | -        | - | -            |                               | Measuring Instruments I.D No- |            |
|               |                    | Washing & Plating                       | Surface Finishing        | NA    | NA           | NA               | -        | - | -            |                               | (1) DV-55                     |            |
|               |                    | RUBBER MARKING                          | AS PER DRG.              | OK    | OK           | OK               | -        | - | -            |                               | (2) PP-01                     |            |
|               |                    | Marking                                 | WO Ref. No.              | NA    | NA           | NA               | -        | - | -            |                               | ASM No :- AEX260921-01        |            |
|               |                    | Assembly Perfection                     | As per Drg.              |       | OK           | OK               | -        | - | -            |                               |                               |            |
|               |                    | Inner Packing                           | Labeling & Printing      |       | OK           | OK               | -        | - | -            |                               |                               |            |
|               |                    | Outer Packing                           | Printing & Stamping      |       | OK           | OK               | -        | - | -            |                               |                               |            |
|               |                    | All Dimensions Are In MM                |                          |       |              |                  |          |   |              |                               |                               |            |
| 2             | DIMENSION          |                                         | VALUE                    | -     | +            | 1                | 2        | - | -            | -                             |                               |            |
|               |                    | T.L                                     | 9.50                     | 9.00  | 10.00        | 9.55             | 9.54     | - | -            | -                             |                               |            |
|               |                    | O.D.L                                   | 3.00                     | 2.70  | 3.30         | 3.04             | 3.06     | - | -            | -                             |                               |            |
|               |                    | O.D                                     | 18.50                    | 18.30 | 18.50        | 18.45            | 18.42    | - | -            | -                             |                               |            |
|               |                    | O.D.L                                   | 6.50                     | 6.20  | 6.80         | 6.54             | 6.56     | - | -            | -                             |                               |            |
|               |                    | I.D                                     | 11.70                    | 11.70 | 11.90        | 11.74            | 11.76    | - | -            | -                             |                               |            |
|               |                    |                                         |                          |       |              |                  |          |   |              |                               |                               |            |
| INSPECTED BY: |                    | Jay Hadiyal                             |                          |       | APPROVED BY: |                  |          |   | Shreekant    |                               |                               |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |          |   |              |   |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|----------|---|--------------|---|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                               | COMPRESSIBLE OUTER SEAL     |       | Size         |                  | 1/2" NPT |   | Drawing No.  |   | GE-01S                        | Date:                            | 23-09-2026 |
| Wo No.        | 26000227           | Total Quantity                             | 40                          |       | Lot Quantity |                  | 40       |   | Sample Size- |   | 2                             | Variable & Gauging               | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |          |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2        | - | -            | - |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE     | - | -            | - |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 15    |              | 15               | 15       | - | -            | - |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    |              | NA               | NA       | - | -            | - |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK    |              | OK               | OK       | - | -            | - |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    |              | NA               | NA       | - | -            | - |                               | ASM No :-<br>AEX260921-01        |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       |              | OK               | OK       | - | -            | - |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       |              | OK               | OK       | - | -            | - |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              | OK               | OK       | - | -            | - |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |          |   |              |   |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2        | - | -            | - |                               |                                  |            |
|               |                    | T.L                                        | 10.00                       | 9.50  | 10.50        | 10.06            | 10.05    | - | -            | - |                               |                                  |            |
|               |                    | O.D                                        | 22.20                       | 22.00 | 22.20        | 22.11            | 22.13    | - | -            | - |                               |                                  |            |
|               |                    | GR.LENGTH                                  | 3.50                        | 3.20  | 3.80         | 3.54             | 3.56     | - | -            | - |                               |                                  |            |
|               |                    | I.D                                        | 15.70                       | 15.70 | 15.80        | 15.73            | 15.75    | - | -            | - |                               |                                  |            |
|               |                    |                                            |                             |       |              |                  |          |   |              |   |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |          |   | Shreekant    |   |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                      |                           |                                         |                          |       |                     |                         |          |                     |        |   |                                        |                               |                   |
|----------------------|---------------------------|-----------------------------------------|--------------------------|-------|---------------------|-------------------------|----------|---------------------|--------|---|----------------------------------------|-------------------------------|-------------------|
| <b>INSP. No.</b>     | FIR-01                    | <b>Product Name</b>                     | INNER SKID WASHER        |       | <b>Size</b>         | 1/2" NPT                |          | <b>Drawing No.</b>  | IW-01S |   | <b>Date:</b>                           | 23-09-2026                    |                   |
| <b>Wo No.</b>        | 26000227                  | <b>Total Quantity</b>                   | 40                       |       | <b>Lot Quantity</b> | 40                      |          | <b>Sample Size-</b> | 2      |   | Variable & Gauging                     | 2PCS                          |                   |
| <b>Sr. No.</b>       | <b>Checking Parameter</b> | <b>REQUIRED PARAMETER</b>               |                          |       |                     | <b>OBSERVED RESULTS</b> |          |                     |        |   | <b>REJECTION<br/>REWORK<br/>DETAIL</b> | <b>REMARK</b>                 | <b>CHECKED BY</b> |
|                      |                           | <b>PARAMETER</b>                        | <b>CRITERIA</b>          |       |                     | <b>1</b>                | <b>2</b> | -                   | -      | - |                                        |                               |                   |
| 1                    | Visual                    | Surface                                 | Fine, Clean              |       |                     | FINE                    | FINE     | -                   | -      | - |                                        | Measuring Instruments I.D No- |                   |
|                      |                           | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15    | 15                  | 15                      | -        | -                   | -      |   | (1) DV-55                              |                               |                   |
|                      |                           | Washing & Plating                       | Surface Finishing        | NA    | NA                  | NA                      | -        | -                   | -      |   | (2) PP-01                              |                               |                   |
|                      |                           | RUBBER MARKING                          | AS PER DRG.              | OK    | OK                  | OK                      | -        | -                   | -      |   |                                        |                               |                   |
|                      |                           | Marking                                 | WO Ref. No.              | NA    | NA                  | NA                      | -        | -                   | -      |   | ASM No :- AEX260921-01                 |                               |                   |
|                      |                           | Assembly Perfection                     | As per Drg.              |       |                     | OK                      | OK       | -                   | -      | - |                                        |                               |                   |
|                      |                           | Inner Packing                           | Labeling & Printing      |       | OK                  | OK                      | -        | -                   | -      |   |                                        |                               |                   |
|                      |                           | Outer Packing                           | Printing & Stamping      |       |                     | OK                      | OK       | -                   | -      | - |                                        |                               |                   |
|                      |                           | All Dimensions Are In MM                |                          |       |                     |                         |          |                     |        |   |                                        |                               |                   |
| 2                    | DIMENSION                 |                                         | VALUE                    | -     | +                   | 1                       | 2        | -                   | -      | - |                                        |                               |                   |
|                      |                           | T.L                                     | 4.50                     | 4.20  | 4.80                | 4.56                    | 4.54     | -                   | -      | - |                                        |                               |                   |
|                      |                           | O.D                                     | 18.00                    | 17.80 | 18.00               | 17.93                   | 17.95    | -                   | -      | - |                                        |                               |                   |
|                      |                           | O.D                                     | 15.50                    | 15.30 | 15.50               | 15.45                   | 15.44    | -                   | -      | - |                                        |                               |                   |
|                      |                           | O.D.L                                   | 2.50                     | 2.50  | 2.70                | 2.56                    | 2.55     | -                   | -      | - |                                        |                               |                   |
|                      |                           | I.D                                     | 12.00                    | 12.00 | 12.20               | 12.05                   | 12.04    | -                   | -      | - |                                        |                               |                   |
|                      |                           |                                         |                          |       |                     |                         |          |                     |        |   |                                        |                               |                   |
| <b>INSPECTED BY:</b> |                           | Jay Hadiyal                             |                          |       | <b>APPROVED BY:</b> |                         |          | Shreekant           |        |   |                                        |                               |                   |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                      |                           |                                         |                          |       |                     |          |                         |                     |                  |          |                               |                                        |               |                   |
|----------------------|---------------------------|-----------------------------------------|--------------------------|-------|---------------------|----------|-------------------------|---------------------|------------------|----------|-------------------------------|----------------------------------------|---------------|-------------------|
| <b>INSP. No.</b>     | FIR-01                    | <b>Product Name</b>                     | OUTER SKID WASHER        |       | <b>Size</b>         | 1/2" NPT |                         | <b>Drawing No.</b>  | OW-01S           |          | <b>Date:</b>                  | 23-09-2026                             |               |                   |
| <b>Wo No.</b>        | 26000227                  | <b>Total Quantity</b>                   | 40                       |       | <b>Lot Quantity</b> | 40       |                         | <b>Sample Size-</b> | 2                |          | <b>Variable &amp; Gauging</b> | 2PCS                                   |               |                   |
| <b>Sr. No.</b>       | <b>Checking Parameter</b> | <b>REQUIRED PARAMETER</b>               |                          |       |                     |          | <b>OBSERVED RESULTS</b> |                     |                  |          |                               | <b>REJECTION<br/>REWORK<br/>DETAIL</b> | <b>REMARK</b> | <b>CHECKED BY</b> |
|                      |                           | <b>PARAMETER</b>                        | <b>CRITERIA</b>          |       |                     | <b>1</b> | <b>2</b>                | <b>-</b>            | <b>-</b>         | <b>-</b> |                               |                                        |               |                   |
| 1                    | Visual                    | Surface                                 | Fine, Clean              |       |                     | FINE     | FINE                    | -                   | -                | -        |                               |                                        |               |                   |
|                      |                           | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15    | 15                  | 15       | -                       | -                   | -                |          |                               |                                        |               |                   |
|                      |                           | Washing & Plating                       | Surface Finishing        | NA    | NA                  | NA       | -                       | -                   | -                |          |                               |                                        |               |                   |
|                      |                           | RUBBER MARKING                          | AS PER DRG.              | NA    | NA                  | NA       | -                       | -                   | -                |          |                               |                                        |               |                   |
|                      |                           | Marking                                 | WO Ref. No.              | NA    | NA                  | NA       | -                       | -                   | -                |          |                               |                                        |               |                   |
|                      |                           | Assembly Perfection                     | As per Drg.              |       |                     | OK       | OK                      | -                   | -                | -        |                               |                                        |               |                   |
|                      |                           | Inner Packing                           | Labeling & Printing      |       | OK                  | OK       | -                       | -                   | -                |          |                               |                                        |               |                   |
|                      |                           | Outer Packing                           | Printing & Stamping      |       |                     | OK       | OK                      | -                   | -                | -        |                               |                                        |               |                   |
|                      |                           | <b>All Dimensions Are In MM</b>         |                          |       |                     |          |                         |                     |                  |          |                               |                                        |               |                   |
| 2                    | DIMENSION                 |                                         | VALUE                    | -     | +                   | 1        | 2                       | -                   | -                | -        |                               |                                        |               |                   |
|                      |                           | T.L                                     | 6.50                     | 6.20  | 6.80                | 6.56     | 6.55                    | -                   | -                | -        |                               |                                        |               |                   |
|                      |                           | O.D                                     | 20.50                    | 20.50 | 20.60               | 20.56    | 20.55                   | -                   | -                | -        |                               |                                        |               |                   |
|                      |                           | O.D                                     | 18.50                    | 18.30 | 18.50               | 18.45    | 18.45                   | -                   | -                | -        |                               |                                        |               |                   |
|                      |                           | O.D.L                                   | 4.00                     | 4.00  | 4.10                | 4.04     | 4.06                    | -                   | -                | -        |                               |                                        |               |                   |
|                      |                           | I.D                                     | 16.00                    | 16.00 | 16.20               | 16.06    | 16.05                   | -                   | -                | -        |                               |                                        |               |                   |
|                      |                           |                                         |                          |       |                     |          |                         |                     |                  |          |                               |                                        |               |                   |
| <b>INSPECTED BY:</b> |                           | <i>Jay Hadiyal</i>                      |                          |       | <b>APPROVED BY:</b> |          |                         |                     | <i>Shreekant</i> |          |                               |                                        |               |                   |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                      |                           |                                         |                          |        |                     |                         |          |                     |          |          |                                        |                               |                   |
|----------------------|---------------------------|-----------------------------------------|--------------------------|--------|---------------------|-------------------------|----------|---------------------|----------|----------|----------------------------------------|-------------------------------|-------------------|
| <b>INSP. No.</b>     | FIR-01                    | <b>Product Name</b>                     | EARTH TAG                |        | <b>Size</b>         | 1/2" NPT                |          | <b>Drawing No.</b>  |          |          | <b>Date:</b>                           | 23-09-2026                    |                   |
| <b>Wo No.</b>        | 26000227                  | <b>Total Quantity</b>                   | 40                       |        | <b>Lot Quantity</b> | 40                      |          | <b>Sample Size-</b> | 2        |          | Variable & Gauging                     | 2PCS                          |                   |
| <b>Sr. No.</b>       | <b>Checking Parameter</b> | <b>REQUIRED PARAMETER</b>               |                          |        |                     | <b>OBSERVED RESULTS</b> |          |                     |          |          | <b>REJECTION<br/>REWORK<br/>DETAIL</b> | <b>REMARK</b>                 | <b>CHECKED BY</b> |
|                      |                           | <b>PARAMETER</b>                        | <b>CRITERIA</b>          |        |                     | <b>1</b>                | <b>2</b> | <b>-</b>            | <b>-</b> | <b>-</b> |                                        |                               |                   |
| 1                    | Visual                    | Surface                                 | Fine, Clean              |        |                     | FINE                    | FINE     | -                   | -        | -        |                                        | Measuring Instruments I.D No- |                   |
|                      |                           | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15     | 15                  | 15                      | -        | -                   | -        |          | (1) DV-55                              |                               |                   |
|                      |                           | Washing & Plating                       | Surface Finishing        | NICKEL | OK                  | OK                      | -        | -                   | -        |          | (2) PP-01                              |                               |                   |
|                      |                           | RUBBER MARKING                          | AS PER DRG.              | NA     | NA                  | NA                      | -        | -                   | -        |          |                                        |                               |                   |
|                      |                           | Marking                                 | WO Ref. No.              | NA     | NA                  | NA                      | -        | -                   | -        |          | ASM No :- AEX260921-01                 |                               |                   |
|                      |                           | Assembly Perfection                     | As per Drg.              |        |                     | OK                      | OK       | -                   | -        | -        |                                        |                               |                   |
|                      |                           | Inner Packing                           | Labeling & Printing      |        | OK                  | OK                      | -        | -                   | -        |          |                                        |                               |                   |
|                      |                           | Outer Packing                           | Printing & Stamping      |        |                     | OK                      | OK       | -                   | -        | -        |                                        |                               |                   |
|                      |                           | All Dimensions Are In MM                |                          |        |                     |                         |          |                     |          |          |                                        |                               |                   |
| 2                    | DIMENSION                 |                                         | VALUE                    | -      | +                   | 1                       | 2        | -                   | -        | -        |                                        |                               |                   |
|                      |                           | THICKNESS                               | 1.00                     | 0.80   | 1.20                | 1.00                    | 0.99     | -                   | -        | -        |                                        |                               |                   |
|                      |                           | O.D                                     | 29.20                    | 28.70  | 29.70               | 29.28                   | 29.27    | -                   | -        | -        |                                        |                               |                   |
|                      |                           | O.D                                     | 13.00                    | 12.50  | 13.50               | 13.08                   | 13.07    | -                   | -        | -        |                                        |                               |                   |
|                      |                           | I.D                                     | 22.00                    | 21.50  | 22.50               | 22.16                   | 22.19    | -                   | -        | -        |                                        |                               |                   |
|                      |                           | I.D                                     | 6.20                     | 5.90   | 6.50                | 6.25                    | 6.24     | -                   | -        | -        |                                        |                               |                   |
|                      |                           |                                         |                          |        |                     |                         |          |                     |          |          |                                        |                               |                   |
| <b>INSPECTED BY:</b> |                           | <i>Jay Hadiyal</i>                      |                          |        | <b>APPROVED BY:</b> |                         |          | <i>Shreekant</i>    |          |          |                                        |                               |                   |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |        |              |                  |        |              |   |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------|--------------|------------------|--------|--------------|---|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                               | SHROUD                      |        | Size         | C-2027           |        | Drawing No.  | - | Date:                         | 23-09-2026                       |            |
| Wo No.        | 26000227           | Total Quantity                             | 40                          |        | Lot Quantity | 40               |        | Sample Size- | 2 | Variable & Gauging            | 2PCS                             |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |        |              | OBSERVED RESULTS |        |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |        | 1            | 2                | -      | -            | - |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |        | FINE         | FINE             | -      | -            | - |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 15     | 15           | 15               | -      | -            | - |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NICKEL | OK           | OK               | -      | -            | - |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA     | NA           | NA               | -      | -            | - |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA     | NA           | NA               | -      | -            | - |                               | ASM No :-<br>AEX260921-01        |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |        | OK           | OK               | -      | -            | - |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |        | OK           | OK               | -      | -            | - |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |        | OK           | OK               | -      | -            | - |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |        |              |                  |        |              |   |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -      | +            | 1                | 2      | -            | - | -                             |                                  |            |
|               |                    | T.L                                        | 125.00                      | 124.20 | 125.80       | 125.19           | 125.11 | -            | - | -                             |                                  |            |
|               |                    | I.D                                        | 27.00                       | 26.50  | 27.50        | 27.06            | 27.05  | -            | - | -                             |                                  |            |
|               |                    |                                            |                             |        |              |                  |        |              |   |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |        | APPROVED BY: |                  |        | Shreekant    |   |                               |                                  |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |        |              |                  |       |              |           |                    |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------|--------------|------------------|-------|--------------|-----------|--------------------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-01             | Product Name                               | NYLON WASHER                |        | Size         | 1/2" NPT         |       | Drawing No.  |           | Date:              | 23-09-2026                    |                                  |            |
| Wo No.        | 26000227           | Total Quantity                             | 40                          |        | Lot Quantity | 40               |       | Sample Size- |           | Variable & Gauging | 2PCS                          |                                  |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |        |              | OBSERVED RESULTS |       |              |           |                    | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |        |              | 1                | 2     | -            | -         | -                  |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |        |              | FINE             | FINE  | -            | -         | -                  |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 15     | 15           | 15               | -     | -            | -         |                    | (1) DV-55                     |                                  |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NICKEL | OK           | OK               | -     | -            | -         |                    | (2) PP-01                     |                                  |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA     | NA           | NA               | -     | -            | -         |                    |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA     | NA           | NA               | -     | -            | -         |                    | ASM No :-<br>AEX260921-01     |                                  |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |        |              | OK               | OK    | -            | -         | -                  |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |        | OK           | OK               | -     | -            | -         |                    |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |        |              | OK               | OK    | -            | -         | -                  |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |        |              |                  |       |              |           |                    |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -      | +            | 1                | 2     | -            | -         | -                  |                               |                                  |            |
|               |                    | THICKNESS                                  | 1.50                        | 1.30   | 1.70         | 1.45             | 1.48  | -            | -         | -                  |                               |                                  |            |
|               |                    | I.D                                        | 22.00                       | 21.50  | 22.50        | 22.25            | 22.24 | -            | -         | -                  |                               |                                  |            |
|               |                    |                                            |                             |        |              |                  |       |              |           |                    |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |        | APPROVED BY: |                  |       |              | Shreekant |                    |                               |                                  |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |        |              |                  |       |              |   |                    |                                  |        |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------|--------------|------------------|-------|--------------|---|--------------------|----------------------------------|--------|------------|
| INSP. No.     | FIR-01             | Product Name                               | STAR WASHER                 |        | Size         | 1/2" NPT         |       | Drawing No.  | - | Date:              | 23-09-2026                       |        |            |
| Wo No.        | 26000227           | Total Quantity                             | 40                          |        | Lot Quantity | 40               |       | Sample Size- | 2 | Variable & Gauging | 2PCS                             |        |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |        |              | OBSERVED RESULTS |       |              |   |                    | REJECTION<br>REWORK<br>DETAIL    | REMARK | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |        | 1            | 2                | -     | -            | - |                    |                                  |        |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |        | FINE         | FINE             | -     | -            | - |                    | Measuring<br>Instruments I.D No- |        |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 15     | 15           | 15               | -     | -            | - |                    | (1) DV-55                        |        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NICKEL | OK           | OK               | -     | -            | - |                    | (2) PP-01                        |        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA     | NA           | NA               | -     | -            | - |                    |                                  |        |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA     | NA           | NA               | -     | -            | - |                    | ASM No :-<br>AEX260921-01        |        |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |        | OK           | OK               | -     | -            | - |                    |                                  |        |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |        | OK           | OK               | -     | -            | - |                    |                                  |        |            |
|               |                    | Outer Packing                              | Printing & Stamping         |        | OK           | OK               | -     | -            | - |                    |                                  |        |            |
|               |                    | All Dimensions Are In MM                   |                             |        |              |                  |       |              |   |                    |                                  |        |            |
| 2             | DIMENSION          |                                            | VALUE                       | -      | +            | 1                | 2     | -            | - | -                  |                                  |        |            |
|               |                    | O.D                                        | 33.00                       | 32.70  | 33.30        | 33.06            | 33.05 | -            | - | -                  |                                  |        |            |
|               |                    | I.D                                        | 21.50                       | 21.00  | 22.00        | 21.59            | 21.60 | -            | - | -                  |                                  |        |            |
|               |                    | T.L                                        | 4.00                        | 3.70   | 4.30         | 4.06             | 4.05  | -            | - | -                  |                                  |        |            |
|               |                    |                                            |                             |        |              |                  |       |              |   |                    |                                  |        |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |        | APPROVED BY: |                  |       | Shreekant    |   |                    |                                  |        |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold

