

## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                              |        |              |                  |       |              |       |                    |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|------------------------------|--------|--------------|------------------|-------|--------------|-------|--------------------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-09             | Product Name                               | LOCK NUT                     |        | Size         | M20              |       | Drawing No.  | DLIM  | Date:              | 12-08-2026                    |                                  |            |
| Wo No.        | 26100053           | Total Quantity                             | 900                          |        | Lot Quantity | 900              |       | Sample Size- | 5     | Variable & Gauging | 5PCS                          |                                  |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                              |        |              | OBSERVED RESULTS |       |              |       |                    | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                     |        |              | 1                | 2     | 3            | 4     | 5                  |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                  |        |              | FINE             | FINE  | FINE         | FINE  | FINE               |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts  | 15     | 15           | 15               | 15    | 15           | 15    | 15                 |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing         | NICKEL | OK           | OK               | OK    | OK           | OK    | OK                 |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                  | NA     | NA           | NA               | NA    | NA           | NA    | NA                 |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                  | NA     | NA           | NA               | NA    | NA           | NA    | NA                 |                               | ASM-No-<br>AEX260803-01          |            |
|               |                    | Assembly Perfection                        | As per Drg.                  |        |              | OK               | OK    | OK           | OK    | OK                 |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing       |        | OK           | OK               | OK    | OK           | OK    | OK                 |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping          |        |              | OK               | OK    | OK           | OK    | OK                 |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                              |        |              |                  |       |              |       |                    |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                        | -      | +            | 1                | 2     | 3            | 4     | 5                  |                               |                                  |            |
|               |                    | A/F                                        | 24.00                        | 23.87  | 24.00        | 23.97            | 23.99 | 23.95        | 23.94 | 23.96              |                               |                                  |            |
|               |                    | A/C                                        | 26.00                        | 25.50  | 26.50        | 25.98            | 26.00 | 25.99        | 26.00 | 25.99              |                               |                                  |            |
|               |                    | T.L                                        | 3.50                         | 3.20   | 3.80         | 3.52             | 3.51  | 3.50         | 3.50  | 3.49               |                               |                                  |            |
|               |                    | THREAD                                     | M20x1.5 AS PER P.G GO NOT GO |        |              |                  | OK    | OK           | OK    | OK                 | OK                            |                                  |            |
|               |                    | CH.ANGLE                                   | 30° AS PER PP FOUND          |        |              |                  | OK    | OK           | OK    | OK                 | OK                            |                                  |            |
|               |                    |                                            |                              |        |              |                  |       |              |       |                    |                               |                                  |            |
|               |                    |                                            |                              |        |              |                  |       |              |       |                    |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                              |        | APPROVED BY: |                  |       | Shreekant    |       |                    |                               |                                  |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.                | FIR-09             | Product Name                                | ENTRY COMPONENT                |                                                                                         | Size         |                  | M20          |       | Drawing No.  |       | 313001M-01                    | Date:                           | 12-08-2026 |  |
|--------------------------|--------------------|---------------------------------------------|--------------------------------|-----------------------------------------------------------------------------------------|--------------|------------------|--------------|-------|--------------|-------|-------------------------------|---------------------------------|------------|--|
| Wo No.                   | 26100053           | Total Quantity                              | 900                            |                                                                                         | Lot Quantity |                  | 900          |       | Sample Size- |       | 5                             | Variable & Gauging              | 5PCS       |  |
| Sr. No.                  | Checking Parameter | REQUIRED PARAMETER                          |                                |                                                                                         |              | OBSERVED RESULTS |              |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                          | CHECKED BY |  |
|                          |                    | PARAMETER                                   | CRITERIA                       |                                                                                         |              | 1                | 2            | 3     | 4            | 5     |                               |                                 |            |  |
| 1                        | Visual             | Surface                                     | Fine, Clean                    |                                                                                         |              | FINE             | FINE         | FINE  | FINE         | FINE  |                               | Measuring<br>Instruments ID No. |            |  |
|                          |                    | Size wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts    | 15                                                                                      |              | 15               | 15           | 15    | 15           | 15    |                               | (1) DV-55                       |            |  |
|                          |                    | Washing & Plating                           | NICKEL<br>Surface<br>Finishing |                                                                                         |              | OK               | OK           | OK    | OK           | OK    |                               | (2) PP-01                       |            |  |
|                          |                    | RUBBER MARKING                              | AS PER DRG.                    | NA                                                                                      |              | NA               | NA           | NA    | NA           | NA    |                               |                                 |            |  |
|                          |                    | Marking                                     | WO Ref. No.                    | Metalmech Logo MM-EX-<br>E1F1UNV201MB2 3026 CE Logo<br>2460 Ex Logo H 2 GD Ex db BC Gb. |              | OK               | OK           | OK    | OK           | OK    |                               | ASM-No-<br>AEX260803-01         |            |  |
|                          |                    | Assembly Perfection                         | As per Drg.                    |                                                                                         |              |                  | OK           | OK    | OK           | OK    | OK                            |                                 |            |  |
|                          |                    | Inner Packing                               | Labeling &<br>Printing         |                                                                                         |              | OK               | OK           | OK    | OK           | OK    |                               |                                 |            |  |
|                          |                    | Outer Packing                               | Printing & Stamping            |                                                                                         |              | OK               | OK           | OK    | OK           | OK    |                               |                                 |            |  |
| All Dimensions Are In MM |                    |                                             |                                |                                                                                         |              |                  |              |       |              |       |                               |                                 |            |  |
| 2                        | DIMENSION          |                                             | VALUE                          | -                                                                                       | +            | 1                | 2            | 3     | 4            | 5     |                               |                                 |            |  |
|                          |                    | A/F                                         | 27.00                          | 26.87                                                                                   | 27.00        | 26.96            | 26.95        | 26.94 | 26.96        | 26.95 |                               |                                 |            |  |
|                          |                    | A/C                                         | 30.00                          | 29.50                                                                                   | 30.50        | 30.07            | 30.06        | 30.04 | 30.02        | 30.01 |                               |                                 |            |  |
|                          |                    | T.L                                         | 33.00                          | 33.00                                                                                   | 33.50        | 33.25            | 33.24        | 33.29 | 33.28        | 33.26 |                               |                                 |            |  |
|                          |                    | TH.L                                        | 13.00                          | 12.50                                                                                   | 13.50        | 13.03            | 13.04        | 13.05 | 13.04        | 13.06 |                               |                                 |            |  |
|                          |                    | LENGTH                                      | 17.00                          | 17.00                                                                                   | 17.50        | 17.07            | 17.06        | 17.05 | 17.05        | 17.04 |                               |                                 |            |  |
|                          |                    | GR.OD                                       | 18.00                          | 17.50                                                                                   | 18.50        | 17.92            | 17.95        | 17.95 | 17.96        | 17.95 |                               |                                 |            |  |
|                          |                    | GR.LE                                       | 2.50                           | 2.30                                                                                    | 2.70         | 2.54             | 2.56         | 2.58  | 2.55         | 2.59  |                               |                                 |            |  |
|                          |                    | O.D                                         | 26.50                          | 26.00                                                                                   | 27.00        | 26.55            | 26.58        | 26.56 | 26.54        | 26.56 |                               |                                 |            |  |
|                          |                    | O.D.L                                       | 9.00                           | 8.50                                                                                    | 9.50         | 8.95             | 8.98         | 8.97  | 9.00         | 8.99  |                               |                                 |            |  |
|                          |                    | H.L                                         | 7.00                           | 6.70                                                                                    | 7.30         | 7.09             | 7.05         | 7.08  | 7.05         | 7.04  |                               |                                 |            |  |
|                          |                    | LD                                          | 14.10                          | 13.60                                                                                   | 14.60        | 14.14            | 14.16        | 14.15 | 14.13        | 14.15 |                               |                                 |            |  |
|                          |                    | INT.TH.L                                    | 11.50                          | 11.00                                                                                   | 12.00        | 11.55            | 11.59        | 11.55 | 11.54        | 11.56 |                               |                                 |            |  |
|                          |                    | THREAD                                      | M20x1.5 AS PER T.R.G GO NOT GO |                                                                                         |              | OK               | OK           | OK    | OK           | OK    |                               |                                 |            |  |
|                          |                    | INT.THREAD                                  | M24x1.5 AS PER P.G GO NOT GO   |                                                                                         |              | OK               | OK           | OK    | OK           | OK    |                               |                                 |            |  |
|                          |                    | CH.ANGLE                                    | 1.5x45° AS PER PP FOUND        |                                                                                         |              | OK               | OK           | OK    | OK           | OK    |                               |                                 |            |  |
|                          |                    | CH.ANGLE                                    | 0.5x45° AS PER PP FOUND        |                                                                                         |              | OK               | OK           | OK    | OK           | OK    |                               |                                 |            |  |
|                          |                    | CH.ANGLE                                    | 20° AS PER PP FOUND            |                                                                                         |              | OK               | OK           | OK    | OK           | OK    |                               |                                 |            |  |
|                          |                    | ANGLE                                       | 90° AS PER PP FOUND            |                                                                                         |              | OK               | OK           | OK    | OK           | OK    |                               |                                 |            |  |
|                          |                    |                                             |                                |                                                                                         |              |                  |              |       |              |       |                               |                                 |            |  |
|                          |                    | INSPECTED BY:                               |                                | Jay Hadiyal                                                                             |              |                  | APPROVED BY: |       |              |       | Shreekant                     |                                 |            |  |

INSPECTED BY: Jay Hadiyal      APPROVED BY: Shreekant

Conclusion : ☒ Accept    ☐ Reject    ☐ Hold





**Conclusion :**



|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                                |        |              |                  |       |       |              |       |                               |                                   |            |  |
|----------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|--------------------------------|--------|--------------|------------------|-------|-------|--------------|-------|-------------------------------|-----------------------------------|------------|--|
| INSP. No.                                                                        | FIR-09             | Product Name                                        | MIDDLE BODY                    |        | Size         |                  | M20   |       | Drawing No.  |       | 313002-01                     | Date:                             | 12-08-2026 |  |
| Wo No.                                                                           | 26100053           | Total Quantity                                      | 900                            |        | Lot Quantity |                  | 900   |       | Sample Size: |       | 5                             | Variable & Gauging                | 5PCS       |  |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                  |                                |        |              | OBSERVED RESULTS |       |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                            | CHECKED BY |  |
|                                                                                  |                    | PARAMETER                                           | CRITERIA                       |        |              | 1                | 2     | 3     | 4            | 5     |                               |                                   |            |  |
| 1                                                                                | Visual             | Surface                                             | Fine, Clean                    |        |              | FINE             | FINE  | FINE  | FINE         | FINE  |                               | Measuring<br>Instruments I.O. No. |            |  |
|                                                                                  |                    | Size/wise No of Pcs.<br>With Internal Parts         | As per Drg. No.<br>of Parts    | 15     |              | 15               | 15    | 15    | 15           | 15    |                               | (1) DV-55                         |            |  |
|                                                                                  |                    | Washing & Plating                                   | Surface<br>Finishing           | NICKEL |              | OK               | OK    | OK    | OK           | OK    |                               | (2) PP-01                         |            |  |
|                                                                                  |                    | RUBBER MARKING                                      | AS PER DRG.                    | NA     |              | NA               | NA    | NA    | NA           | NA    |                               |                                   |            |  |
|                                                                                  |                    | Marking                                             | WO Ref. No.                    | NICKEL |              | NA               | NA    | NA    | NA           | NA    |                               | ASM-No-<br>AEX260803-01           |            |  |
|                                                                                  |                    | Assembly Perfection                                 | As per Drg.                    |        |              | OK               | OK    | OK    | OK           | OK    |                               |                                   |            |  |
|                                                                                  |                    | Inner Packing                                       | Labeling &<br>Printing         |        |              | OK               | OK    | OK    | OK           | OK    |                               |                                   |            |  |
|                                                                                  |                    | Outer Packing                                       | Printing & Stamping            |        |              | OK               | OK    | OK    | OK           | OK    |                               |                                   |            |  |
|                                                                                  |                    | All Dimensions Are In MM                            |                                |        |              |                  |       |       |              |       |                               |                                   |            |  |
| 2                                                                                | DIMENSION          |                                                     | VALUE                          | -      | +            | 1                | 2     | 3     | 4            | 5     |                               |                                   |            |  |
|                                                                                  |                    | A/F                                                 | 31.00                          | 30.84  | 31.00        | 30.93            | 30.95 | 30.94 | 30.93        | 30.95 |                               |                                   |            |  |
|                                                                                  |                    | A/C                                                 | 34.00                          | 33.20  | 34.80        | 33.89            | 33.91 | 33.90 | 33.89        | 33.91 |                               |                                   |            |  |
|                                                                                  |                    | T.L                                                 | 27.00                          | 26.50  | 27.50        | 27.07            | 27.09 | 27.08 | 27.07        | 27.09 |                               |                                   |            |  |
|                                                                                  |                    | TH.L                                                | 14.00                          | 13.50  | 14.50        | 14.02            | 14.04 | 14.03 | 14.02        | 14.01 |                               |                                   |            |  |
|                                                                                  |                    | GR.OD                                               | 27.00                          | 26.50  | 27.50        | 27.02            | 27.03 | 27.02 | 27.01        | 27.03 |                               |                                   |            |  |
|                                                                                  |                    | GR.LE                                               | 1.00                           | 0.80   | 1.20         | 1.02             | 1.01  | 1.02  | 1.02         | 1.01  |                               |                                   |            |  |
|                                                                                  |                    | O.D                                                 | 30.00                          | 29.50  | 30.50        | 30.05            | 30.04 | 30.06 | 30.05        | 30.08 |                               |                                   |            |  |
|                                                                                  |                    | O.D.L                                               | 6.00                           | 5.70   | 6.30         | 6.08             | 6.09  | 6.07  | 6.05         | 6.04  |                               |                                   |            |  |
|                                                                                  |                    | H.L                                                 | 7.00                           | 6.70   | 7.30         | 7.07             | 7.09  | 7.06  | 7.05         | 7.03  |                               |                                   |            |  |
|                                                                                  |                    | I.D                                                 | 21.00                          | 20.50  | 21.50        | 21.06            | 21.05 | 21.07 | 21.06        | 21.05 |                               |                                   |            |  |
|                                                                                  |                    | INT.TH.L                                            | 11.50                          | 11.00  | 12.00        | 11.42            | 11.45 | 11.46 | 11.48        | 11.47 |                               |                                   |            |  |
|                                                                                  |                    | I.D                                                 | 24.50                          | 24.00  | 25.00        | 24.55            | 24.53 | 24.56 | 24.55        | 24.54 |                               |                                   |            |  |
|                                                                                  |                    | DEPTH                                               | 15.50                          | 15.00  | 16.00        | 15.47            | 15.49 | 15.50 | 15.49        | 15.48 |                               |                                   |            |  |
|                                                                                  |                    | THREAD                                              | M29x1.5 AS PER T.R.G GO NOT GO |        |              |                  | OK    | OK    | OK           | OK    | OK                            |                                   |            |  |
|                                                                                  |                    | INT.THREAD                                          | M28x1.5 AS PER P.G GO NOT GO   |        |              |                  | OK    | OK    | OK           | OK    | OK                            |                                   |            |  |
|                                                                                  |                    | CH.ANGLE                                            | 1x45° AS PER PP FOUND          |        |              |                  | OK    | OK    | OK           | OK    | OK                            |                                   |            |  |
|                                                                                  |                    | CH.ANGLE                                            | 20° AS PER PP FOUND            |        |              |                  | OK    | OK    | OK           | OK    | OK                            |                                   |            |  |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                         |                                |        | APPROVED BY: |                  |       |       | Shreekant    |       |                               |                                   |            |  |

Conclusion :



Accept



Reject



Hold



|  |                    | <b>MetalMech-08500-FR-QX-08-Final Inspection Report-EX</b> |                              |             |                  |       |       |           |              |                               |           |                     |            |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------|------------------------------|-------------|------------------|-------|-------|-----------|--------------|-------------------------------|-----------|---------------------|------------|
| INSP. No.                                                                        | FIR-09             | Product Name                                               | BACK NUT                     |             | Size             |       | M20   |           | Drawing No.  |                               | 313003-01 | Date:               | 12-08-2026 |
| Wo No.                                                                           | 26100053           | Total Quantity                                             | 900                          |             | Lot Quantity     |       | 900   |           | Sample Size: |                               | 5         | Variable & Grouping | 5PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                         |                              |             | OBSERVED RESULTS |       |       |           |              | REJECTION<br>REWORK<br>DETAIL | REMARK    | CHECKED BY          |            |
|                                                                                  |                    | PARAMETER                                                  | CRITERIA                     |             | 1                | 2     | 3     | 4         | 5            |                               |           |                     |            |
| 1                                                                                | Visual             | Surface                                                    |                              | Fine, Clean | FINE             | FINE  | FINE  | FINE      | FINE         |                               |           |                     |            |
|                                                                                  |                    | Size wise No of Pcs. With Internal Parts                   | As per Drg. No. of Parts     | 15          | 15               | 15    | 15    | 15        | 15           |                               |           | (1) DV-55           |            |
|                                                                                  |                    | Washing & Plating                                          | Surface Finishing            | NICKEL      | OK               | OK    | OK    | OK        | OK           |                               |           | (2) PP-01           |            |
|                                                                                  |                    | RUBBER MARKING                                             | AS PER DRG.                  | NA          | NA               | NA    | NA    | NA        | NA           |                               |           |                     |            |
|                                                                                  |                    | Marking                                                    | WO Ref. No.                  | NA          | NA               | NA    | NA    | NA        | NA           |                               |           | ASM-No-AEX260803-01 |            |
|                                                                                  |                    | Assembly Perfection                                        | As per Drg.                  |             | OK               | OK    | OK    | OK        | OK           |                               |           |                     |            |
|                                                                                  |                    | Inner Packing                                              | Labeling & Printline         |             | OK               | OK    | OK    | OK        | OK           |                               |           |                     |            |
|                                                                                  |                    | Outer Packing                                              | Printing & Stamping          |             | OK               | OK    | OK    | OK        | OK           |                               |           |                     |            |
|                                                                                  |                    | All Dimensions Are In MM                                   |                              |             |                  |       |       |           |              |                               |           |                     |            |
| 2                                                                                | DIMENSION          |                                                            | VALUE                        | -           | +                | 1     | 2     | 3         | 4            | 5                             |           |                     |            |
|                                                                                  |                    | A/F                                                        | 31.00                        | 30.84       | 31.00            | 30.93 | 30.95 | 30.94     | 30.94        | 30.96                         |           |                     |            |
|                                                                                  |                    | A/C                                                        | 34.00                        | 33.20       | 34.80            | 33.85 | 33.88 | 33.89     | 33.91        | 33.90                         |           |                     |            |
|                                                                                  |                    | T.L                                                        | 20.00                        | 19.50       | 20.50            | 20.07 | 20.09 | 20.06     | 20.05        | 20.04                         |           |                     |            |
|                                                                                  |                    | O.D                                                        | 30.50                        | 29.70       | 31.30            | 30.39 | 30.41 | 30.42     | 30.40        | 30.42                         |           |                     |            |
|                                                                                  |                    | O.D.L                                                      | 8.00                         | 7.70        | 8.30             | 8.05  | 8.03  | 8.04      | 8.05         | 8.04                          |           |                     |            |
|                                                                                  |                    | H.L                                                        | 12.00                        | 11.50       | 12.50            | 12.06 | 12.09 | 12.08     | 12.07        | 12.06                         |           |                     |            |
|                                                                                  |                    | L.D                                                        | 24.50                        | 24.00       | 25.00            | 24.53 | 24.55 | 24.54     | 24.55        | 24.58                         |           |                     |            |
|                                                                                  |                    | INT.TH.L                                                   | 4.00                         | 3.70        | 4.30             | 4.04  | 4.06  | 4.07      | 4.08         | 4.06                          |           |                     |            |
|                                                                                  |                    | GR.ID                                                      | 29.20                        | 28.70       | 29.70            | 29.25 | 29.24 | 29.26     | 29.26        | 29.25                         |           |                     |            |
|                                                                                  |                    | GR.LE                                                      | 12.50                        | 12.00       | 13.00            | 12.54 | 12.56 | 12.55     | 12.55        | 12.58                         |           |                     |            |
|                                                                                  |                    | DEPTH                                                      | 16.50                        | 16.00       | 17.00            | 16.54 | 16.56 | 16.58     | 16.56        | 16.55                         |           |                     |            |
|                                                                                  |                    | GR.ID                                                      | 27.50                        | 27.00       | 28.00            | 27.54 | 27.58 | 27.56     | 27.55        | 27.54                         |           |                     |            |
|                                                                                  |                    | GR.LE                                                      | 2.00                         | 1.80        | 2.20             | 2.03  | 2.02  | 2.03      | 2.05         | 2.03                          |           |                     |            |
|                                                                                  |                    | DEPTH                                                      | 18.50                        | 18.00       | 19.00            | 18.54 | 18.56 | 18.55     | 18.54        | 18.56                         |           |                     |            |
|                                                                                  |                    | INT.THREAD                                                 | M20x1.5 AS PER P.G GO NOT GO |             |                  | OK    | OK    | OK        | OK           | OK                            |           |                     |            |
|                                                                                  |                    | CH.ANGLE                                                   | 1x45° AS PER PP FOUND        |             |                  | OK    | OK    | OK        | OK           | OK                            |           |                     |            |
|                                                                                  |                    | CH.ANGLE                                                   | 0.5x45° AS PER PP FOUND      |             |                  | OK    | OK    | OK        | OK           | OK                            |           |                     |            |
|                                                                                  |                    | CH.ANGLE                                                   | 30° AS PER PP FOUND          |             |                  | OK    | OK    | OK        | OK           | OK                            |           |                     |            |
|                                                                                  |                    | CH.ANGLE                                                   | 45° AS PER PP FOUND          |             |                  | OK    | OK    | OK        | OK           | OK                            |           |                     |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                |                              |             | APPROVED BY:     |       |       | Shreekant |              |                               |           |                     |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                          |                    |                                          |                          |        |              |                  |       |       |              |       |                               |                    |            |
|--------------------------|--------------------|------------------------------------------|--------------------------|--------|--------------|------------------|-------|-------|--------------|-------|-------------------------------|--------------------|------------|
| INSP. No.                | FIR-09             | Product Name                             | UNIVERSAL CLAMPING CONE  |        | Size         |                  | M20   |       | Drawing No.  |       | 313005-01                     | Date:              | 12-08-2026 |
| Wo No.                   | 26100053           | Total Quantity                           | 900                      |        | Lot Quantity |                  | 900   |       | Sample Size- |       | 5                             | Variable & Gauging | 5PCS       |
| Sr. No.                  | Checking Parameter | REQUIRED PARAMETER                       |                          |        |              | OBSERVED RESULTS |       |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                          |                    | PARAMETER                                | CRITERIA                 |        | 1            | 2                | 3     | 4     | 5            |       |                               |                    |            |
| 1                        | Visual             | Surface                                  | Fine, Clean              |        | FINE         | FINE             | FINE  | FINE  | FINE         |       |                               |                    |            |
|                          |                    | Size/wise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15     | 15           | 15               | 15    | 15    | 15           |       | Measuring Instruments ID No.  |                    |            |
|                          |                    | Washing & Plating                        | Surface Finish           | NICKEL | OK           | OK               | OK    | OK    | OK           |       | (1) DV-55                     |                    |            |
|                          |                    | RUBBER MARKING                           | AS PER DRG.              | NA     | NA           | NA               | NA    | NA    | NA           |       | (2) PP-01                     |                    |            |
|                          |                    | Marking                                  | WO Ref. No.              | NA     | NA           | NA               | NA    | NA    | NA           |       | ASM-No-AEX260803-01           |                    |            |
|                          |                    | Assembly Perfection                      | As per Drg.              |        | OK           | OK               | OK    | OK    | OK           |       |                               |                    |            |
|                          |                    | Inner Packing                            | Labeling & Printing      |        | OK           | OK               | OK    | OK    | OK           |       |                               |                    |            |
|                          |                    | Outer Packing                            | Printing & Stamping      |        | OK           | OK               | OK    | OK    | OK           |       |                               |                    |            |
| All Dimensions Are In MM |                    |                                          |                          |        |              |                  |       |       |              |       |                               |                    |            |
| 2                        | DIMENSION          |                                          | VALUE                    | -      | +            | 1                | 2     | 3     | 4            | 5     |                               |                    |            |
|                          |                    | T.L                                      | 22.00                    | 21.50  | 22.50        | 22.12            | 22.11 | 22.12 | 22.11        | 22.12 |                               |                    |            |
|                          |                    | O.D                                      | 16.50                    | 16.00  | 17.00        | 16.59            | 16.60 | 16.59 | 16.61        | 16.60 |                               |                    |            |
|                          |                    | O.D.L                                    | 4.00                     | 3.70   | 4.30         | 4.06             | 4.09  | 4.05  | 4.04         | 4.06  |                               |                    |            |
|                          |                    | O.D                                      | 17.80                    | 17.30  | 18.30        | 17.75            | 17.74 | 17.76 | 17.75        | 17.74 |                               |                    |            |
|                          |                    | O.D.L                                    | 2.50                     | 2.30   | 2.70         | 2.60             | 2.59  | 2.58  | 2.55         | 2.54  |                               |                    |            |
|                          |                    | GR.LENGTH                                | 0.50                     | 0.30   | 0.70         | 0.54             | 0.53  | 0.56  | 0.53         | 0.55  |                               |                    |            |
|                          |                    | O.D                                      | 18.80                    | 18.30  | 19.30        | 18.86            | 18.85 | 18.84 | 18.87        | 18.85 |                               |                    |            |
|                          |                    | O.D.L                                    | 7.50                     | 7.20   | 7.80         | 7.56             | 7.58  | 7.56  | 7.59         | 7.58  |                               |                    |            |
|                          |                    | O.D                                      | 22.00                    | 21.50  | 22.50        | 22.05            | 22.08 | 22.06 | 22.05        | 22.04 |                               |                    |            |
|                          |                    | O.D.L                                    | 7.00                     | 6.70   | 7.30         | 7.04             | 7.06  | 7.08  | 7.07         | 7.09  |                               |                    |            |
|                          |                    | O.D                                      | 16.50                    | 16.00  | 17.00        | 16.60            | 16.59 | 16.58 | 16.54        | 16.56 |                               |                    |            |
|                          |                    | O.D.L                                    | 4.50                     | 4.20   | 4.80         | 4.55             | 4.54  | 4.56  | 4.55         | 4.58  |                               |                    |            |
|                          |                    | O.D                                      | 17.00                    | 16.50  | 17.50        | 16.96            | 16.95 | 16.94 | 16.95        | 16.94 |                               |                    |            |
|                          |                    | O.D                                      | 17.50                    | 17.00  | 18.00        | 17.55            | 17.58 | 17.56 | 17.54        | 17.56 |                               |                    |            |
|                          |                    | O.D                                      | 18.00                    | 17.50  | 18.50        | 18.03            | 18.05 | 18.04 | 18.05        | 18.04 |                               |                    |            |
|                          |                    | O.D.L                                    | 7.50                     | 7.20   | 7.80         | 7.59             | 7.54  | 7.56  | 7.59         | 7.58  |                               |                    |            |
|                          |                    | LD                                       | 14.00                    | 13.50  | 14.50        | 14.04            | 14.06 | 14.05 | 14.08        | 14.06 |                               |                    |            |
|                          |                    | RADIUS                                   | 0.5 MM AS PER PP FOUND   |        |              | OK               | OK    | OK    | OK           | OK    |                               |                    |            |
|                          |                    | RADIUS                                   | 0.3 AS PER PP FOUND      |        |              | OK               | OK    | OK    | OK           | OK    |                               |                    |            |
|                          |                    |                                          |                          |        |              |                  |       |       |              |       |                               |                    |            |
| INSPECTED BY:            |                    | Jay Hadiyal                              |                          |        | APPROVED BY: |                  |       |       | Shreekant    |       |                               |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |        |       |                  |       |       |       |              |                               |           |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|--------|-------|------------------|-------|-------|-------|--------------|-------------------------------|-----------|--------------------|------------|
| INSP. No.                                                                       | FIR-09             | Product Name                                                                             | REVERSIBLE ARMOUR RING   |        |       | Size             |       | M20   |       | Drawing No.  |                               | 313004-01 | Date:              | 12-08-2026 |
| Wo No.                                                                          | 26100053           | Total Quantity                                                                           | 900                      |        |       | Lot Quantity     |       | 900   |       | Sample Size- |                               | 5         | Variable & Gauging | 5PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |        |       | OBSERVED RESULTS |       |       |       |              | REJECTION<br>REWORK<br>DETAIL | REMARK    | CHECKED BY         |            |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |        |       | 1                | 2     | 3     | 4     | 5            |                               |           |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |        |       | FINE             | FINE  | FINE  | FINE  | FINE         |                               |           |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 15     | 15    | 15               | 15    | 15    | 15    |              | (1) DV-55                     |           |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NICKEL | OK    | OK               | OK    | OK    | OK    |              | (2) PP-01                     |           |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | NA     | NA    | NA               | NA    | NA    | NA    |              |                               |           |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA     | NA    | NA               | NA    | NA    | NA    |              | ASM-No-AEX260803-01           |           |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |        |       | OK               | OK    | OK    | OK    | OK           |                               |           |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |        | OK    | OK               | OK    | OK    | OK    |              |                               |           |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |        |       | OK               | OK    | OK    | OK    | OK           |                               |           |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |        |       |                  |       |       |       |              |                               |           |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -      | +     | 1                | 2     | 3     | 4     | 5            |                               |           |                    |            |
|                                                                                 |                    | T.L                                                                                      | 6.00                     | 5.70   | 6.30  | 6.05             | 6.04  | 6.06  | 6.05  | 6.04         |                               |           |                    |            |
|                                                                                 |                    | O.D                                                                                      | 23.50                    | 23.00  | 24.00 | 23.55            | 23.56 | 23.55 | 23.54 | 23.56        |                               |           |                    |            |
|                                                                                 |                    | I.D                                                                                      | 18.50                    | 18.00  | 19.00 | 18.54            | 18.55 | 18.53 | 18.56 | 18.55        |                               |           |                    |            |
|                                                                                 |                    | I.D                                                                                      | 19.50                    | 19.00  | 20.00 | 19.53            | 19.55 | 19.54 | 19.55 | 19.54        |                               |           |                    |            |
|                                                                                 |                    |                                                                                          |                          |        |       |                  |       |       |       |              |                               |           |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |        |       | APPROVED BY:     |       |       |       | Shreekant    |                               |           |                    |            |

Conclusion :

☒

Accept

☐

Reject

☐

Hold



|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                             |       |              |                  |       |              |           |       |                               |                                  |            |
|----------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|-----------|-------|-------------------------------|----------------------------------|------------|
| INSP. No.                                                                        | FIR-09             | Product Name                                        | O-RING                      |       | Size         | M20              |       | Drawing No.  | OR-1M     |       | Date:                         | 12-08-2026                       |            |
| Wo No.                                                                           | 26100053           | Total Quantity                                      | 900                         |       | Lot Quantity | 900              |       | Sample Size- | 5         |       | Variable & Gauging            | 5PCS                             |            |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                  |                             |       |              | OBSERVED RESULTS |       |              |           |       | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|                                                                                  |                    | PARAMETER                                           | CRITERIA                    |       |              | 1                | 2     | 3            | 4         | 5     |                               |                                  |            |
| 1                                                                                | Visual             | Surface                                             | Fine, Clean                 |       |              | FINE             | FINE  | FINE         | FINE      | FINE  |                               | Measuring<br>Instruments I.D No- |            |
|                                                                                  |                    | Sizewise No of Pcs.<br>With Internal Parts          | As per Drg. No.<br>of Parts | 15    | 15           | 15               | 15    | 15           | 15        |       | (1) DV-55                     |                                  |            |
|                                                                                  |                    | Washing & Plating                                   | Surface<br>Finishing        | NA    | NA           | NA               | NA    | NA           | NA        |       | (2) PP-01                     |                                  |            |
|                                                                                  |                    | RUBBER MARKING                                      | AS PER DRG.                 | NA    | NA           | NA               | NA    | NA           | NA        |       |                               |                                  |            |
|                                                                                  |                    | Marking                                             | WO Ref. No.                 | NA    | NA           | NA               | NA    | NA           | NA        |       | ASM-No-<br>AEX260803-01       |                                  |            |
|                                                                                  |                    | Assembly Perfection                                 | As per Drg.                 |       |              | OK               | OK    | OK           | OK        | OK    |                               |                                  |            |
|                                                                                  |                    | Inner Packing                                       | Labeling &<br>Printing      |       | OK           | OK               | OK    | OK           | OK        |       |                               |                                  |            |
|                                                                                  |                    | Outer Packing                                       | Printing & Stamping         |       |              | OK               | OK    | OK           | OK        | OK    |                               |                                  |            |
|                                                                                  |                    | All Dimensions Are In MM                            |                             |       |              |                  |       |              |           |       |                               |                                  |            |
| 2                                                                                | DIMENSION          |                                                     | VALUE                       | -     | +            | 1                | 2     | 3            | 4         | 5     |                               |                                  |            |
|                                                                                  |                    | THICKNESS                                           | 2.50                        | 2.00  | 2.50         | 2.09             | 2.08  | 2.05         | 2.06      | 2.05  |                               |                                  |            |
|                                                                                  |                    | I.D                                                 | 16.00                       | 15.50 | 16.50        | 16.05            | 16.04 | 16.03        | 16.04     | 16.06 |                               |                                  |            |
|                                                                                  |                    |                                                     |                             |       |              |                  |       |              |           |       |                               |                                  |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                         |                             |       | APPROVED BY: |                  |       |              | Shreekant |       |                               |                                  |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-09             | Product Name                               | COMPRESSIBLE INNER SEAL     |       | Size         | M20              |       | Drawing No.  | GI-01     |       | Date:                         | 12-08-2026                       |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|-----------|-------|-------------------------------|----------------------------------|------------|
| Wo No.        | 26100053           | Total Quantity                             | 900                         |       | Lot Quantity | 900              |       | Sample Size- | 5         |       | Variable & Gauging            | 5PCS                             |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |              |           |       | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2     | 3            | 4         | 5     |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE  | FINE         | FINE      | FINE  |                               | Measuring Instruments<br>I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 15    | 15           | 15               | 15    | 15           | 15        | 15    |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | NA    | NA           | NA        | NA    |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK    | OK           | OK               | OK    | OK           | OK        | OK    |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | NA    | NA           | NA        | NA    |                               | ASM-No-<br>AEX260803-01          |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       |              | OK               | OK    | OK           | OK        | OK    | OK                            |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | OK    | OK           | OK        | OK    |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              | OK               | OK    | OK           | OK        | OK    | OK                            |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |              |           |       |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | 3            | 4         | 5     |                               |                                  |            |
|               |                    | T.L                                        | 10.50                       | 10.00 | 11.00        | 10.55            | 10.54 | 10.53        | 10.55     | 10.54 |                               |                                  |            |
|               |                    | O.D.L                                      | 4.00                        | 3.70  | 4.30         | 4.04             | 4.06  | 4.05         | 4.05      | 4.09  |                               |                                  |            |
|               |                    | O.D                                        | 22.50                       | 22.30 | 22.50        | 22.45            | 22.43 | 22.46        | 22.45     | 22.44 |                               |                                  |            |
|               |                    | O.D.L                                      | 6.50                        | 6.20  | 6.80         | 6.55             | 6.54  | 6.53         | 6.53      | 6.56  |                               |                                  |            |
|               |                    | I.D                                        | 14.00                       | 14.00 | 14.20        | 14.08            | 14.07 | 14.06        | 14.04     | 14.06 |                               |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |              |           |       |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |              | Shreekant |       |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |       |       |           |              |                               |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|-------|-------|-----------|--------------|-------------------------------|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-09             | Product Name                                                                             | COMPRESSIBLE OUTER SEAL  |       |              | Size             |       | M20   |           | Drawing No.  |                               | GE-01                         | Date:              | 12-08-2026 |
| Wo No.                                                                          | 26100053           | Total Quantity                                                                           | 900                      |       |              | Lot Quantity     |       | 900   |           | Sample Size- |                               | 5                             | Variable & Gauging | 5PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |       |       |           |              | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY         |            |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2     | 3     | 4         | 5            |                               |                               |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE  | FINE  | FINE      | FINE         |                               |                               |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 15    | 15           | 15               | 15    | 15    | 15        | 15           |                               | Measuring Instruments I.D No- |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | NA    | NA    | NA        | NA           |                               | (1) DV-55                     |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | OK    | OK           | OK               | OK    | OK    | OK        | OK           |                               | (2) PP-01                     |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | NA    | NA    | NA        | NA           |                               | ASM-No-AEX260803-01           |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK    | OK    | OK        | OK           | OK                            |                               |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | OK    | OK    | OK        | OK           |                               |                               |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK    | OK    | OK        | OK           | OK                            |                               |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |       |       |           |              |                               |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2     | 3     | 4         | 5            |                               |                               |                    |            |
|                                                                                 |                    | T.L                                                                                      | 11.00                    | 10.50 | 11.50        | 11.05            | 11.07 | 11.09 | 11.06     | 11.08        |                               |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 28.50                    | 28.30 | 28.50        | 28.48            | 28.50 | 28.49 | 28.48     | 28.50        |                               |                               |                    |            |
|                                                                                 |                    | GR.LENGTH                                                                                | 3.50                     | 3.20  | 3.80         | 3.54             | 3.56  | 3.58  | 3.55      | 3.58         |                               |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 20.90                    | 20.90 | 21.00        | 20.93            | 20.95 | 20.94 | 20.93     | 20.95        |                               |                               |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |              |                  |       |       |           |              |                               |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |       |       | Shreekant |              |                               |                               |                    |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-09             | Product Name                               | INNER SKID WASHER           |       | Size         |                  | M20   |       | Drawing No.  |       | IW-01                         | Date:                            | 12-08-2026 |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|-------|--------------|-------|-------------------------------|----------------------------------|------------|
| Wo No.        | 26100053           | Total Quantity                             | 900                         |       | Lot Quantity |                  | 900   |       | Sample Size- |       | 5                             | Variable & Gauging               | 5PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       | 1            | 2                | 3     | 4     | 5            |       |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       | FINE         | FINE             | FINE  | FINE  | FINE         |       |                               | Measuring Instruments<br>I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 15    | 15           | 15               | 15    | 15    | 15           |       |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | NA    | NA    | NA           |       |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK    | OK           | OK               | OK    | OK    | OK           |       |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | NA    | NA    | NA           |       |                               | ASM-No-<br>AEX260803-01          |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       | OK           | OK               | OK    | OK    | OK           |       |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | OK    | OK    | OK           |       |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       | OK           | OK               | OK    | OK    | OK           |       |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |       |              |       |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | 3     | 4            | 5     |                               |                                  |            |
|               |                    | T.L                                        | 5.00                        | 4.70  | 5.30         | 4.96             | 4.95  | 4.94  | 4.96         | 4.95  |                               |                                  |            |
|               |                    | O.D                                        | 22.00                       | 21.80 | 22.00        | 21.88            | 21.85 | 21.89 | 21.91        | 21.90 |                               |                                  |            |
|               |                    | O.D                                        | 19.50                       | 19.30 | 19.50        | 19.43            | 19.45 | 19.46 | 19.45        | 19.48 |                               |                                  |            |
|               |                    | O.D.L                                      | 3.00                        | 3.00  | 3.20         | 3.05             | 3.04  | 3.03  | 3.05         | 3.06  |                               |                                  |            |
|               |                    | I.D                                        | 14.00                       | 14.00 | 14.20        | 14.09            | 14.08 | 14.07 | 14.04        | 14.06 |                               |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |       |              |       |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |       | Shreekant    |       |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |              |       |                    |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|-------|--------------------|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-09             | Product Name                               | OUTER SKID WASHER           |       | Size         | M20              |       | Drawing No.  | OW-01 | Date:              | 12-08-2026                    |                                  |            |
| Wo No.        | 26100053           | Total Quantity                             | 900                         |       | Lot Quantity | 900              |       | Sample Size- | 5     | Variable & Gauging | 5PCS                          |                                  |            |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |              |       |                    | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2     | 3            | 4     | 5                  |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE  | FINE         | FINE  | FINE               |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 15    | 15           | 15               | 15    | 15           | 15    | 15                 |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | NA    | NA           | NA    | NA                 |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK    | OK           | OK               | OK    | OK           | OK    | OK                 |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | NA    | NA           | NA    | NA                 |                               | ASM-No-<br>AEX260803-01          |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       |              | OK               | OK    | OK           | OK    | OK                 | OK                            |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | OK    | OK           | OK    | OK                 | OK                            |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              | OK               | OK    | OK           | OK    | OK                 | OK                            |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |              |       |                    |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | 3            | 4     | 5                  |                               |                                  |            |
|               |                    | T.L                                        | 6.50                        | 6.20  | 6.80         | 6.54             | 6.56  | 6.58         | 6.55  | 6.59               |                               |                                  |            |
|               |                    | O.D                                        | 27.00                       | 27.00 | 27.10        | 27.05            | 27.04 | 27.03        | 27.04 | 27.06              |                               |                                  |            |
|               |                    | O.D                                        | 24.50                       | 24.30 | 24.50        | 24.43            | 24.45 | 24.46        | 24.49 | 24.48              |                               |                                  |            |
|               |                    | O.D.L                                      | 4.00                        | 4.00  | 4.10         | 4.05             | 4.07  | 4.09         | 4.06  | 4.05               |                               |                                  |            |
|               |                    | I.D                                        | 6.50                        | 6.50  | 6.60         | 6.56             | 6.55  | 6.54         | 6.55  | 6.54               |                               |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |              |       |                    |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       | Shreekant    |       |                    |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |        |                  |        |        |        |              |                               |                                  |                    |            |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|--------|------------------|--------|--------|--------|--------------|-------------------------------|----------------------------------|--------------------|------------|
| INSP. No.                                                                        | FIR-09             | Product Name                                                                             | SHROUD                      |        | Size             |        | C-2032 |        | Drawing No.  |                               |                                  | Date:              | 12-08-2026 |
| Wo No.                                                                           | 26100053           | Total Quantity                                                                           | 900                         |        | Lot Quantity     |        | 900    |        | Sample Size- |                               | 5                                | Variable & Gauging | 5PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |        | OBSERVED RESULTS |        |        |        |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY         |            |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                    |        | 1                | 2      | 3      | 4      | 5            |                               |                                  |                    |            |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean                 |        | FINE             | FINE   | FINE   | FINE   | FINE         |                               | Measuring<br>Instruments I.D No- |                    |            |
|                                                                                  |                    | Sizewise No of Pcs.<br>With Internal Parts                                               | As per Drg. No.<br>of Parts | 15     | 15               | 15     | 15     | 15     | 15           |                               | (1) DV-55                        |                    |            |
|                                                                                  |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA     | NA               | NA     | NA     | NA     | NA           |                               | (2) PP-01                        |                    |            |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | NA     | NA               | NA     | NA     | NA     | NA           |                               |                                  |                    |            |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.                 | NA     | NA               | NA     | NA     | NA     | NA           |                               | ASM-No-<br>AEX260803-01          |                    |            |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.                 |        | OK               | OK     | OK     | OK     | OK           |                               |                                  |                    |            |
|                                                                                  |                    | Inner Packing                                                                            | Labeling &<br>Printing      |        | OK               | OK     | OK     | OK     | OK           |                               |                                  |                    |            |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping         |        | OK               | OK     | OK     | OK     | OK           |                               |                                  |                    |            |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                             |        |                  |        |        |        |              |                               |                                  |                    |            |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                       | -      | +                | 1      | 2      | 3      | 4            | 5                             |                                  |                    |            |
|                                                                                  |                    | T.L                                                                                      | 130.00                      | 129.20 | 130.80           | 130.25 | 130.28 | 130.26 | 130.24       | 130.26                        |                                  |                    |            |
|                                                                                  |                    | I.D                                                                                      | 32.00                       | 31.20  | 32.80            | 32.11  | 32.13  | 32.15  | 32.14        | 32.16                         |                                  |                    |            |
|                                                                                  |                    |                                                                                          |                             |        |                  |        |        |        |              |                               |                                  |                    |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                             |        | APPROVED BY:     |        |        |        | Shreekant    |                               |                                  |                    |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-09             | Product Name                               | EARTH TAG                   |        | Size         |                  | M20   |       | Drawing No.  |       | -                             | Date:                            | 12-08-2026 |
|---------------|--------------------|--------------------------------------------|-----------------------------|--------|--------------|------------------|-------|-------|--------------|-------|-------------------------------|----------------------------------|------------|
| Wo No.        | 26100053           | Total Quantity                             | 900                         |        | Lot Quantity |                  | 900   |       | Sample Size- |       | 5                             | Variable & Gauging               | 5PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |        |              | OBSERVED RESULTS |       |       |              |       | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |        | 1            | 2                | 3     | 4     | 5            |       |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |        | FINE         | FINE             | FINE  | FINE  | FINE         |       |                               | Measuring Instruments<br>I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 15     | 15           | 15               | 15    | 15    | 15           |       |                               | (1) DV-55                        |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NICKEL | OK           | OK               | OK    | OK    | OK           |       |                               | (2) PP-01                        |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | NA     | NA           | NA               | NA    | NA    | NA           |       |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA     | NA           | NA               | NA    | NA    | NA           |       |                               | ASM-No-<br>AEX260803-01          |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |        | OK           | OK               | OK    | OK    | OK           |       |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |        | OK           | OK               | OK    | OK    | OK           |       |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |        | OK           | OK               | OK    | OK    | OK           |       |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |        |              |                  |       |       |              |       |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -      | +            | 1                | 2     | 3     | 4            | 5     |                               |                                  |            |
|               |                    | THICKNESS                                  | 1.00                        | 0.80   | 1.20         | 1.01             | 1.03  | 1.02  | 1.02         | 1.01  |                               |                                  |            |
|               |                    | O.D                                        | 29.20                       | 28.70  | 29.70        | 29.18            | 29.20 | 29.19 | 29.19        | 29.18 |                               |                                  |            |
|               |                    | O.D                                        | 13.00                       | 12.50  | 13.50        | 13.02            | 13.01 | 13.03 | 13.05        | 13.04 |                               |                                  |            |
|               |                    | I.D                                        | 20.20                       | 19.70  | 20.70        | 20.23            | 20.25 | 20.24 | 20.24        | 20.26 |                               |                                  |            |
|               |                    | I.D                                        | 6.20                        | 5.90   | 6.50         | 6.25             | 6.24  | 6.23  | 6.25         | 6.23  |                               |                                  |            |
|               |                    |                                            |                             |        |              |                  |       |       |              |       |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |        | APPROVED BY: |                  |       |       | Shreekant    |       |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |       |                  |       |       |       |              |                               |                                  |                    |            |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|-------|------------------|-------|-------|-------|--------------|-------------------------------|----------------------------------|--------------------|------------|
| INSP. No.                                                                        | FIR-09             | Product Name                                                                             | NYLON WASHER                |       | Size             |       | M20   |       | Drawing No.  |                               | -                                | Date:              | 12-08-2026 |
| Wo No.                                                                           | 26100053           | Total Quantity                                                                           | 900                         |       | Lot Quantity     |       | 900   |       | Sample Size- |                               | 5                                | Variable & Gauging | 5PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |       | OBSERVED RESULTS |       |       |       |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY         |            |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                    |       | 1                | 2     | 3     | 4     | 5            |                               |                                  |                    |            |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean                 |       | FINE             | FINE  | FINE  | FINE  | FINE         |                               | Measuring<br>Instruments I.D No- |                    |            |
|                                                                                  |                    | Sizewise No of Pcs.<br>With Internal Parts                                               | As per Drg. No.<br>of Parts | 15    | 15               | 15    | 15    | 15    | 15           |                               | (1) DV-55                        |                    |            |
|                                                                                  |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA    | NA               | NA    | NA    | NA    | NA           |                               | (2) PP-01                        |                    |            |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | NA    | NA               | NA    | NA    | NA    | NA           |                               |                                  |                    |            |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.                 | NA    | NA               | NA    | NA    | NA    | NA           |                               | ASM-No-<br>AEX260803-01          |                    |            |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.                 |       | OK               | OK    | OK    | OK    | OK           |                               |                                  |                    |            |
|                                                                                  |                    | Inner Packing                                                                            | Labeling &<br>Printing      |       | OK               | OK    | OK    | OK    | OK           |                               |                                  |                    |            |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping         |       | OK               | OK    | OK    | OK    | OK           |                               |                                  |                    |            |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                             |       |                  |       |       |       |              |                               |                                  |                    |            |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                       | -     | +                | 1     | 2     | 3     | 4            | 5                             |                                  |                    |            |
|                                                                                  |                    | THICKNESS                                                                                | 1.50                        | 1.30  | 1.70             | 1.45  | 1.49  | 1.48  | 1.47         | 1.49                          |                                  |                    |            |
|                                                                                  |                    | I.D                                                                                      | 20.20                       | 19.70 | 20.70            | 20.29 | 20.30 | 20.28 | 20.26        | 20.29                         |                                  |                    |            |
|                                                                                  |                    |                                                                                          |                             |       |                  |       |       |       |              |                               |                                  |                    |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                             |       | APPROVED BY:     |       |       |       | Shreekant    |                               |                                  |                    |            |

Conclusion :



Accept



Reject



Hold

