MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	LOCK NUT	Size	M20	Drawing No.	DL1M	Date:	29-10-2026
Wo No.	26000287	Total Quantity	1000	Lot Quantity	1000	Sample Size-	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	OK	OK		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		A/F	24.00	23.87	24.00	23.96	23.98	23.95	23.94	23.96		
		A/C	26.00	25.50	26.50	26.05	26.04	26.03	26.05	26.04		
		T.L	3.50	3.20	3.80	3.54	3.56	3.58	3.55	3.54		
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	OK	OK		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	ENTRY COMPONENT	**Size**	M20	**Drawing No.**	313001M-01s	**Date:**	29-10-2026
Wo No.	26000287	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	OK	OK		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-E1FUNV20s1MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X						ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		A/F	25.00	24.87	25.00	24.96	24.95	24.94	24.95	24.94			
		A/C	27.50	27.00	28.00	27.53	27.55	27.54	27.56	27.55			
		T.L	32.00	32.00	32.50	32.15	32.14	32.16	32.12	32.11			
		TH.L	13.00	12.50	13.50	13.05	13.06	13.05	13.04	13.06			
		LENGTH	17.00	17.00	17.50	17.07	17.06	17.05	17.05	17.08			
		GR.OD	18.00	18.00	18.50	18.08	18.07	18.09	18.05	18.06			
		GR.LE	2.50	2.30	2.70	2.53	2.54	2.55	2.54	2.56			
		O.D	24.50	24.00	25.00	24.55	24.53	24.56	24.55	24.54			
		O.D.L	9.00	8.50	9.50	9.04	9.01	9.03	9.05	9.03			
		H.L	6.00	5.70	6.30	6.06	6.09	6.05	6.04	6.06			
		I.D	12.00	11.50	12.50	12.11	12.12	12.13	12.12	12.11			
		DEPTH	11.50	11.00	12.00	11.54	11.55	11.54	11.55	11.58			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK			
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	OK	OK			
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	OK	OK			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	INTERMIDIATE BODY	**Size**	M20	**Drawing No.**	313002U-01s	**Date:**	29-10-2026
Wo No.	26000287	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5		Measuring Instruments I.D No-	
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	OK	OK		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		A/F	25.00	24.87	25.00	24.96	24.95	24.94	24.95	24.93			
		A/C	27.50	27.00	28.00	27.49	27.48	27.47	27.49	27.48			
		T.L	22.00	21.50	22.50	22.10	22.09	22.08	22.05	22.08			
		TH.L	10.00	9.50	10.50	10.01	10.03	10.05	10.04	10.06			
		GR.OD	18.00	17.50	18.50	18.02	18.01	18.03	18.05	18.02			
		GR.LE	1.00	0.80	1.20	1.03	1.02	1.03	1.02	1.01			
		H.L	4.00	3.70	4.30	4.06	4.05	4.05	4.04	4.06			
		TH.L	8.00	7.70	8.30	8.06	8.05	8.04	8.05	8.04			
		GR.OD	20.00	19.50	20.50	20.05	20.04	20.03	20.05	20.03			
		GR.LE	1.00	0.80	1.20	1.02	1.01	1.03	1.02	1.01			
		I.D	16.00	15.50	16.50	16.08	16.07	16.05	16.04	16.06			
		I.D	18.00	17.50	18.50	18.05	18.06	18.05	18.05	18.08			
		DEPTH	7.00	6.70	7.30	7.02	7.01	7.05	7.04	7.06			
		I.D	17.00	16.50	17.50	17.04	17.06	17.07	17.06	17.09			
		I.D.LE	4.50	4.20	4.80	4.53	4.55	4.55	4.55	1.54			
		DEPTH	11.50	11.00	12.00	11.55	11.54	11.53	11.56	11.55			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK			
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	OK	OK			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	MIDDLE BODY	**Size**	M20	**Drawing No.**	313002-018	**Date:**	29-10-2026
Wo No.	26000287	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishine	NICKEL	OK	OK	OK	OK	OK		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		A/F	25.00	24.87	25.00	24.95	24.94	24.96	24.95	24.93			
		A/C	27.50	27.00	28.00	27.45	27.48	27.46	27.49	27.47			
		T.L	28.00	27.50	28.50	28.09	28.08	28.05	28.06	28.05			
		TH.L	12.00	11.50	12.50	12.03	12.05	12.04	12.05	12.03			
		GR.OD	20.50	20.00	21.00	20.55	20.54	20.53	20.56	20.55			
		GR.LE	1.00	0.80	1.20	1.02	1.01	1.03	1.02	1.01			
		O.D	24.50	24.00	25.00	24.37	24.39	24.38	24.41	24.39			
		O.D.L	8.00	7.70	8.30	8.04	8.03	8.05	8.03	8.05			
		H.L	8.00	7.70	8.30	8.05	8.04	8.06	8.05	8.04			
		I.D	16.00	15.50	16.50	16.05	16.04	16.03	16.04	16.06			
		I.D	17.00	16.50	17.50	17.06	17.05	17.04	17.05	17.04			
		I.D.LE	4.00	3.70	4.30	4.03	4.05	4.04	4.03	4.05			
		INT.THL	9.50	9.00	10.00	9.53	9.55	9.54	9.55	9.58			
		I.D	20.00	19.50	20.50	20.04	20.03	20.05	20.04	20.03			
		DEPTH	14.00	13.50	14.50	14.09	14.08	14.08	14.05	14.06			
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	OK	OK	OK			
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	OK	OK			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERS PVT. LTD. CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	BACK NUT	Size	M20	Drawing No.	313003-018	Date:	29-10-2026
Wo No.	26000287	Total Quantity	1000	Lot Quantity	1000	Sample Size-	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments ID No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	OK	OK		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		A/F	25.00	24.87	25.00	24.95	24.94	24.93	24.95	24.94			
		A/C	27.50	27.00	28.00	27.50	27.49	27.48	27.49	27.48			
		T.L	17.00	16.50	17.50	17.08	17.07	17.06	17.04	17.06			
		O.D	24.00	23.50	24.50	24.07	24.06	24.05	24.03	24.05			
		O.D.L	8.00	7.70	8.30	8.02	8.01	8.03	8.05	8.04			
		H.L	9.00	8.50	9.50	9.06	9.05	9.04	9.05	9.03			
		I.D	19.00	18.50	19.50	19.03	19.02	19.05	19.04	19.06			
		INT.THL	3.00	2.80	3.20	3.02	3.01	3.03	3.05	3.03			
		GR.ID	22.20	21.70	22.70	22.25	22.24	22.26	22.25	22.23			
		GR.LE	10.50	10.00	11.00	10.51	10.53	10.52	10.52	10.51			
		DEPTH	13.50	13.00	14.00	13.52	13.51	13.53	13.56	13.55			
		GR.ID	21.00	20.50	21.50	21.03	21.02	21.05	21.03	21.02			
		GR.LE	2.50	2.30	2.70	2.52	2.51	2.53	2.55	2.56			
		DEPTH	16.00	15.50	16.50	16.03	16.05	16.04	16.05	16.04			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO			OK	OK	OK	OK	OK			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	OK	OK			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	OK	OK			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS (INDIA) CA PASSED

METAL MECH
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	UNIVERSAL CLAMPING CONE	Size	M20	Drawing No.	313005-01s	Date:	29-10-2026
Wo No.	26000287	Total Quantity	1000	Lot Quantity	1000	Sample Size-	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5		Measuring Instruments I.D No-	
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	OK	OK		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	22.00	21.50	22.50	22.05	22.04	22.03	22.05	22.03			
		O.D	14.00	13.50	14.50	14.05	14.04	14.03	14.03	14.05			
		O.D.L	3.50	3.20	3.80	3.45	3.48	3.47	3.49	3.48			
		GR.OD	15.50	15.00	16.00	15.51	15.49	15.46	15.46	15.45			
		GR.LE	2.50	2.30	2.70	2.52	2.51	2.53	2.55	2.54			
		O.D	16.20	15.70	16.70	16.23	16.22	16.26	16.25	16.23			
		O.D.L	7.50	7.20	7.80	7.51	7.53	7.54	7.55	7.54			
		O.D	17.50	17.00	18.00	17.46	17.45	17.44	17.45	17.49			
		O.D.L	7.00	6.70	7.30	7.06	7.05	7.04	7.05	7.03			
		O.D	14.00	13.50	14.50	14.08	14.06	14.05	14.04	14.06			
		O.D.L	4.50	4.20	4.80	4.45	4.48	4.46	4.45	4.49			
		O.D	14.50	14.00	15.00	14.52	14.55	14.58	14.55	14.59			
		O.D	15.00	14.50	15.50	15.05	15.04	15.03	15.03	15.05			
		O.D	15.50	15.00	16.00	15.53	15.55	15.54	15.55	15.58			
		O.D.L	7.50	7.20	7.80	7.53	7.55	7.54	7.55	7.54			
		I.D	12.00	11.50	12.50	12.06	12.09	12.05	12.03	12.05			
		GROOVE.STEP.LE	0.50	0.30	0.70	0.48	0.50	0.49	0.48	0.50			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	OK	OK			
		RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	OK	OK			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS (I) PVT. LTD. QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	REVERSIBLE ARMOUR RING	**Size**	M20	**Drawing No.**	313004-01s	**Date:**	29-10-2026
Wo No.	26000287	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	OK	OK		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	6.00	5.70	6.30	6.02	6.03	6.04	6.03	6.06		
		O.D	18.50	18.00	19.00	18.73	18.75	18.76	18.76	18.75		
		I.D	16.00	15.50	16.50	16.16	16.15	16.12	16.11	16.13		
		I.D	16.50	16.00	17.00	16.65	16.64	16.65	16.63	16.66		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	O-RING	**Size**	M20	**Drawing No.**	OR-1M	**Date:**	29-10-2026
Wo No.	26000287	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		THICKNESS	2.50	2.00	2.50	2.22	2.23	2.24	2.22	2.21		
		I.D	16.00	15.50	16.50	16.03	16.05	16.07	16.05	16.08		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	COMPRESSIBLE INNER SEAL	Size	M20	Drawing No.	GI-01s	Date:	29-10-2026
Wo No.	26000287	Total Quantity	1000	Lot Quantity	1000	Sample Size-	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	9.50	9.00	10.00	9.53	9.52	9.55	9.53	9.55		
		O.D.L	3.00	2.70	3.30	3.01	3.03	3.05	3.03	3.05		
		O.D	18.50	18.30	18.50	18.42	18.44	18.45	18.45	18.48		
		O.D.L	6.50	6.20	6.80	6.52	6.53	6.55	6.55	6.53		
		I.D	11.70	11.70	11.90	11.77	11.76	11.75	11.73	11.75		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL	Size	M20	Drawing No.	GE-01s	Date:	29-10-2026
Wo No.	26000287	Total Quantity	1000	Lot Quantity	1000	Sample Size-	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		T.L	10.00	9.50	10.50	10.04	10.06	10.08	10.06	10.09		
		O.D	22.20	22.00	22.20	22.11	22.13	22.12	22.12	22.11		
		GR.LENGTH	3.50	3.20	3.80	3.53	3.52	3.55	3.54	3.56		
		I.D	15.70	15.70	15.80	15.74	15.76	15.76	15.75	15.74		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	INNER SKID WASHER	Size	M20	Drawing No.	IW-01s	Date:	29-10-2026
Wo No.	26000287	Total Quantity	1000	Lot Quantity	1000	Sample Size-	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	OK	OK			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		T.L	4.50	4.20	4.80	4.48	4.47	4.45	4.44	4.48			
		O.D	18.00	17.80	18.00	17.95	17.92	17.93	17.95	17.94			
		O.D	15.50	15.30	15.50	15.43	15.42	15.45	15.44	15.48			
		O.D.L	2.50	2.50	2.70	2.52	2.54	2.55	2.54	2.56			
		I.D	12.00	12.00	12.20	12.05	12.04	12.03	12.05	12.04			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	OUTER SKID WASHER	**Size**	M20	**Drawing No.**	OW-01s	**Date:**	29-10-2026
Wo No.	26000287	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		T.L	6.50	6.20	6.80	6.52	6.53	6.54	6.53	6.55		
		O.D	20.50	20.50	20.60	20.52	20.55	20.54	20.55	20.54		
		O.D	18.50	18.30	18.50	18.40	18.39	18.41	18.43	18.41		
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.03	4.05	4.04		
		I.D	16.00	16.00	16.20	16.03	16.05	16.04	16.05	16.08		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	SHROUD	**Size**	C-2027	**Drawing No.**		**Date:**	29-10-2026
Wo No.	26000287	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		T.L	125.00	124.20	125.80	125.12	125.19	125.13	125.11	125.13		
		I.D	27.00	26.50	27.50	27.09	27.08	27.07	27.09	27.08		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	EARTH TAG	Size	M20	Drawing No.		Date:	29-10-2026
Wo No.	26000287	Total Quantity	1000	Lot Quantity	1000	Sample Size-	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5			
		THICKNESS	1.00	0.80	1.20	1.01	1.03	1.02	1.02	1.01		
		O.D	29.20	28.70	29.70	29.18	29.20	29.19	29.19	29.20		
		O.D	13.00	12.50	13.50	13.02	13.01	13.05	13.05	13.04		
		I.D	20.00	19.50	20.50	20.23	20.25	20.24	20.23	20.29		
		I.D	6.20	5.90	6.50	6.25	6.24	6.23	6.25	6.28		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	NYLON WASHER	Size	M20	Drawing No.	-	Date:	29-10-2026
Wo No.	26000287	Total Quantity	1000	Lot Quantity	1000	Sample Size-	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		THICKNESS	1.50	1.30	1.70	1.48	1.47	1.46	1.44	1.45		
		I.D	20.00	19.50	20.50	20.33	20.35	20.34	20.33	20.35		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	STAR WASHER	**Size**	M20	**Drawing No.**	-	**Date:**	29-10-2026
Wo No.	26000287	**Total Quantity**	1000	**Lot Quantity**	1000	**Sample Size-**	5	Variable & Gauging	5PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	4	5			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	FINE	FINE		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	16	16	16		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	NA	NA		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	NA	NA			
		Marking	WO Ref. No.	NA	NA	NA	NA	NA	NA		ASM No :- AEX261022-04	
		Assembly Perfection	As per Drg.		OK	OK	OK	OK	OK			
		Inner Packing	Labeling & Printing		OK	OK	OK	OK	OK			
		Outer Packing	Printing & Stamping		OK	OK	OK	OK	OK			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	4	5		
		O.D	33.00	32.70	33.30	33.06	33.05	33.04	33.06	33.09		
		I.D	21.00	20.50	21.50	21.36	21.35	21.33	21.35	21.38		
		T.L	4.00	3.70	4.30	4.06	4.05	4.05	4.06	4.03		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED