METAL MECH
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-05	Product Name	ENTRY COMPONENT	Size	M63	Drawing No.	313001M-06	Date:	25-10-2026
Wo No.	26100102	Total Quantity	5	Lot Quantity	5	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No.	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5	5	5	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK		-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	OK	OK	OK	-	-	-		ASM No - AEX261021-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	A/F	74.00	73.81	74.00	73.97	73.96	-	-	-			
		A/C	81.00	80.20	81.80	81.07	81.09	-	-	-			
		T.L	37.00	37.00	37.50	37.15	37.17	-	-	-			
		TH.L	13.00	12.50	13.50	13.03	13.05	-	-	-			
		LENGTH	17.00	17.00	17.50	17.08	17.09	-	-	-			
		GR.OD	61.00	60.20	61.80	61.00	60.99	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	-	-	-			
		O.D	73.00	72.20	73.80	73.02	73.01	-	-	-			
		O.D.L	11.00	10.70	11.30	10.96	10.95	-	-	-			
		H.L	9.00	8.50	9.50	9.11	9.13	-	-	-			
		I.D	56.50	55.70	57.30	56.50	56.51	-	-	-			
		DEPTH	15.00	14.50	15.50	15.06	15.08	-	-	-			
		THREAD	M63x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M68x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING
QA PASSER
Jay Hadiyal

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-05	Product Name	BACK NUT	Size	M63	Drawing No.	314006-06	Date:	25-10-2026
Wo No.	26100102	Total Quantity	5	Lot Quantity	5	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts: 5	5	5	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing: NICKEL	OK	OK		-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. / NA	NA	NA	-	-	-			
		Marking	WO Ref. No. / NA	NA	NA	-	-	-		ASM No - AEX261021-04	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE / - / +	1	2	-	-	-			
		A/F	74.00 / 73.81 / 74.00	73.95	73.97	-	-	-			
		A/C	81.00 / 80.20 / 81.80	81.06	81.09	-	-	-			
		T.L	22.00 / 21.50 / 22.50	22.05	22.02	-	-	-			
		TH.L	14.00 / 13.50 / 14.50	14.01	14.00	-	-	-			
		GR.OD	66.00 / 65.20 / 66.80	66.02	66.01	-	-	-			
		GR.LE	1.50 / 1.30 / 1.70	1.55	1.54	-	-	-			
		H.L	8.00 / 7.70 / 8.30	8.00	7.99	-	-	-			
		I.D	60.50 / 59.70 / 61.30	60.56	60.59	-	-	-			
		THREAD	M68x1.5 AS PER T.R.G GO NOT GO	OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND	OK	OK	-	-	-			
		RADIUS	3 MM AS PER PP FOUND	OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSER

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-05	**Product Name**	COMPRESSIBLE SEALING RING	**Size**	M63	**Drawing No.**	GI-06	**Date:**	25-10-2026
Wo No.	26100102	**Total Quantity**	5	**Lot Quantity**	5	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5	5	5	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No - AEX261021-04**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	15.50	15.00	16.00	15.52	15.55	-	-	-		
		O.D.L	5.50	5.20	5.80	5.55	5.58	-	-	-		
		O.D	66.50	66.30	66.50	66.43	66.46	-	-	-		
		O.D.L	10.00	9.50	10.50	10.02	10.05	-	-	-		
		I.D	56.20	56.20	56.40	56.23	56.28	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-05	Product Name	SKID WASHER	Size	M63	Drawing No.	IW-06	Date:	25-10-2026
Wo No.	26100102	Total Quantity	5	Lot Quantity	5	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5	5	5	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX261021-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.50	5.20	5.80	5.52	5.55	-	-	-		
		O.D	65.00	64.80	65.00	64.90	64.93	-	-	-		
		O.D	59.50	59.30	59.50	59.45	59.48	-	-	-		
		O.D.L	4.00	4.00	4.20	4.02	4.05	-	-	-		
		I.D	56.50	56.50	56.70	56.53	56.56	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-05	**Product Name**	O-RING	**Size**	M63	**Drawing No.**	OR-6M	**Date:**	25-10-2026
Wo No.	26100102	**Total Quantity**	5	**Lot Quantity**	5	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	5	5	5	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No - AEX261021-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	THICKNESS	2.50	2.00	2.50	2.04	2.06	-	-	-			
		I.D	55.00	54.20	55.80	55.08	55.07	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED J B Hadiyal