

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	LOCK NUT		Size		M20		Drawing No.		DL1M	Date:	05-08-2026
Wo No.	26000205	Total Quantity	9		Lot Quantity		9		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-05		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	24.00	23.87	24.00	23.96	23.98	-	-	-			
		A/C	26.00	25.50	26.50	26.05	26.04	-	-	-			
		T.L	3.50	3.20	3.80	3.54	3.56	-	-	-			
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	ENTRY COMPONENT		Size		M20		Drawing No.		313001M-018	Date:	05-08-2026
Wo No.	26000205	Total Quantity	9		Lot Quantity		9		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				Measuring Instruments ID No.
		Size wise No of Pes. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-				(1) DV-55
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-				(2) PP-01
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUNY20s1MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC	OK	OK	-	-	-				ASM No :- AEX260802-05
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	25.00	24.87	25.00	24.96	24.95	-	-	-			
		A/C	27.50	27.00	28.00	27.53	27.55	-	-	-			
		T.L	32.00	32.00	32.50	32.15	32.14	-	-	-			
		TH.L	13.00	12.50	13.50	13.05	13.06	-	-	-			
		LENGTH	17.00	17.00	17.50	17.07	17.06	-	-	-			
		GR.OD	18.00	18.00	18.50	18.08	18.07	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.54	-	-	-			
		O.D	24.50	24.00	25.00	24.55	24.53	-	-	-			
		O.D.L	9.00	8.50	9.50	9.04	9.01	-	-	-			
		H.L	6.00	5.70	6.30	6.06	6.09	-	-	-			
		LD	12.00	11.50	12.50	12.11	12.12	-	-	-			
		DEPTH	11.50	11.00	12.00	11.54	11.55	-	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CHANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.		FIR-01		Product Name		INTERMEDIATE BODY		Size		M20		Drawing No.		313002U-018		Date:		05-08-2026	
Wo No.		26000205		Total Quantity		9		Lot Quantity		9		Sample Size-		2		Variable & Gauging		2PCS	
Sr. No.		Checking Parameter		REQUIRED PARAMETER				OBSERVED RESULTS						REJECTION REWORK DETAIL		REMARK		CHECKED BY	
				PARAMETER		CRITERIA		1		2		-							
1		Visual		Surface		Fine, Clean		FINE		FINE		-		-		-		Measuring Instruments ID No:- (1) DV-55 (2) PP-01 ASM No :- AEN260802-05	
				Size/wise No of Pcs. With Internal Parts		As per Drg. No. of Parts		15		15		15		-		-			
				Washing & Plating		Surface Finishing		NICKEL		OK		OK		-		-			
				RUBBER MARKING		AS PER DRG.		NA		NA		NA		-		-			
				Marking		WO Ref. No.		NA		NA		NA		-		-			
				Assembly Perfection		As per Drg.		OK		OK		-		-					
				Inner Packing		Labeling & Printing		OK		OK		-		-					
				Outer Packing		Printing & Stamping		OK		OK		-		-					
2		DIMENSION		VALUE		-		+		1		2		-		-		-	
				A/F		25.00		24.87		25.00		24.96		24.95		-		-	
				A/C		27.50		27.00		28.00		27.49		27.48		-		-	
				T.L		22.00		21.50		22.50		22.10		22.09		-		-	
				TH.L		10.00		9.50		10.50		10.01		10.03		-		-	
				GR.OD		18.00		17.50		18.50		18.02		18.01		-		-	
				GR.LE		1.00		0.80		1.20		1.03		1.02		-		-	
				H.L		4.00		3.70		4.30		4.06		4.05		-		-	
				TH.L		8.00		7.70		8.30		8.06		8.05		-		-	
				GR.OD		20.00		19.50		20.50		20.05		20.04		-		-	
				GR.LE		1.00		0.80		1.20		1.02		1.01		-		-	
				LD		16.00		15.50		16.50		16.08		16.07		-		-	
				LD		18.00		17.50		18.50		18.05		18.06		-		-	
				DEPTH		7.00		6.70		7.30		7.02		7.01		-		-	
				LD		17.00		16.50		17.50		17.04		17.06		-		-	
				LD.LE		4.50		4.20		4.80		4.53		4.55		-		-	
				DEPTH		11.50		11.00		12.00		11.55		11.54		-		-	
				THREAD		M20x1.5 AS PER T.R.G GO NOT GO		OK		OK		-		-		-		-	
				THREAD		M22x1.5 AS PER T.R.G GO NOT GO		OK		OK		-		-		-		-	
				CH.ANGLE		1.5x45° AS PER PP FOUND		OK		OK		-		-		-		-	
				CH.ANGLE		0.5x45° AS PER PP FOUND		OK		OK		-		-		-		-	
				CH.ANGLE		20° AS PER PP FOUND		OK		OK		-		-		-		-	

INSPECTED BY:

Jay Hadiyal

APPROVED BY:

Shreekant

Conclusion :



Accept



Reject



Hold



INSP. No.		FIR-01		Product Name		MIDDLE BODY		Size		M20		Drawing No.		313002-018		Date:		05-08-2026	
Wo No.		26000205		Total Quantity		9		Lot Quantity		9		Sample Size-				Variable & Gauging		2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY							
		PARAMETER	CRITERIA		1	2	-	-	-										
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-										
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts		15	15	15	-	-	-			Measuring Instruments ID No. (1) DV-55						
		Washing & Plating	Surface Finishing		NICKEL	OK	OK	-	-	-			(2) PP-01						
		RUBBER MARKING	AS PER DRG.		NA	NA	NA	-	-	-									
		Marking	WO Ref. No.		NA	NA	NA	-	-	-			ASM No > AEX260002-05						
		Assembly Perfection	As per Drg.		OK	OK	-	-	-										
		Inner Packing	Labeling & Printing		OK	OK	-	-	-										
		Outer Packing	Printing & Stamping		OK	OK	-	-	-										
		All Dimensions Are In MM																	
			VALUE	-	+	1	2	-	-	-									
2	DIMENSION	A/F	25.00	24.87	25.00	24.95	24.94	-	-	-									
		A/C	27.50	27.00	28.00	27.45	27.48	-	-	-									
		T.L	28.00	27.50	28.50	28.09	28.08	-	-	-									
		TH.L	12.00	11.50	12.50	12.03	12.05	-	-	-									
		GR.OD	20.50	20.00	21.00	20.55	20.54	-	-	-									
		GR.LE	1.00	0.80	1.20	1.02	1.01	-	-	-									
		O.D	24.50	24.00	25.00	24.37	24.39	-	-	-									
		O.D.L	8.00	7.70	8.30	8.04	8.03	-	-	-									
		H.L	8.00	7.70	8.30	8.05	8.04	-	-	-									
		LD	16.00	15.50	16.50	16.05	16.04	-	-	-									
		LD	17.00	16.50	17.50	17.06	17.05	-	-	-									
		LD.LE	4.00	3.70	4.30	4.03	4.05	-	-	-									
		INT.TH.L	9.50	9.00	10.00	9.53	9.55	-	-	-									
		LD	20.00	19.50	20.50	20.04	20.03	-	-	-									
		DEPTH	14.00	13.50	14.50	14.09	14.08	-	-	-									
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	-	-	-									
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-									
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-									
		CHANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-									
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-									
CHANGLE	30° AS PER PP FOUND			OK	OK	-	-	-											
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant										

Conclusion :

☒ Accept

☐ Reject

☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	BACK NUT		Size	M20		Drawing No.	313003-018		Date:	05-08-2026		
Wo No.	26000205	Total Quantity	9		Lot Quantity	9		Sample Size:	2		Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	2	-	-				-	
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D. No.		
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15		15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-				
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX260802-05		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing			OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
		2	DIMENSION		VALUE	-	+	1	2	-	-	-		
A/F	25.00			24.87	25.00	24.95	24.94	-	-	-				
A/C	27.50			27.00	28.00	27.50	27.49	-	-	-				
T.L	17.00			16.50	17.50	17.08	17.07	-	-	-				
O.D	24.00			23.50	24.50	24.07	24.06	-	-	-				
O.D.L	8.00			7.70	8.30	8.02	8.01	-	-	-				
H.L	9.00			8.50	9.50	9.06	9.05	-	-	-				
LD	19.00			18.50	19.50	19.03	19.02	-	-	-				
INT.THLD	3.00			2.80	3.20	3.02	3.01	-	-	-				
GR.ID	22.20			21.70	22.70	22.25	22.24	-	-	-				
GR.LE	10.50			10.00	11.00	10.51	10.53	-	-	-				
DEPTH	13.50			13.00	14.00	13.52	13.51	-	-	-				
GR.ID	21.00			20.50	21.50	21.03	21.02	-	-	-				
GR.LE	2.50			2.30	2.70	2.52	2.51	-	-	-				
DEPTH	16.00			15.50	16.50	16.03	16.05	-	-	-				
INT.THREAD	M22x1 AS PER P.G GO NOT GO			OK	OK	-	-	-						
CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-						
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-						
CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-						
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	UNIVERSAL CLAMPING CONE	Size	M20	Drawing No.	313005-01s	Date:	05-08-2026			
Wo No.	26000205	Total Quantity	9	Lot Quantity	9	Sample Size-	2	Variable & Gauging	2PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA	1	2	-	-	-				
		Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments I.D No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts 15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG. NA	NA	NA	-	-	-				
		Marking	WO Ref. No. NA	NA	NA	-	-	-		ASM No :- AEN260802-05		
		Assembly Perfection	As per Drg.	OK	OK	-	-	-				
		Inner Packing	Labeling & Printing	OK	OK	-	-	-				
		Outer Packing	Printing & Stamping	OK	OK	-	-	-				
		All Dimensions Are In MM										
		VALUE	-	+	1	2	-	-	-			
		T.L	22.00	21.50	22.50	22.05	22.04	-	-	-		
		O.D	14.00	13.50	14.50	14.05	14.04	-	-	-		
		O.D.L	3.50	3.20	3.80	3.45	3.48	-	-	-		
		GR.OD	15.50	15.00	16.00	15.51	15.49	-	-	-		
		GR.LE	2.50	2.30	2.70	2.52	2.51	-	-	-		
		O.D	16.20	15.70	16.70	16.23	16.22	-	-	-		
		O.D.L	7.50	7.20	7.80	7.51	7.53	-	-	-		
		O.D	17.50	17.00	18.00	17.46	17.45	-	-	-		
		O.D.L	7.00	6.70	7.30	7.06	7.05	-	-	-		
		O.D	14.00	13.50	14.50	14.08	14.06	-	-	-		
		O.D.L	4.50	4.20	4.80	4.45	4.48	-	-	-		
		O.D	14.50	14.00	15.00	14.52	14.55	-	-	-		
		O.D	15.00	14.50	15.50	15.05	15.04	-	-	-		
		O.D	15.50	15.00	16.00	15.53	15.55	-	-	-		
		O.D.L	7.50	7.20	7.80	7.53	7.55	-	-	-		
		L.D	12.00	11.50	12.50	12.06	12.09	-	-	-		
		GROOVE,STEP,LE	0.50	0.30	0.70	0.48	0.50	-	-	-		
		RADIUS	0.5 MM AS PER PP FOUND		OK	OK	-	-	-			
		RADIUS	0.3 AS PER PP FOUND		OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	REVERSIBLE ARMOUR RING		Size	M20		Drawing No.	313004-01S		Date:	05-08-2026	
Wo No.	26000205	Total Quantity	9		Lot Quantity	9		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-05		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.00	5.70	6.30	6.02	6.03	-	-	-			
		O.D	18.50	18.00	19.00	18.73	18.75	-	-	-			
		I.D	16.00	15.50	16.50	16.16	16.15	-	-	-			
		I.D	16.50	16.00	17.00	16.65	16.64	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	O-RING		Size		M20		Drawing No.		OR-1M	Date:	05-08-2026
Wo No.	26000205	Total Quantity	9		Lot Quantity		9		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-05		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.22	2.23	-	-	-			
		I.D	16.00	15.50	16.50	16.03	16.05	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	COMPRESSIBLE INNER SEAL			Size		M20		Drawing No.		GI-01S	Date:	05-08-2026
Wo No.	26000205	Total Quantity	9			Lot Quantity		9		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-05			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		T.L	9.50	9.00	10.00	9.53	9.52	-	-	-				
		O.D.L	3.00	2.70	3.30	3.01	3.03	-	-	-				
		O.D	18.50	18.30	18.50	18.42	18.44	-	-	-				
		O.D.L	6.50	6.20	6.80	6.52	6.53	-	-	-				
		I.D	11.70	11.70	11.90	11.77	11.76	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL		Size		M20		Drawing No.		GE-01s	Date:	05-08-2026
Wo No.	26000205	Total Quantity	9		Lot Quantity		9		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-05		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	10.00	9.50	10.50	10.04	10.06	-	-	-			
		O.D	22.20	22.00	22.20	22.11	22.13	-	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.53	3.52	-	-	-			
		I.D	15.70	15.70	15.80	15.74	15.76	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	INNER SKID WASHER		Size		M20		Drawing No.		IW-01s	Date:	05-08-2026
Wo No.	26000205	Total Quantity	9		Lot Quantity		9		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-05		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	4.50	4.20	4.80	4.48	4.47	-	-	-			
		O.D	18.00	17.80	18.00	17.95	17.92	-	-	-			
		O.D	15.50	15.30	15.50	15.43	15.42	-	-	-			
		O.D.L	2.50	2.50	2.70	2.52	2.54	-	-	-			
		I.D	12.00	12.00	12.20	12.05	12.04	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	OUTER SKID WASHER		Size	M20		Drawing No.	OW-01s	Date:	05-08-2026	
Wo No.	26000205	Total Quantity	9		Lot Quantity	9		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-05	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	6.50	6.20	6.80	6.52	6.53	-	-	-		
		O.D	20.50	20.50	20.60	20.52	20.55	-	-	-		
		O.D	18.50	18.30	18.50	18.40	18.39	-	-	-		
		O.D.L	4.00	4.00	4.10	4.02	4.01	-	-	-		
		I.D	16.00	16.00	16.20	16.03	16.05	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	SHROUD			Size	C-2027			Drawing No.		Date:	05-08-2026
Wo No.	26000205	Total Quantity	9			Lot Quantity	9			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-05		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	125.00	124.20	125.80	125.12	125.19	-	-	-			
		I.D	27.00	26.50	27.50	27.07	27.09	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	EARTH TAG		Size		M20		Drawing No.			Date:	05-08-2026
Wo No.	26000205	Total Quantity	9		Lot Quantity		9		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-05		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.00	0.80	1.20	1.01	1.03	-	-	-			
		O.D	29.20	28.70	29.70	29.18	29.20	-	-	-			
		O.D	13.00	12.50	13.50	13.02	13.01	-	-	-			
		I.D	20.00	19.50	20.50	20.23	20.25	-	-	-			
		I.D	6.20	5.90	6.50	6.25	6.24	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-01	Product Name	NYLON WASHER		Size		M20		Drawing No.		-	Date:	05-08-2026
Wo No.	26000205	Total Quantity	9		Lot Quantity		9		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260802-05		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.48	1.47	-	-	-			
		I.D	20.00	19.50	20.50	20.33	20.35	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

