

|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                                |                                                                                     |              |                  |       |   |              |                               |            |                                 |            |
|----------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|--------------------------------|-------------------------------------------------------------------------------------|--------------|------------------|-------|---|--------------|-------------------------------|------------|---------------------------------|------------|
| INSP. No.                                                                        | FIR-04             | Product Name                                        | ENTRY COMPONENT                |                                                                                     | Size         |                  | M32   |   | Drawing No.  |                               | 313001M-03 | Date:                           | 22-08-2026 |
| Wo No.                                                                           | 26000229           | Total Quantity                                      | 2                              |                                                                                     | Lot Quantity |                  | 2     |   | Sample Size- |                               | 2          | Variable & Gauging              | 2PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                  |                                |                                                                                     |              | OBSERVED RESULTS |       |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY                      |            |
|                                                                                  |                    | PARAMETER                                           | CRITERIA                       |                                                                                     | 1            | 2                | -     | - | -            |                               |            |                                 |            |
| 1                                                                                | Visual             | Surface                                             | Fine, Clean                    |                                                                                     | FINE         | FINE             | -     | - | -            |                               |            | Measuring<br>Instruments ID No. |            |
|                                                                                  |                    | Size wise No of Pes.<br>With Internal Parts         | As per Drg. No.<br>of Parts    | 11                                                                                  | 11           | 11               | -     | - | -            |                               |            | (1) DV-55                       |            |
|                                                                                  |                    | Washing & Plating                                   | Surface<br>Finishing           | NICKEL                                                                              | OK           | OK               | -     | - | -            |                               |            | (2) PP-01                       |            |
|                                                                                  |                    | RUBBER MARKING                                      | AS PER DRG.                    | NA                                                                                  | NA           | NA               | -     | - | -            |                               |            |                                 |            |
|                                                                                  |                    | Marking                                             | WO Ref. No.                    | Metalmech Logo MMEX-<br>E1FUNV323MB2 2026 CE Logo<br>2460 Ex Logo II 2 GD Ex db IIC | OK           | OK               | -     | - | -            |                               |            | ASM No -<br>AEX260818-07        |            |
|                                                                                  |                    | Assembly Perfection                                 | As per Drg.                    |                                                                                     | OK           | OK               | -     | - | -            |                               |            |                                 |            |
|                                                                                  |                    | Inner Packing                                       | Labeling &<br>Printing         |                                                                                     | OK           | OK               | -     | - | -            |                               |            |                                 |            |
|                                                                                  |                    | Outer Packing                                       | Printing & Stamping            |                                                                                     | OK           | OK               | -     | - | -            |                               |            |                                 |            |
|                                                                                  |                    | All Dimensions Are In MM                            |                                |                                                                                     |              |                  |       |   |              |                               |            |                                 |            |
| 2                                                                                | DIMENSION          |                                                     | VALUE                          | -                                                                                   | +            | 1                | 2     | - | -            | -                             |            |                                 |            |
|                                                                                  |                    | A/F                                                 | 42.00                          | 41.84                                                                               | 42.00        | 41.95            | 41.94 | - | -            | -                             |            |                                 |            |
|                                                                                  |                    | A/C                                                 | 46.00                          | 45.20                                                                               | 46.80        | 45.93            | 45.95 | - | -            | -                             |            |                                 |            |
|                                                                                  |                    | T.L                                                 | 38.00                          | 38.00                                                                               | 38.50        | 38.21            | 38.19 | - | -            | -                             |            |                                 |            |
|                                                                                  |                    | TH.L                                                | 13.00                          | 12.50                                                                               | 13.50        | 13.05            | 13.03 | - | -            | -                             |            |                                 |            |
|                                                                                  |                    | LENGTH                                              | 17.00                          | 17.00                                                                               | 17.50        | 17.08            | 17.07 | - | -            | -                             |            |                                 |            |
|                                                                                  |                    | GR.OD                                               | 30.00                          | 29.50                                                                               | 30.50        | 29.93            | 29.95 | - | -            | -                             |            |                                 |            |
|                                                                                  |                    | GR.LE                                               | 2.50                           | 2.30                                                                                | 2.70         | 2.53             | 2.55  | - | -            | -                             |            |                                 |            |
|                                                                                  |                    | O.D                                                 | 41.00                          | 40.20                                                                               | 41.80        | 40.97            | 40.99 | - | -            | -                             |            |                                 |            |
|                                                                                  |                    | O.D.L                                               | 12.00                          | 11.50                                                                               | 12.50        | 12.05            | 12.04 | - | -            | -                             |            |                                 |            |
|                                                                                  |                    | H.L                                                 | 9.00                           | 8.50                                                                                | 9.50         | 9.07             | 9.06  | - | -            | -                             |            |                                 |            |
|                                                                                  |                    | I.D                                                 | 26.50                          | 26.00                                                                               | 27.00        | 26.52            | 26.51 | - | -            | -                             |            |                                 |            |
|                                                                                  |                    | INT.TH.L                                            | 14.50                          | 14.00                                                                               | 15.00        | 14.55            | 14.58 | - | -            | -                             |            |                                 |            |
|                                                                                  |                    | THREAD                                              | M32x1.5 AS PER T.R.G GO NOT GO |                                                                                     | OK           | OK               | -     | - | -            |                               |            |                                 |            |
|                                                                                  |                    | INT.THREAD                                          | M38x1.5 AS PER P.G GO NOT GO   |                                                                                     | OK           | OK               | -     | - | -            |                               |            |                                 |            |
|                                                                                  |                    | CH.ANGLE                                            | 1.5x45° AS PER PP FOUND        |                                                                                     | OK           | OK               | -     | - | -            |                               |            |                                 |            |
|                                                                                  |                    | CH.ANGLE                                            | 0.5x45° AS PER PP FOUND        |                                                                                     | OK           | OK               | -     | - | -            |                               |            |                                 |            |
|                                                                                  |                    | CH.ANGLE                                            | 20° AS PER PP FOUND            |                                                                                     | OK           | OK               | -     | - | -            |                               |            |                                 |            |
|                                                                                  |                    | ANGLE                                               | 90° AS PER PP FOUND            |                                                                                     | OK           | OK               | -     | - | -            |                               |            |                                 |            |
|                                                                                  |                    |                                                     |                                |                                                                                     |              |                  |       |   |              |                               |            |                                 |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                         |                                |                                                                                     |              | APPROVED BY:     |       |   |              | Shreekant                     |            |                                 |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                         |                                            |                                |       |              |                  |       |           |              |                               |                                   |                    |            |
|---------------|-------------------------|--------------------------------------------|--------------------------------|-------|--------------|------------------|-------|-----------|--------------|-------------------------------|-----------------------------------|--------------------|------------|
| INSP. No.     | FIR-04                  | Product Name                               | INTERMEDIATE BODY              |       | Size         |                  | M32   |           | Drawing No.  |                               | 313002U-03                        | Date:              | 22-08-2026 |
| Wo No.        | 26000229                | Total Quantity                             | 2                              |       | Lot Quantity |                  | 2     |           | Sample Size- |                               | 2                                 | Variable & Gearing | 2PCS       |
| Sr. No.       | Checking Parameter      | REQUIRED PARAMETER                         |                                |       |              | OBSERVED RESULTS |       |           |              | REJECTION<br>REWORK<br>DETAIL | REMARK                            | CHECKED BY         |            |
|               |                         | PARAMETER                                  | CRITERIA                       |       | 1            | 2                | -     | -         | -            |                               |                                   |                    |            |
| 1             | Visual                  | Surface                                    | Fine, Clean                    |       | FINE         | FINE             | -     | -         | -            |                               | Measuring Instruments<br>-10 Nos. |                    |            |
|               |                         | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts    | 11    | 11           | -                | -     | -         |              | (1) DV-55                     |                                   |                    |            |
|               |                         | Washing & Plating                          | NICKEL<br>Finishing            | OK    | OK           | -                | -     | -         |              | (2) PP-01                     |                                   |                    |            |
|               |                         | RUBBER MARKING                             | AS PER DRG.                    | NA    | NA           | NA               | -     | -         | -            |                               |                                   |                    |            |
|               |                         | Marking                                    | WO Ref. No.                    | NA    | NA           | NA               | -     | -         | -            |                               | ASM No -<br>AEX260818-07          |                    |            |
|               |                         | Assembly Perfection                        | As per Drg.                    |       | OK           | OK               | -     | -         | -            |                               |                                   |                    |            |
|               |                         | Inner Packing                              | Labeling &<br>Printing         |       | OK           | OK               | -     | -         | -            |                               |                                   |                    |            |
|               |                         | Outer Packing                              | Printing & Stamping            |       | OK           | OK               | -     | -         | -            |                               |                                   |                    |            |
|               |                         | All Dimensions Are In MM                   |                                |       |              |                  |       |           |              |                               |                                   |                    |            |
| 2             | DIMENSION               |                                            | VALUE                          | -     | +            | 1                | 2     | -         | -            | -                             |                                   |                    |            |
|               |                         | A/F                                        | 42.00                          | 41.84 | 42.00        | 41.93            | 41.95 | -         | -            | -                             |                                   |                    |            |
|               |                         | A/C                                        | 46.00                          | 45.20 | 46.80        | 45.93            | 45.95 | -         | -            | -                             |                                   |                    |            |
|               |                         | T.L                                        | 29.00                          | 28.50 | 29.50        | 29.06            | 29.09 | -         | -            | -                             |                                   |                    |            |
|               |                         | TH.L                                       | 13.50                          | 13.00 | 14.00        | 13.55            | 13.54 | -         | -            | -                             |                                   |                    |            |
|               |                         | GR.OD                                      | 36.00                          | 35.20 | 36.80        | 36.05            | 36.03 | -         | -            | -                             |                                   |                    |            |
|               |                         | GR.LE                                      | 1.00                           | 0.80  | 1.20         | 1.00             | 0.99  | -         | -            | -                             |                                   |                    |            |
|               |                         | H.L                                        | 6.00                           | 5.70  | 6.30         | 6.03             | 6.06  | -         | -            | -                             |                                   |                    |            |
|               |                         | TH.L                                       | 9.50                           | 9.00  | 10.00        | 9.55             | 9.54  | -         | -            | -                             |                                   |                    |            |
|               |                         | GR.OD                                      | 38.00                          | 37.20 | 38.80        | 38.03            | 38.05 | -         | -            | -                             |                                   |                    |            |
|               |                         | GR.LE                                      | 1.50                           | 1.30  | 1.70         | 1.52             | 1.54  | -         | -            | -                             |                                   |                    |            |
|               |                         | I.D                                        | 32.50                          | 31.70 | 33.30        | 32.58            | 32.56 | -         | -            | -                             |                                   |                    |            |
|               |                         | I.D                                        | 35.00                          | 34.20 | 35.80        | 35.05            | 35.04 | -         | -            | -                             |                                   |                    |            |
|               |                         | DEPTH                                      | 8.00                           | 7.50  | 8.50         | 7.93             | 7.95  | -         | -            | -                             |                                   |                    |            |
|               |                         | I.D                                        | 33.20                          | 32.40 | 34.00        | 33.17            | 33.15 | -         | -            | -                             |                                   |                    |            |
|               |                         | I.D.LE                                     | 10.00                          | 9.50  | 10.50        | 10.02            | 10.00 | -         | -            | -                             |                                   |                    |            |
|               |                         | THREAD                                     | M38x1.5 AS PER T.R.G GO NOT GO |       |              | OK               | OK    | -         | -            | -                             |                                   |                    |            |
|               |                         | THREAD                                     | M40x1.5 AS PER T.R.G GO NOT GO |       |              | OK               | OK    | -         | -            | -                             |                                   |                    |            |
|               |                         | CH.ANGLE                                   | 1x45° AS PER PP FOUND          |       |              | OK               | OK    | -         | -            | -                             |                                   |                    |            |
|               |                         | CH.ANGLE                                   | 20° AS PER PP FOUND            |       |              | OK               | OK    | -         | -            | -                             |                                   |                    |            |
| CH.ANGLE      | 0.5x45° AS PER PP FOUND |                                            |                                | OK    | OK           | -                | -     | -         |              |                               |                                   |                    |            |
| INSPECTED BY: |                         | Jay Hadiyal                                |                                |       | APPROVED BY: |                  |       | Shreekant |              |                               |                                   |                    |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                          |                                |       |              |                  |       |   |              |                               |           |                               |            |
|---------------|--------------------|------------------------------------------|--------------------------------|-------|--------------|------------------|-------|---|--------------|-------------------------------|-----------|-------------------------------|------------|
| INSP. No.     | FIR-04             | Product Name                             | MIDDLE BODY                    |       | Size         |                  | M32   |   | Drawing No.  |                               | 313002-03 | Date:                         | 22-08-2026 |
| Wo No.        | 26000229           | Total Quantity                           | 2                              |       | Lot Quantity |                  | 2     |   | Sample Size- |                               | 2         | Variable & Gauging            | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                       |                                |       |              | OBSERVED RESULTS |       |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK    | CHECKED BY                    |            |
|               |                    | PARAMETER                                | CRITERIA                       |       | 1            | 2                | -     | - | -            |                               |           |                               |            |
|               |                    | Surface                                  | Fine, Clean                    |       | FINE         | FINE             | -     | - | -            |                               |           |                               |            |
|               |                    | Size/wise No of Pcs. With Internal Parts | As per Drg. No. of Parts       |       | 11           | 11               | -     | - | -            |                               |           | Measuring Instruments I.D No- |            |
|               |                    | Washing & Plating                        | Surface Finishing              |       | NICKEL       | OK               | OK    | - | -            | -                             |           | (1) DV-55                     |            |
|               |                    | RUBBER MARKING                           | AS PER DRG.                    |       | NA           | NA               | NA    | - | -            | -                             |           | (2) PP-01                     |            |
|               |                    | Marking                                  | WO Ref. No.                    |       | NA           | NA               | NA    | - | -            | -                             |           | ASMI No - AEX260818-07        |            |
|               |                    | Assembly Perfection                      | As per Drg.                    |       | OK           | OK               | -     | - | -            |                               |           |                               |            |
|               |                    | Inner Packing                            | Labeling & Printing            |       | OK           | OK               | -     | - | -            |                               |           |                               |            |
|               |                    | Outer Packing                            | Printing & Stamping            |       | OK           | OK               | -     | - | -            |                               |           |                               |            |
|               |                    | All Dimensions Are in MM                 |                                |       |              |                  |       |   |              |                               |           |                               |            |
|               |                    |                                          | VALUE                          | -     | +            | 1                | 2     | - | -            | -                             |           |                               |            |
|               |                    | A/F                                      | 46.00                          | 45.84 | 46.00        | 45.89            | 45.91 | - | -            | -                             |           |                               |            |
|               |                    | A/C                                      | 51.00                          | 50.20 | 51.80        | 50.90            | 50.89 | - | -            | -                             |           |                               |            |
|               |                    | T.L                                      | 30.00                          | 29.50 | 30.50        | 30.05            | 30.04 | - | -            | -                             |           |                               |            |
|               |                    | TH.L                                     | 15.00                          | 14.50 | 15.50        | 15.04            | 15.06 | - | -            | -                             |           |                               |            |
|               |                    | GR.OD                                    | 41.00                          | 40.20 | 41.80        | 41.03            | 41.06 | - | -            | -                             |           |                               |            |
|               |                    | GR.LE                                    | 1.50                           | 1.30  | 1.70         | 1.52             | 1.49  | - | -            | -                             |           |                               |            |
|               |                    | O.D                                      | 44.00                          | 43.20 | 44.80        | 44.08            | 44.07 | - | -            | -                             |           |                               |            |
|               |                    | O.D.L                                    | 7.00                           | 6.70  | 7.30         | 6.98             | 6.95  | - | -            | -                             |           |                               |            |
|               |                    | H.L                                      | 8.00                           | 7.50  | 8.50         | 8.05             | 8.08  | - | -            | -                             |           |                               |            |
|               |                    | L.D                                      | 34.00                          | 33.20 | 34.80        | 34.04            | 34.06 | - | -            | -                             |           |                               |            |
|               |                    | L.D                                      | 35.00                          | 34.20 | 35.80        | 35.02            | 35.05 | - | -            | -                             |           |                               |            |
|               |                    | L.D.LE                                   | 5.00                           | 4.70  | 5.30         | 5.01             | 4.99  | - | -            | -                             |           |                               |            |
|               |                    | INT.TH.L                                 | 11.50                          | 11.00 | 12.00        | 11.52            | 11.54 | - | -            | -                             |           |                               |            |
|               |                    | GR.ID                                    | 37.50                          | 36.70 | 38.30        | 37.97            | 37.99 | - | -            | -                             |           |                               |            |
|               |                    | GR.LE                                    | 7.00                           | 6.70  | 7.30         | 7.01             | 6.99  | - | -            | -                             |           |                               |            |
|               |                    | DEPTH                                    | 18.50                          | 18.00 | 19.00        | 18.52            | 18.54 | - | -            | -                             |           |                               |            |
|               |                    | THREAD                                   | M43x1.5 AS PER T.R.G GO NOT GO |       |              | OK               | OK    | - | -            | -                             |           |                               |            |
|               |                    | INT.THREAD                               | M40x1.5 AS PER P.G GO NOT GO   |       |              | OK               | OK    | - | -            | -                             |           |                               |            |
|               |                    | CH.ANGLE                                 | 1x45° AS PER PP FOUND          |       |              | OK               | OK    | - | -            | -                             |           |                               |            |
|               |                    | CH.ANGLE                                 | 30° AS PER PP FOUND            |       |              | OK               | OK    | - | -            | -                             |           |                               |            |
|               |                    |                                          |                                |       |              |                  |       |   |              |                               |           |                               |            |
| INSPECTED BY: |                    | Jay Hadiyal                              |                                |       |              | APPROVED BY:     |       |   |              | Shreekant                     |           |                               |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

| INSP. No.     | FIR-04             | Product Name                               | BACK NUT                     |        | Size         |                  | M32   |   | Drawing No.  |                               | 313003-03                       | Date:              | 22-08-2026 |
|---------------|--------------------|--------------------------------------------|------------------------------|--------|--------------|------------------|-------|---|--------------|-------------------------------|---------------------------------|--------------------|------------|
| Wo No.        | 26000229           | Total Quantity                             | 2                            |        | Lot Quantity |                  | 2     |   | Sample Size- |                               | 2                               | Variable & Gauging | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                              |        |              | OBSERVED RESULTS |       |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                          | CHECKED BY         |            |
|               |                    | PARAMETER                                  | CRITERIA                     |        | 1            | 2                | -     | - | -            |                               |                                 |                    |            |
| 1             | Visual             | Surface                                    | Fine, Clean                  |        | FINE         | FINE             | -     | - | -            |                               | Measuring<br>Instruments ID No. |                    |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts  | 11     | 11           | 11               | -     | - | -            |                               | (1) DV-55                       |                    |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing         | NICKEL | OK           | OK               | -     | - | -            |                               | (2) PP-01                       |                    |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                  | NA     | NA           | NA               | -     | - | -            |                               |                                 |                    |            |
|               |                    | Marking                                    | WO Ref. No.                  | NA     | NA           | NA               | -     | - | -            |                               | ASM No -<br>AEX260818-07        |                    |            |
|               |                    | Assembly Perfection                        | As per Drg.                  |        | OK           | OK               | -     | - | -            |                               |                                 |                    |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing       |        | OK           | OK               | -     | - | -            |                               |                                 |                    |            |
|               |                    | Outer Packing                              | Printing & Stamping          |        | OK           | OK               | -     | - | -            |                               |                                 |                    |            |
|               |                    | All Dimensions Are In MM                   |                              |        |              |                  |       |   |              |                               |                                 |                    |            |
| 2             | DIMENSION          |                                            | VALUE                        | -      | +            | 1                | 2     | - | -            | -                             |                                 |                    |            |
|               |                    | A/F                                        | 46.00                        | 45.84  | 46.00        | 45.89            | 45.90 | - | -            | -                             |                                 |                    |            |
|               |                    | A/C                                        | 51.00                        | 50.20  | 51.80        | 50.89            | 50.90 | - | -            | -                             |                                 |                    |            |
|               |                    | T.L                                        | 23.00                        | 22.50  | 23.50        | 23.06            | 23.08 | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                        | 45.20                        | 44.40  | 46.00        | 45.22            | 45.25 | - | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                      | 10.00                        | 9.50   | 10.50        | 10.08            | 10.09 | - | -            | -                             |                                 |                    |            |
|               |                    | H.L                                        | 13.00                        | 12.50  | 13.50        | 13.07            | 13.09 | - | -            | -                             |                                 |                    |            |
|               |                    | I.D                                        | 38.50                        | 37.70  | 39.30        | 38.52            | 38.54 | - | -            | -                             |                                 |                    |            |
|               |                    | INT.THL                                    | 4.00                         | 3.70   | 4.30         | 4.01             | 3.99  | - | -            | -                             |                                 |                    |            |
|               |                    | GR.ID                                      | 43.20                        | 42.40  | 44.00        | 43.25            | 43.21 | - | -            | -                             |                                 |                    |            |
|               |                    | GR.LE                                      | 14.50                        | 14.00  | 15.00        | 14.52            | 14.50 | - | -            | -                             |                                 |                    |            |
|               |                    | DEPTH                                      | 18.00                        | 17.50  | 18.50        | 18.01            | 18.03 | - | -            | -                             |                                 |                    |            |
|               |                    | GR.ID                                      | 41.50                        | 40.70  | 42.30        | 41.52            | 41.54 | - | -            | -                             |                                 |                    |            |
|               |                    | GR.LE                                      | 3.00                         | 2.80   | 3.20         | 3.02             | 3.00  | - | -            | -                             |                                 |                    |            |
|               |                    | DEPTH                                      | 21.00                        | 20.50  | 21.50        | 21.03            | 21.01 | - | -            | -                             |                                 |                    |            |
|               |                    | INT.THREAD                                 | M43x1.5 AS PER P.G GO NOT GO |        |              | OK               | OK    | - | -            | -                             |                                 |                    |            |
|               |                    | CH.ANGLE                                   | 0.5x45° AS PER PP FOUND      |        |              | OK               | OK    | - | -            | -                             |                                 |                    |            |
|               |                    | CH.ANGLE                                   | 1x45° AS PER PP FOUND        |        |              | OK               | OK    | - | -            | -                             |                                 |                    |            |
|               |                    | CH.ANGLE                                   | 45° AS PER PP FOUND          |        |              | OK               | OK    | - | -            | -                             |                                 |                    |            |
|               |                    |                                            |                              |        |              |                  |       |   |              |                               |                                 |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                              |        | APPROVED BY: |                  |       |   | Shreekant    |                               |                                 |                    |            |

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                             |                             |        |              |                  |       |   |              |                               |                                 |                    |            |
|---------------|--------------------|---------------------------------------------|-----------------------------|--------|--------------|------------------|-------|---|--------------|-------------------------------|---------------------------------|--------------------|------------|
| INSP. No.     | FIR-04             | Product Name                                | UNIVERSAL CLAMPING CONE     |        | Size         |                  | M32   |   | Drawing No.  |                               | 313005-03                       | Date:              | 22-08-2026 |
| Wo No.        | 26000229           | Total Quantity                              | 2                           |        | Lot Quantity |                  | 2     |   | Sample Size- |                               | 2                               | Variable & Gauging | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                          |                             |        |              | OBSERVED RESULTS |       |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                          | CHECKED BY         |            |
|               |                    | PARAMETER                                   | CRITERIA                    |        | 1            | 2                | -     | - | -            |                               |                                 |                    |            |
| 1             | Visual             | Surface                                     | Fine, Clean                 |        | FINE         | FINE             | -     | - | -            |                               | Measuring Instruments<br>ID No. |                    |            |
|               |                    | Size wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 11     | 11           | 11               | -     | - | -            |                               | (1) DV-55                       |                    |            |
|               |                    | Washing & Plating                           | Surface<br>Finishing        | NICKEL | OK           | OK               | -     | - | -            |                               | (2) PP-01                       |                    |            |
|               |                    | RUBBER MARKING                              | AS PER DRG.                 | NA     | NA           | NA               | -     | - | -            |                               |                                 |                    |            |
|               |                    | Marking                                     | WO Ref. No.                 | NA     | NA           | NA               | -     | - | -            |                               | ASM No -<br>AEX260818-07        |                    |            |
|               |                    | Assembly Perfection                         | As per Drg.                 |        | OK           | OK               | -     | - | -            |                               |                                 |                    |            |
|               |                    | Inner Packing                               | Labeling &<br>Printing      |        | OK           | OK               | -     | - | -            |                               |                                 |                    |            |
|               |                    | Outer Packing                               | Printing & Stamping         |        | OK           | OK               | -     | - | -            |                               |                                 |                    |            |
|               |                    | All Dimensions Are In MM                    |                             |        |              |                  |       |   |              |                               |                                 |                    |            |
| 2             | DIMENSION          |                                             | VALUE                       | -      | +            | 1                | 2     | - | -            | -                             |                                 |                    |            |
|               |                    | T.L                                         | 30.00                       | 29.50  | 30.50        | 30.09            | 30.08 | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                         | 29.70                       | 29.20  | 30.20        | 29.73            | 29.75 | - | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                       | 5.50                        | 5.20   | 5.80         | 5.56             | 5.55  | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                         | 31.50                       | 30.70  | 32.30        | 31.55            | 31.53 | - | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                       | 2.50                        | 2.30   | 2.70         | 2.54             | 2.53  | - | -            | -                             |                                 |                    |            |
|               |                    | GR.LENGTH                                   | 0.50                        | 0.30   | 0.70         | 0.50             | 0.49  | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                         | 33.00                       | 32.20  | 33.80        | 33.03            | 33.01 | - | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                       | 11.00                       | 10.50  | 11.50        | 11.01            | 10.99 | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                         | 34.50                       | 33.70  | 35.30        | 34.54            | 34.56 | - | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                       | 8.00                        | 7.70   | 8.30         | 8.00             | 7.99  | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                         | 29.00                       | 28.50  | 29.50        | 29.06            | 29.05 | - | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                       | 6.50                        | 6.20   | 6.80         | 6.52             | 6.49  | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                         | 29.50                       | 29.00  | 30.00        | 29.55            | 29.54 | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                         | 30.00                       | 29.50  | 30.50        | 29.99            | 29.97 | - | -            | -                             |                                 |                    |            |
|               |                    | O.D                                         | 31.00                       | 30.20  | 31.80        | 31.01            | 31.03 | - | -            | -                             |                                 |                    |            |
|               |                    | O.D.L                                       | 11.00                       | 10.50  | 11.50        | 11.03            | 11.01 | - | -            | -                             |                                 |                    |            |
|               |                    | LD                                          | 26.50                       | 26.00  | 27.00        | 26.53            | 26.55 | - | -            | -                             |                                 |                    |            |
|               |                    | RADIUS                                      | 0.50 MM AS PER PP FOUND     |        |              | OK               | OK    | - | -            | -                             |                                 |                    |            |
|               |                    | RADIUS                                      | 0.3 MM AS PER PP FOUND      |        |              | OK               | OK    | - | -            | -                             |                                 |                    |            |
|               |                    |                                             |                             |        |              |                  |       |   |              |                               |                                 |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                 |                             |        | APPROVED BY: |                  |       |   | Shreekant    |                               |                                 |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |        |       |                  |       |     |   |              |                               |           |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|--------|-------|------------------|-------|-----|---|--------------|-------------------------------|-----------|--------------------|------------|
| INSP. No.                                                                       | FIR-04             | Product Name                                                                             | REVERSIBLE ARMOUR RING   |        |       | Size             |       | M32 |   | Drawing No.  |                               | 313004-03 | Date:              | 22-08-2026 |
| Wo No.                                                                          | 26000229           | Total Quantity                                                                           | 2                        |        |       | Lot Quantity     |       | 2   |   | Sample Size- |                               | 2         | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |        |       | OBSERVED RESULTS |       |     |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK    | CHECKED BY         |            |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |        |       | 1                | 2     | -   | - | -            |                               |           |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |        |       | FINE             | FINE  | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 11     | 11    | 11               | -     | -   | - |              | (1) DV-55                     |           |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NICKEL | OK    | OK               | -     | -   | - |              | (2) PP-01                     |           |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | NA     | NA    | NA               | -     | -   | - |              |                               |           |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA     | NA    | NA               | -     | -   | - |              | ASM No - AEX260818-07         |           |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |        |       | OK               | OK    | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |        | OK    | OK               | -     | -   | - |              |                               |           |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |        |       | OK               | OK    | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |        |       |                  |       |     |   |              |                               |           |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -      | +     | 1                | 2     | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    | T.L                                                                                      | 9.00                     | 8.50   | 9.50  | 9.01             | 9.03  | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    | O.D                                                                                      | 37.00                    | 36.20  | 37.80 | 37.07            | 37.09 | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    | I.D                                                                                      | 32.50                    | 31.70  | 33.30 | 32.53            | 32.55 | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    | I.D                                                                                      | 33.50                    | 32.70  | 34.30 | 33.55            | 33.54 | -   | - | -            |                               |           |                    |            |
|                                                                                 |                    |                                                                                          |                          |        |       |                  |       |     |   |              |                               |           |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |        |       | APPROVED BY:     |       |     |   | Shreekant    |                               |           |                    |            |

Conclusion :



Accept



Reject



Hold



## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                 |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|---------------------------------|------------|
| INSP. No.     | FIR-04             | Product Name                               | COMPRESSIBLE INNER SEAL     |       | Size         |                  | M32   |   | Drawing No.  |   | GI-03                         | Date:                           | 22-08-2026 |
| Wo No.        | 26000229           | Total Quantity                             | 2                           |       | Lot Quantity |                  | 2     |   | Sample Size- |   | 2                             | Variable & Gauging              | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                          | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2     | - | -            | - |                               |                                 |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE  | - | -            | - |                               | Measuring<br>Instruments LD No- |            |
|               |                    | Sizewise No of Pes.<br>With Internal Parts | As per Drg. No.<br>of Parts | 11    | 11           | 11               | -     | - | -            |   | (1) DV-55                     |                                 |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                     |                                 |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK    | OK           | OK               | -     | - | -            |   |                               |                                 |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | - | -            |   | ASM No -<br>AEX260818-07      |                                 |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       |              | OK               | OK    | - | -            | - |                               |                                 |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | - | -            |   |                               |                                 |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              | OK               | OK    | - | -            | - |                               |                                 |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |   |              |   |                               |                                 |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | - | -            | - |                               |                                 |            |
|               |                    | T.L                                        | 14.00                       | 13.50 | 14.50        | 14.04            | 14.06 | - | -            | - |                               |                                 |            |
|               |                    | O.D.L                                      | 5.00                        | 4.70  | 5.30         | 5.05             | 5.04  | - | -            | - |                               |                                 |            |
|               |                    | O.D                                        | 36.50                       | 36.30 | 36.50        | 36.40            | 36.39 | - | -            | - |                               |                                 |            |
|               |                    | O.D.L                                      | 9.00                        | 8.50  | 9.50         | 9.04             | 9.06  | - | -            | - |                               |                                 |            |
|               |                    | I.D                                        | 26.30                       | 26.30 | 26.50        | 26.35            | 26.34 | - | -            | - |                               |                                 |            |
|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                 |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                                 |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |       |              |                  |       |              |       |           |                               |                                  |            |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|-------|-----------|-------------------------------|----------------------------------|------------|
| INSP. No.                                                                        | FIR-04             | Product Name                                                                             | O-RING                      |       | Size         | M32              |       | Drawing No.  | OR-3M |           | Date:                         | 22-08-2026                       |            |
| Wo No.                                                                           | 26000229           | Total Quantity                                                                           | 2                           |       | Lot Quantity | 2                |       | Sample Size- | 2     |           | Variable & Gauging            | 2PCS                             |            |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |       |              | OBSERVED RESULTS |       |              |       |           | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                    |       |              | 1                | 2     | -            | -     | -         |                               |                                  |            |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean                 |       |              | FINE             | FINE  | -            | -     | -         |                               | Measuring<br>Instruments I.D No- |            |
|                                                                                  |                    | Sizewise No of Pcs.<br>With Internal Parts                                               | As per Drg. No.<br>of Parts | 11    | 11           | 11               | -     | -            | -     |           | (1) DV-55                     |                                  |            |
|                                                                                  |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA    | NA           | NA               | -     | -            | -     |           | (2) PP-01                     |                                  |            |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | NA    | NA           | NA               | -     | -            | -     |           |                               |                                  |            |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.                 | NA    | NA           | NA               | -     | -            | -     |           | ASM No -<br>AEX260818-07      |                                  |            |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.                 |       |              | OK               | OK    | -            | -     | -         |                               |                                  |            |
|                                                                                  |                    | Inner Packing                                                                            | Labeling &<br>Printing      |       | OK           | OK               | -     | -            | -     |           |                               |                                  |            |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping         |       |              | OK               | OK    | -            | -     | -         |                               |                                  |            |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                             |       |              |                  |       |              |       |           |                               |                                  |            |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                       | -     | +            | 1                | 2     | -            | -     | -         |                               |                                  |            |
|                                                                                  |                    | THICKNESS                                                                                | 2.50                        | 2.00  | 2.50         | 2.05             | 2.09  | -            | -     | -         |                               |                                  |            |
|                                                                                  |                    | I.D                                                                                      | 29.00                       | 28.50 | 29.50        | 29.06            | 29.05 | -            | -     | -         |                               |                                  |            |
|                                                                                  |                    |                                                                                          |                             |       |              |                  |       |              |       |           |                               |                                  |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                             |       |              | APPROVED BY:     |       |              |       | Shreekant |                               |                                  |            |

Conclusion :



Accept



Reject



Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                  |            |
|---------------|--------------------|--------------------------------------------|-----------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|----------------------------------|------------|
| INSP. No.     | FIR-04             | Product Name                               | COMPRESSIBLE OUTER SEAL     |       | Size         |                  | M32   |   | Drawing No.  |   | GE-03                         | Date:                            | 22-08-2026 |
| Wo No.        | 26000229           | Total Quantity                             | 2                           |       | Lot Quantity |                  | 2     |   | Sample Size- |   | 2                             | Variable & Gauging               | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                             |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                    |       |              | 1                | 2     | - | -            | - |                               |                                  |            |
| 1             | Visual             | Surface                                    | Fine, Clean                 |       |              | FINE             | FINE  | - | -            | - |                               | Measuring<br>Instruments I.D No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 11    | 11           | 11               | -     | - | -            |   | (1) DV-55                     |                                  |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing        | NA    | NA           | NA               | -     | - | -            |   | (2) PP-01                     |                                  |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                 | OK    | OK           | OK               | -     | - | -            |   |                               |                                  |            |
|               |                    | Marking                                    | WO Ref. No.                 | NA    | NA           | NA               | -     | - | -            |   | ASM No -<br>AEX260818-07      |                                  |            |
|               |                    | Assembly Perfection                        | As per Drg.                 |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing      |       | OK           | OK               | -     | - | -            |   |                               |                                  |            |
|               |                    | Outer Packing                              | Printing & Stamping         |       |              | OK               | OK    | - | -            | - |                               |                                  |            |
|               |                    | All Dimensions Are In MM                   |                             |       |              |                  |       |   |              |   |                               |                                  |            |
| 2             | DIMENSION          |                                            | VALUE                       | -     | +            | 1                | 2     | - | -            | - |                               |                                  |            |
|               |                    | T.L                                        | 15.00                       | 14.50 | 15.50        | 15.04            | 15.06 | - | -            | - |                               |                                  |            |
|               |                    | O.D                                        | 43.20                       | 43.00 | 43.20        | 43.11            | 43.13 | - | -            | - |                               |                                  |            |
|               |                    | GR.LENGTH                                  | 3.50                        | 3.20  | 3.80         | 3.53             | 3.55  | - | -            | - |                               |                                  |            |
|               |                    | I.D                                        | 33.70                       | 33.60 | 33.80        | 33.74            | 33.76 | - | -            | - |                               |                                  |            |
|               |                    |                                            |                             |       |              |                  |       |   |              |   |                               |                                  |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                             |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |       |   |              |   |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|-------|---|--------------|---|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-04             | Product Name                                                                             | INNER SKID WASHER        |       | Size         |                  | M32   |   | Drawing No.  |   | IW-03                         | Date:              | 22-08-2026 |
| Wo No.                                                                          | 26000229           | Total Quantity                                                                           | 2                        |       | Lot Quantity |                  | 2     |   | Sample Size- |   | 2                             | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |       |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2     | - | -            | - |                               |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE  | - | -            | - |                               |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 11    | 11           | 11               | -     | - | -            |   | Measuring Instruments I.D No- |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | -     | - | -            |   | (1) DV-55                     |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | OK    | OK           | OK               | -     | - | -            |   | (2) PP-01                     |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | -     | - | -            |   | ASM No - AEX260818-07         |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK    | - | -            | - |                               |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | -     | - | -            |   |                               |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK    | - | -            | - |                               |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |       |   |              |   |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2     | - | -            | - |                               |                    |            |
|                                                                                 |                    | T.L                                                                                      | 5.00                     | 4.70  | 5.30         | 5.11             | 5.13  | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 35.50                    | 35.30 | 35.50        | 35.40            | 35.39 | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 32.00                    | 31.80 | 32.00        | 31.93            | 31.95 | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 3.00                     | 3.00  | 3.20         | 3.02             | 3.01  | - | -            | - |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 26.20                    | 26.20 | 26.40        | 26.24            | 26.26 | - | -            | - |                               |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |              |                  |       |   |              |   |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |       |   | Shreekant    |   |                               |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                          |       |              |                  |       |              |       |   |                               |            |            |
|---------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|--------------------------|-------|--------------|------------------|-------|--------------|-------|---|-------------------------------|------------|------------|
| INSP. No.                                                                       | FIR-04             | Product Name                                        | OUTER SKID WASHER        |       | Size         | M32              |       | Drawing No.  | OW-03 |   | Date:                         | 22-08-2026 |            |
| Wo No.                                                                          | 26000229           | Total Quantity                                      | 2                        |       | Lot Quantity | 2                |       | Sample Size- | 2     |   | Variable & Gauging            | 2PCS       |            |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                  |                          |       |              | OBSERVED RESULTS |       |              |       |   | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY |
|                                                                                 |                    | PARAMETER                                           | CRITERIA                 |       | 1            | 2                | -     | -            | -     |   |                               |            |            |
| 1                                                                               | Visual             | Surface                                             | Fine, Clean              |       | FINE         | FINE             | -     | -            | -     |   |                               |            |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts             | As per Drg. No. of Parts | 11    | 11           | 11               | -     | -            | -     |   | Measuring Instruments I.D No- |            |            |
|                                                                                 |                    | Washing & Plating                                   | Surface Finishing        | NA    | NA           | NA               | -     | -            | -     |   | (1) DV-55                     |            |            |
|                                                                                 |                    | RUBBER MARKING                                      | AS PER DRG.              | OK    | OK           | OK               | -     | -            | -     |   | (2) PP-01                     |            |            |
|                                                                                 |                    | Marking                                             | WO Ref. No.              | NA    | NA           | NA               | -     | -            | -     |   | ASM No - AEX260818-07         |            |            |
|                                                                                 |                    | Assembly Perfection                                 | As per Drg.              |       | OK           | OK               | -     | -            | -     |   |                               |            |            |
|                                                                                 |                    | Inner Packing                                       | Labeling & Printing      |       | OK           | OK               | -     | -            | -     |   |                               |            |            |
|                                                                                 |                    | Outer Packing                                       | Printing & Stamping      |       | OK           | OK               | -     | -            | -     |   |                               |            |            |
|                                                                                 |                    | All Dimensions Are In MM                            |                          |       |              |                  |       |              |       |   |                               |            |            |
| 2                                                                               | DIMENSION          |                                                     | VALUE                    | -     | +            | 1                | 2     | -            | -     | - |                               |            |            |
|                                                                                 |                    | T.L                                                 | 6.00                     | 5.70  | 6.30         | 6.04             | 6.06  | -            | -     | - |                               |            |            |
|                                                                                 |                    | O.D                                                 | 41.00                    | 41.00 | 41.10        | 41.05            | 41.04 | -            | -     | - |                               |            |            |
|                                                                                 |                    | O.D                                                 | 37.50                    | 37.30 | 37.50        | 37.45            | 37.47 | -            | -     | - |                               |            |            |
|                                                                                 |                    | O.D.L                                               | 4.00                     | 4.00  | 4.10         | 4.03             | 4.05  | -            | -     | - |                               |            |            |
|                                                                                 |                    | I.D                                                 | 34.00                    | 34.00 | 34.20        | 34.06            | 34.05 | -            | -     | - |                               |            |            |
|                                                                                 |                    |                                                     |                          |       |              |                  |       |              |       |   |                               |            |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                         |                          |       | APPROVED BY: |                  |       | Shreekant    |       |   |                               |            |            |

Conclusion :

☒

Accept

☐

Reject

☐

Hold

