



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	ENTRY COMPONENT	Size	1/2" NPT	Drawing No.	313001M-01	Date:	30-08-2026			
Wo No.	26000188	Total Quantity	100	Lot Quantity	100	Sample Size-	3	Variable & Gauging	3PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-			
		Surface	Fine, Clean		FINE	FINE	FINE	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-			
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-EIFUNV201NB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC	OK	OK	OK	-	-			
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
			VALUE	-	+	1	2	3	-	-		
		A/F	27.00	26.87	27.20	26.95	26.94	26.95	-	-		
		A/C	30.00	29.50	30.50	30.07	30.09	30.06	-	-		
		T.L	36.00	36.00	36.50	36.09	36.10	36.08	-	-		
		LENGTH	20.00	20.00	20.50	20.13	20.15	20.12	-	-		
		O.D	26.50	26.00	27.00	26.40	26.42	26.41	-	-		
		O.D.L	9.00	8.50	9.50	9.01	8.99	9.01	-	-		
		H.L	7.00	6.70	7.30	7.09	7.05	7.06	-	-		
		LD	14.10	13.60	14.60	14.15	14.14	14.13	-	-		
		DEPTH	11.50	11.00	12.00	11.55	11.54	11.53	-	-		
		THREAD	1/2" NPT AS PER T.R.G GO NOT GO		OK	OK	OK	-	-			
		INT.THREAD	M24x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	1.6x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	OK	-	-			
		ANGLE	90° AS PER PP FOUND		OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	INTERMEDIATE BODY		Size	1/2" NPT		Drawing No.	313002U-01	Date:	30-08-2026		
Wo No.	26000188	Total Quantity	100		Lot Quantity	100		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION Rework Detail	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments ID No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260826-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printline		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	31.00	30.84	31.00	30.93	30.95	30.94	-	-			
		A/C	34.00	33.20	34.80	34.00	33.99	34.01	-	-			
		T.L	25.00	24.50	25.50	25.04	25.06	25.08	-	-			
		TH.L	10.50	10.00	11.00	10.50	10.49	10.48	-	-			
		GR.OD	22.00	21.50	22.50	22.04	22.03	22.02	-	-			
		GR.LE	1.00	0.80	1.20	1.02	1.01	1.01	-	-			
		H.L	5.00	4.70	5.30	4.96	4.98	4.95	-	-			
		TH.L	9.50	9.00	10.00	9.50	9.49	9.48	-	-			
		GR.OD	26.00	25.50	26.50	26.05	26.04	26.03	-	-			
		GR.LE	1.00	0.80	1.20	1.03	1.02	1.01	-	-			
		I.D	20.00	19.50	20.50	20.05	20.04	20.03	-	-			
		I.D	22.50	22.00	23.00	22.51	22.52	22.51	-	-			
		DEPTH	7.00	6.70	7.30	6.98	6.97	6.97	-	-			
		I.D	20.50	20.00	21.00	20.54	20.56	20.55	-	-			
		I.D.LE	6.00	5.70	6.30	6.05	6.04	6.03	-	-			
		DEPTH	13.00	12.50	13.50	12.95	12.97	12.98	-	-			
		THREAD	M24x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		THREAD	M28x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-					

INSPECTED BY: Jay HadiyalAPPROVED BY: Shreekant

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	MIDDLE BODY	Size	1/2" NPT	Drawing No.	313002-01	Date:	30-08-2026			
Wo No.	26000188	Total Quantity	100	Lot Quantity	100	Sample Size-	3	Variable & Gauging	3PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA	1	2	3	-	-				
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-				
		Washing & Plating	NICKEL	OK	OK	OK	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-				
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-				
		All Dimensions Are In MM										
		2	DIMENSION	VALUE	-	+	1	2	3	-	-	
A/F	31.00			30.84	31.00	30.93	30.95	30.94	-	-		
A/C	34.00			33.20	34.80	34.03	34.02	34.02	-	-		
T.L	27.00			26.50	27.50	27.15	27.17	27.13	-	-		
TH.L	14.00			13.50	14.50	14.02	14.04	14.06	-	-		
GR.OD	27.00			26.50	27.50	27.02	27.01	27.03	-	-		
GR.LE	1.00			0.80	1.20	1.02	1.01	1.00	-	-		
O.D	30.00			29.50	30.50	30.05	30.03	30.04	-	-		
O.D.L	6.00			5.70	6.30	6.08	6.09	6.07	-	-		
H.L	7.00			6.70	7.30	7.10	7.09	7.07	-	-		
LD	21.00			20.50	21.50	21.03	21.05	21.06	-	-		
INT.TH.L	11.50			11.00	12.00	11.42	11.45	11.46	-	-		
LD	24.00			23.50	24.50	24.32	24.33	24.35	-	-		
DEPTH	15.50			15.00	16.00	15.47	15.49	15.49	-	-		
THREAD	M29x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-				
INT.THREAD	M28x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-				
CHANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-				
CHANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-				

INSPECTED BY: Jay HadiyalAPPROVED BY: Shreekant

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	BACK NUT		Size		1/2" NPT		Drawing No.		313003-01	Date:	30-08-2026
Wo No.	26000188	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-			Measuring Instruments ID No. (1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-			(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-			ASM No :- AEX260826-02	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	31.00	30.84	31.00	30.95	30.92	30.93	-	-			
		A/C	34.00	33.20	34.80	33.93	33.95	33.94	-	-			
		T.L	20.00	19.50	20.50	20.03	20.02	20.04	-	-			
		O.D	30.50	29.70	31.30	30.43	30.42	30.45	-	-			
		O.D.L	8.00	7.70	8.30	8.00	7.99	8.01	-	-			
		H.L	12.00	11.50	12.50	12.04	12.06	12.08	-	-			
		I.D	24.50	24.00	25.00	24.55	24.54	24.53	-	-			
		INT.TH.L	4.00	3.70	4.30	4.04	4.06	4.08	-	-			
		GR.ID	29.20	28.70	29.70	29.25	29.24	29.23	-	-			
		GR.LE	12.50	12.00	13.00	12.54	12.56	12.58	-	-			
		DEPTH	16.50	16.00	17.00	16.54	16.56	16.55	-	-			
		GR.ID	27.50	27.00	28.00	27.54	27.60	27.59	-	-			
		GR.LE	2.00	1.80	2.20	2.03	2.02	2.03	-	-			
		DEPTH	18.50	18.00	19.00	18.54	18.56	18.58	-	-			
		INT.THREAD	M29x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	OK	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	UNIVERSAL CLAMPING CONE		Size	1/2" NPT		Drawing No.	313005-01	Date:	30-08-2026		
Wo No.	26000188	Total Quantity	100		Lot Quantity	100		Sample Size-	3	Variable & Gauging	3PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
1	Visual	PARAMETER	CRITERIA		1	2	3	-	-				
		Surface	Fine, Clean		FINE	FINE	FINE	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-				
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-				
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION	VALUE	-	+	1	2	3	-	-				
		T.L	22.00	21.50	22.50	22.00	21.99	22.01	-				-
		O.D	16.50	16.00	17.00	16.55	16.54	16.53	-				-
		O.D.L	4.00	3.70	4.30	4.11	4.13	4.12	-				-
		O.D	17.80	17.30	18.30	17.87	17.86	17.89	-				-
		O.D.L	2.50	2.30	2.70	2.55	2.54	2.53	-				-
		GR.LENGTH	0.50	0.30	0.70	0.54	0.56	0.55	-				-
		O.D	18.80	18.30	19.30	18.78	18.80	18.79	-				-
		O.D.L	7.50	7.20	7.80	7.55	7.54	7.53	-				-
		O.D	22.00	21.50	22.50	21.93	21.95	21.94	-				-
		O.D.L	7.00	6.70	7.30	7.11	7.12	7.11	-				-
		O.D	16.50	16.00	17.00	16.54	16.56	16.58	-				-
		O.D.L	4.50	4.20	4.80	4.50	4.49	4.48	-				-
		O.D	17.00	16.50	17.50	17.03	17.05	17.04	-				-
		O.D	17.50	17.00	18.00	17.49	17.45	17.46	-				-
		O.D	18.00	17.50	18.50	17.98	17.99	17.97	-				-
		O.D.L	7.50	7.20	7.80	7.54	7.56	7.58	-				-
		I.D	14.00	13.50	14.50	14.04	14.06	14.08	-				-
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	-				-
		RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	-				-
INSPECTED BY: Jay Hadiyal													
APPROVED BY: Shreekant													

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	REVERSIBLE ARMOUR RING		Size		1/2" NPT		Drawing No.		313004-01	Date:	30-08-2026
Wo No.	26000188	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA		NA	NA	NA	-	-		ASM No :- AEX260826-02	
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing			OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.00	5.70	6.30	5.98	6.00	5.99	-	-			
		O.D	23.50	23.00	24.00	23.46	23.45	23.44	-	-			
		I.D	18.50	18.00	19.00	18.44	18.46	18.48	-	-			
		I.D	19.50	19.00	20.00	19.42	19.45	19.46	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	COMPRESSIBLE INNER SEAL		Size		1/2" NPT		Drawing No.		GI-01	Date:	30-08-2026
Wo No.	26000188	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260826-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	10.50	10.00	11.00	10.50	10.51	10.52	-	-			
		O.D.L	4.00	3.70	4.30	3.94	3.96	3.95	-	-			
		O.D	22.50	22.30	22.50	22.41	22.39	22.40	-	-			
		O.D.L	6.50	6.20	6.80	6.50	6.49	6.49	-	-			
		I.D	14.00	14.00	14.20	14.07	14.09	14.08	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	COMPRESSIBLE OUTER SEAL		Size		1/2" NPT		Drawing No.		GE-01	Date:	30-08-2026
Wo No.	26000188	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-			Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260826-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	11.00	10.50	11.50	11.01	11.03	11.02	-	-			
		O.D	28.50	28.30	28.50	28.41	28.43	28.45	-	-			
		GR.LENGTH	3.50	3.20	3.80	3.50	3.48	3.49	-	-			
		I.D	20.90	20.90	21.00	20.92	20.93	20.94	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	INNER SKID WASHER		Size		1/2" NPT		Drawing No.		IW-01	Date:	30-08-2026
Wo No.	26000188	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260826-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	5.03	5.02	5.02	-	-			
		O.D	22.00	21.80	22.00	21.90	21.89	21.91	-	-			
		O.D	19.50	19.00	5.00	19.42	19.39	19.41	-	-			
		O.D.L	3.00	3.00	3.20	3.02	3.00	3.01	-	-			
		I.D	14.00	14.00	14.20	14.10	14.09	14.08	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	OUTER SKID WASHER		Size		1/2" NPT		Drawing No.		OW-01	Date:	30-08-2026
Wo No.	26000188	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	3	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260826-02		
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-				
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	6.50	6.20	6.80	6.50	6.49	6.50	-	-			
		O.D	27.00	27.00	27.10	27.00	27.01	27.03	-	-			
		O.D	24.50	24.30	24.50	24.39	24.38	24.37	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.02	-	-			
		I.D	6.50	6.50	6.60	6.52	6.54	6.55	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-02	Product Name	SHROUD		Size		C-2032		Drawing No.		-	Date:	30-08-2026
Wo No.	26000188	Total Quantity	100		Lot Quantity		100		Sample Size-		3	Variable & Gauging	3PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	3	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-				
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX260826-02		
		Assembly Perfection	As per Drg.			OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-				
		Outer Packing	Printing & Stamping			OK	OK	OK	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	130.00	129.20	130.80	130.11	130.16	130.19	-	-			
		I.D	32.00	31.20	32.80	32.05	32.09	32.08	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold

