

		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-04	Product Name	LOCK NUT		Size		M50		Drawing No.		DL5IB	Date:	22-07-2026
Wo No.	26000172	Total Quantity	5		Lot Quantity		5		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260719-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	55.00	54.81	55.00	54.95	54.97	-	-	-			
		A/C	60.00	59.20	60.80	60.01	60.03	-	-	-			
		T.L	7.00	6.70	7.30	7.02	7.01	-	-	-			
		THREAD	M50x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	ENTRY COMPONENT		Size	M50		Drawing No.	313001M-05	Date:	22-07-2026		
Wo No.	26000172	Total Quantity	5		Lot Quantity	5		Sample Size	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D. No.		
		Size wise No of Pes. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	MetalMech Logo MMEX- E1FUNV505MR2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC	OK	OK	-	-	-		ASM No :- AEX260719-02		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	60.00	59.81	60.00	59.95	59.96	-	-	-			
		A/C	65.00	64.20	65.80	64.97	64.99	-	-	-			
		T.L	38.00	38.00	38.50	38.12	38.13	-	-	-			
		TH.L	13.00	12.50	13.50	13.05	13.04	-	-	-			
		LENGTH	17.00	17.00	17.50	17.09	17.08	-	-	-			
		GR.OD	48.00	47.20	48.80	47.95	47.97	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	-	-	-			
		O.D	59.00	58.20	59.80	59.00	58.99	-	-	-			
		O.D.L	12.00	11.50	12.50	12.01	12.02	-	-	-			
		H.L	9.00	8.50	9.50	9.09	9.08	-	-	-			
		I.D	44.50	43.70	45.30	44.58	44.57	-	-	-			
		DEPTH	15.00	14.50	15.50	15.03	15.06	-	-	-			
		THREAD	M50x1.5 AS PER T.R.G GO NOT GO		OK	OK	-	-	-				
		INT.THREAD	M56x1.5 AS PER P.G GO NOT GO		OK	OK	-	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	-	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	-	-	-				
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	-	-	-				
		ANGLE	90° AS PER PP FOUND		OK	OK	-	-	-				

INSPECTED BY:

Jay Hadiyal

APPROVED BY:

Shreekant

Conclusion :

☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-04	Product Name	INTERMEDIATE BODY		Size		M50		Drawing No.		313002U-05	Date:	22-07-2026		
Wo No.	25000172	Total Quantity	5		Lot Quantity		5		Sample Size		2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	-	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments: 1 (1.5%)				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	-	-	-		(1) DV-55					
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-						
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEN260719-02				
		Assembly Perfection	As per Drg.		OK	OK	-	-	-						
		Inner Packing	Labeling & Printing		OK	OK	-	-	-						
		Outer Packing	Printing & Stamping		OK	OK	-	-	-						
		All Dimensions Are In MM													
		2	DIMENSION		VALUE	-	+	1	2	-	-	-			
A/F	65.00			64.81	65.00	64.93	64.95	-	-	-					
A/C	70.00			69.20	70.80	70.05	70.06	-	-	-					
T.L	34.00			33.20	34.80	34.11	34.12	-	-	-					
TH.L	13.50			13.00	14.00	13.56	13.55	-	-	-					
GR.OD	54.00			53.20	54.80	53.92	53.94	-	-	-					
GR.LE	1.00			0.80	1.20	1.01	1.03	-	-	-					
H.L	7.50			7.20	7.80	7.55	7.54	-	-	-					
TH.L	13.00			12.50	13.50	13.03	13.05	-	-	-					
GR.OD	62.00			61.20	62.80	61.55	61.53	-	-	-					
GR.LE	1.00			0.80	1.20	1.01	1.03	-	-	-					
LD	49.50			48.70	50.30	49.56	49.58	-	-	-					
LD	57.50			56.70	58.30	57.50	57.49	-	-	-					
DEPTH	4.00			3.70	4.30	4.09	4.06	-	-	-					
LD	54.50			53.70	55.30	54.51	54.52	-	-	-					
LD.LE	14.50			14.00	15.00	14.46	14.48	-	-	-					
DEPTH	18.50			18.00	19.00	18.55	18.54	-	-	-					
THREAD	M50x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-							
THREAD	M64x2 AS PER T.R.G GO NOT GO			OK	OK	-	-	-							
CHANGLE	2x45° AS PER PP FOUND			OK	OK	-	-	-							
CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-							
CHANGLE	20° AS PER PP FOUND			OK	OK	-	-	-							
CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-							
INSPECTED BY: Jay Hadiyal												APPROVED BY: Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-04	Product Name	MIDDLE BODY		Size		M50		Drawing No.		3139002-05	Date:	22-07-2026		
Wo No.	26000172	Total Quantity	5		Lot Quantity		5		Sample Size		2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA		1	2	-	-	-						
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-						
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	-	-	-							
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-						
		Marking	WO Ref. No.	NA	NA	NA	-	-	-						
		Assembly Perfection	As per Drg.	OK	OK	-	-	-							
		Inner Packing	Labeling & Printing	OK	OK	-	-	-							
		Outer Packing	Printing & Stamping	OK	OK	-	-	-							
		All Dimensions Are In MM													
		2	DIMENSION	VALUE	-	+	1	2	-	-	-				
A/F	70.00			69.81	70.00	69.93	69.95	-	-	-					
A/C	76.00			75.20	76.80	75.95	75.94	-	-	-					
T.L	35.00			34.20	35.80	35.07	35.09	-	-	-					
TH.L	18.00			17.50	18.50	18.01	18.02	-	-	-					
GR.OD	65.00			64.20	65.80	64.50	64.49	-	-	-					
GR.LE	1.00			0.80	1.20	1.01	1.03	-	-	-					
H.L	8.00			7.70	8.30	8.05	8.04	-	-	-					
O.D	68.00			67.20	68.80	68.04	68.06	-	-	-					
O.D.L	9.00			8.50	9.50	9.02	9.01	-	-	-					
LD	54.00			53.20	54.80	54.05	54.04	-	-	-					
LD	55.00			54.20	55.80	55.07	55.06	-	-	-					
LD.LE	5.00			4.70	5.30	5.03	5.05	-	-	-					
INT.TH.L	15.50			14.70	16.30	15.56	15.59	-	-	-					
GR.ID	60.50			59.70	61.30	60.47	60.46	-	-	-					
GR.LE	9.50			9.00	10.00	9.59	9.54	-	-	-					
DEPTH	25.00			24.50	25.50	25.15	25.14	-	-	-					
THREAD	M67x2 AS PER T.R.G GO NOT GO			OK	OK	-	-	-							
INT.THREAD	M64x2 AS PER P.G GO NOT GO			OK	OK	-	-	-							
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-							
CH.ANGLE	2x45° AS PER PP FOUND			OK	OK	-	-	-							
CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-							
INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant															

Conclusion :



Accept



Reject



Hold



INSP. No.		FIR-04		Product Name		BACK NUT		Size		M50		Drawing No.		313003-05		Date:		22-07-2026			
Wo No.		26000172		Total Quantity		5		Lot Quantity		5		Sample Size		2		Variable & Gauging		2PCS			
Sr. No.		Checking Parameter		REQUIRED PARAMETER				OBSERVED RESULTS						REJECTION REWORK DETAIL		REMARK		CHECKED BY			
				PARAMETER		CRITERIA		1		2		-		-							
1		Visual		Surface		Fine, Clean		FINE		FINE		-		-		-		Measuring Instruments ID No.			
				Size/wise No of Pcs. With Internal Parts		As per Drg. No. of Parts		12		12		-		-		-		(1) DV-55			
				Washing & Plating		Surface Finishing		NICKEL		OK		OK		-		-		(2) PP-01			
				RUBBER MARKING		AS PER DRG.		NA		NA		NA		-		-					
				Marking		WO Ref. No.		NA		NA		NA		-		-		ASM No :- AEX260719-02			
				Assembly Perfection		As per Drg.		OK		OK		-		-		-					
				Inner Packing		Labeling & Printing		OK		OK		-		-		-					
				Outer Packing		Printing & Stamping		OK		OK		-		-		-					
				All Dimensions Are In MM																	
				2		DIMENSION		VALUE		-		+		1		2		-		-	
A/F		70.00						69.81		70.00		69.94		69.93		-		-		-	
A/C		76.00						75.20		76.80		75.91		75.94		-		-		-	
T.L		25.00						24.50		25.50		25.13		25.15		-		-		-	
O.D		69.50						68.70		70.30		69.43		69.45		-		-		-	
O.D.L		12.00						11.50		12.50		12.05		12.04		-		-		-	
H.L		13.00						12.50		13.50		13.07		13.09		-		-		-	
I.D		60.50						59.70		61.30		60.55		60.53		-		-		-	
INT.THL		5.00						4.70		5.30		5.03		5.05		-		-		-	
GR.ID		67.20						66.40		68.00		67.25		67.23		-		-		-	
GR.LE		15.00						14.50		15.50		15.05		15.06		-		-		-	
DEPTH		20.00						19.50		20.50		20.04		20.06		-		-		-	
GR.ID		65.00						64.20		65.80		65.03		65.05		-		-		-	
GR.LE		3.00						2.80		3.20		3.02		3.01		-		-		-	
DEPTH		23.00						22.50		23.50		23.03		23.05		-		-		-	
INT.THREAD		M67x2 AS PER P.G GO NOT GO						OK		OK		-		-		-					
CH.ANGLE		0.5x45° AS PER PP FOUND						OK		OK		-		-		-					
CH.ANGLE		1.5x45° AS PER PP FOUND						OK		OK		-		-		-					
CH.ANGLE		45° AS PER PP FOUND						OK		OK		-		-		-					
INSPECTED BY:		Jay Hadiyal						APPROVED BY:				Shreekant									

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	UNIVERSAL CLAMPING CONE		Size	M50		Drawing No.	313005-05	Date:	22-07-2026		
Wo No.	26000172	Total Quantity	5		Lot Quantity	5		Sample Size	2	Variable & Gangline	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		Measuring Instruments ID No.		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260719-02		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
		T.L	32.00	31.20	32.80	32.06	32.09	-	-	-			
		O.D	49.00	48.20	49.80	48.98	49.00	-	-	-			
		O.D.L	6.50	6.20	6.80	6.57	6.56	-	-	-			
		O.D	52.80	52.00	53.60	52.77	52.79	-	-	-			
		O.D	54.00	53.20	54.80	54.07	54.08	-	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.54	-	-	-			
		O.D.L	14.00	13.50	14.50	14.00	13.99	-	-	-			
		O.D	57.00	56.20	57.80	57.07	57.06	-	-	-			
		O.D.L	4.00	3.70	4.30	4.09	4.06	-	-	-			
		O.D	47.00	46.20	47.80	47.09	47.08	-	-	-			
		O.D	49.00	48.20	49.80	49.07	49.08	-	-	-			
		O.D	50.00	49.20	50.80	50.11	50.15	-	-	-			
		O.D	51.50	50.70	52.30	51.55	51.58	-	-	-			
		O.D.L	8.50	8.00	9.00	8.58	8.57	-	-	-			
		O.D.L	14.00	13.50	14.50	14.11	14.13	-	-	-			
		I.D	44.10	43.30	44.90	44.22	44.24	-	-	-			
		GROOVE.STEP.LE	0.5 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.50 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	REVERSIBLE ARMoured RING		Size		M50		Drawing No.		313004-05	Date:	22-07-2026
Wo No.	26000172	Total Quantity	5		Lot Quantity		5		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260719-02		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	12.00	11.50	12.50	12.05	12.06	-	-	-			
		O.D	59.50	58.70	60.30	59.55	59.54	-	-	-			
		I.D	54.50	53.70	55.30	54.53	54.55	-	-	-			
		I.D	53.00	52.20	53.80	53.05	53.04	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	COMPRESSIBLE INNER SEAL		Size		M50		Drawing No.		GI-05	Date:	22-07-2026
Wo No.	26000172	Total Quantity	5		Lot Quantity		5		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260719-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.50	15.00	16.00	15.59	15.55	-	-	-			
		O.D.L	5.50	5.20	5.80	5.51	5.53	-	-	-			
		O.D	54.50	54.30	54.50	54.41	54.39	-	-	-			
		O.D.L	10.00	9.50	10.50	10.02	10.01	-	-	-			
		I.D	43.90	43.90	44.10	43.92	43.94	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-04	Product Name	O-RING			Size	M50			Drawing No.	OR-5M	Date:	22-07-2026
Wo No.	26000172	Total Quantity	5			Lot Quantity	5			Sample Size	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260719-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.08	2.07	-	-	-			
		I.D	45.00	44.20	45.80	45.03	45.05	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-04	Product Name	COMPRESSIBLE OUTER SEAL			Size		M50		Drawing No.		GE-05	Date:	22-07-2026
Wo No.	26000172	Total Quantity	5			Lot Quantity		5		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260719-02			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		T.L	15.00	14.50	15.50	15.05	15.03	-	-	-				
		O.D	67.20	67.00	67.20	67.12	67.14	-	-	-				
		GR.LENGTH	5.50	5.20	5.80	5.52	5.51	-	-	-				
		I.D	53.00	52.90	53.10	52.98	52.97	-	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-04	Product Name	INNER SKID WASHER			Size	M50			Drawing No.	IW-05	Date:	22-07-2026
Wo No.	26000172	Total Quantity	5			Lot Quantity	5			Sample Size	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260719-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.50	5.20	5.80	5.50	5.49	-	-	-			
		O.D	53.00	52.80	53.00	52.92	52.90	-	-	-			
		O.D	48.50	48.30	48.50	48.40	48.39	-	-	-			
		O.D.L	3.50	3.50	3.70	3.47	3.49	-	-	-			
		I.D	44.00	44.00	44.20	44.05	44.03	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-04	Product Name	OUTER SKID WASHER			Size	M50			Drawing No.	OW-05	Date:	22-07-2026
Wo No.	26000172	Total Quantity	5			Lot Quantity	5			Sample Size	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260719-02		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.50	6.20	6.80	6.52	6.54	-	-	-			
		O.D	64.00	64.00	64.10	64.01	64.03	-	-	-			
		O.D	59.50	59.30	59.50	59.41	59.40	-	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	-	-	-			
		I.D	53.00	53.00	53.20	53.05	53.06	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold

