# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | ENTRY COMPONENT | **Size** | M25 | **Drawing No.** | 313001M-02 | **Date:** | 04-11-2026 | | |
| **Wo No.** | 26000341 | **Total Quantity** | 5 | **Lot Quantity** | 5 | **Sample Size-** | 2 | Variable & Gauging | 2PCS | | |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts 11 | 11 | 11 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing NICKEL | OK | OK | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. Metalmech Logo MM-EX-E1FUNV252MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X | | | - | - | - | | ASM No - AEX261022-08 | |
| | | Assembly Perfection | As per Drg. | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | |
| 2 | DIMENSION | | VALUE - + | 1 | 2 | - | - | - | | | |
| | | A/F | 36.00 35.84 36.00 | 35.91 | 35.93 | - | - | - | | | |
| | | A/C | 40.00 39.20 40.80 | 39.97 | 39.96 | - | - | - | | | |
| | | T.L | 37.00 37.00 37.50 | 37.19 | 37.18 | - | - | - | | | |
| | | TH.L | 13.00 12.50 13.50 | 13.05 | 13.04 | - | - | - | | | |
| | | LENGTH | 17.00 17.00 17.50 | 17.04 | 17.05 | - | - | - | | | |
| | | GR.OD | 23.00 22.50 23.50 | 23.02 | 23.01 | - | - | - | | | |
| | | GR.LE | 2.50 2.30 2.70 | 2.53 | 2.55 | - | - | - | | | |
| | | O.D | 35.00 34.20 35.80 | 35.05 | 35.04 | - | - | - | | | |
| | | O.D.L | 11.00 10.50 11.50 | 11.02 | 11.01 | - | - | - | | | |
| | | H.L | 9.00 8.50 9.50 | 9.04 | 9.03 | - | - | - | | | |
| | | I.D | 20.00 19.50 20.50 | 20.07 | 20.08 | - | - | - | | | |
| | | INT.THL | 14.50 14.00 15.00 | 14.56 | 14.55 | - | - | - | | | |
| | | THREAD | M25x1.5 AS PER T.R.G GO NOT GO | OK | OK | - | - | - | | | |
| | | INT.THREAD | M32x1.5 AS PER P.G GO NOT GO | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1.5x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | ANGLE | 90° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | INTERMIDIATE BODY | Size | M25 | Drawing No. | 313002U-02 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000341 | Total Quantity | 5 | Lot Quantity | 5 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 11 | 11 | 11 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261022-08 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | A/F | 36.00 | 35.84 | 36.20 | 35.93 | 35.95 | - | - | - | | |
| | | A/C | 40.00 | 39.20 | 40.80 | 39.91 | 39.93 | - | - | - | | |
| | | T.L | 29.00 | 28.50 | 29.50 | 29.10 | 29.09 | - | - | - | | |
| | | TH.L | 13.50 | 13.00 | 14.00 | 13.50 | 13.49 | - | - | - | | |
| | | GR.OD | 30.00 | 29.50 | 30.50 | 30.06 | 30.05 | - | - | - | | |
| | | GR.LE | 1.00 | 0.80 | 1.20 | 1.01 | 1.03 | - | - | - | | |
| | | H.L | 6.00 | 5.70 | 6.30 | 6.08 | 6.09 | - | - | - | | |
| | | TH.L | 9.50 | 9.00 | 10.00 | 9.55 | 9.54 | - | - | - | | |
| | | GR.OD | 32.00 | 31.20 | 32.80 | 32.00 | 31.99 | - | - | - | | |
| | | GR.LE | 1.00 | 0.80 | 1.20 | 1.01 | 1.03 | - | - | - | | |
| | | I.D | 26.50 | 26.00 | 27.00 | 26.55 | 26.54 | - | - | - | | |
| | | I.D | 29.30 | 28.80 | 29.80 | 29.36 | 29.35 | - | - | - | | |
| | | DEPTH | 8.00 | 7.70 | 8.30 | 8.05 | 8.04 | - | - | - | | |
| | | THREAD | M32x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | THREAD | M34x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**



# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | MIDDLE BODY | Size | M25 | Drawing No. | 313002-02 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000341 | Total Quantity | 5 | Lot Quantity | 5 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 11 | 11 | 11 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261022-08 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printine | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | A/F | 36.00 | 35.84 | 36.00 | 35.94 | 35.96 | - | - | - | | |
| | | A/C | 40.00 | 39.20 | 40.80 | 39.93 | 39.95 | - | - | - | | |
| | | T.L | 32.00 | 31.20 | 32.80 | 32.09 | 32.08 | - | - | - | | |
| | | TH.L | 15.00 | 14.50 | 15.50 | 15.04 | 15.03 | - | - | - | | |
| | | GR.OD | 33.00 | 32.20 | 33.80 | 32.95 | 32.94 | - | - | - | | |
| | | GR.LE | 1.50 | 1.30 | 1.70 | 1.53 | 1.55 | - | - | - | | |
| | | O.D | 35.50 | 34.70 | 36.30 | 35.45 | 35.48 | - | - | - | | |
| | | O.D.L | 9.00 | 8.50 | 9.50 | 9.00 | 9.00 | - | - | - | | |
| | | H.L | 8.00 | 7.70 | 8.30 | 8.03 | 8.05 | - | - | - | | |
| | | I.D | 26.50 | 26.00 | 27.00 | 26.54 | 26.56 | - | - | - | | |
| | | I.D | 27.50 | 27.00 | 28.00 | 27.48 | 27.47 | - | - | - | | |
| | | I.D.LE | 4.50 | 4.20 | 4.80 | 4.54 | 4.56 | - | - | - | | |
| | | INT.THL | 11.50 | 11.00 | 12.00 | 11.55 | 11.54 | - | - | - | | |
| | | GR.ID | 32.00 | 31.20 | 32.80 | 32.06 | 32.05 | - | - | - | | |
| | | GR.LE | 4.00 | 3.70 | 4.30 | 4.04 | 4.06 | - | - | - | | |
| | | DEPTH | 15.50 | 15.00 | 16.00 | 15.55 | 15.54 | - | - | - | | |
| | | THREAD | M35x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | INT.THREAD | M34x1.5 AS PER P.G GO NOT GO | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | | | OK | OK | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERING QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | BACK NUT | Size | M25 | Drawing No. | 313003-02 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000341 | Total Quantity | 5 | Lot Quantity | 5 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts 11 | 11 | 11 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing NICKEL | OK | OK | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. NA | NA | NA | - | - | - | | ASM No - AEX261022-08 | |
| | | Assembly Perfection | As per Drg. | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | |
| | | | VALUE - + | 1 | 2 | - | - | - | | | |
| 2 | DIMENSION | A/F | 38.00 37.84 38.00 | 37.96 | 37.98 | - | - | - | | | |
| | | A/C | 42.00 41.20 42.80 | 41.98 | 42.00 | - | - | - | | | |
| | | T.L | 23.00 22.50 23.50 | 23.10 | 23.09 | - | - | - | | | |
| | | O.D | 37.50 36.70 38.30 | 37.47 | 37.46 | - | - | - | | | |
| | | O.D.L | 10.00 9.50 10.50 | 10.07 | 10.06 | - | - | - | | | |
| | | H.L | 13.00 12.50 13.50 | 13.05 | 13.04 | - | - | - | | | |
| | | I.D | 30.50 29.70 31.30 | 30.55 | 30.54 | - | - | - | | | |
| | | INT.THL | 4.00 3.70 4.30 | 4.04 | 4.06 | - | - | - | | | |
| | | GR.ID | 35.20 34.40 36.00 | 35.23 | 35.25 | - | - | - | | | |
| | | GR.LE | 14.50 14.00 15.00 | 14.55 | 14.54 | - | - | - | | | |
| | | DEPTH | 18.50 18.00 19.00 | 18.53 | 18.56 | - | - | - | | | |
| | | GR.ID | 33.50 32.70 34.30 | 33.54 | 33.53 | - | - | - | | | |
| | | GR.LE | 3.00 2.80 3.20 | 3.03 | 3.02 | - | - | - | | | |
| | | DEPTH | 21.00 20.50 21.50 | 21.04 | 21.06 | - | - | - | | | |
| | | INT.THREAD | M35x1.5 AS PER P.G GO NOT GO | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | OK | OK | - | - | - | | | |
| | | CH.ANGLE | 45° AS PER PP FOUND | OK | OK | - | - | - | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | UNIVERSAL CLAMPING CONE | **Size** | M25 | **Drawing No.** | 313005-02 | **Date:** | 04-11-2026 |
| **Wo No.** | 26000341 | **Total Quantity** | 5 | **Lot Quantity** | 5 | **Sample Size-** | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts 11 | 11 | 11 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing NICKEL | OK | OK | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. NA | NA | NA | - | - | - | | ASM No - AEX261022-08 | |
| | | Assembly Perfection | As per Drg. | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | T.L | 25.00 | 24.50 | 25.50 | 25.13 | 25.12 | - | - | - | | | |
| | | O.D | 23.50 | 23.00 | 24.00 | 23.55 | 23.54 | - | - | - | | | |
| | | O.D.L | 4.50 | 4.20 | 4.80 | 4.53 | 4.55 | - | - | - | | | |
| | | O.D | 25.00 | 24.50 | 25.50 | 24.96 | 24.98 | - | - | - | | | |
| | | O.D.L | 2.50 | 2.30 | 2.70 | 2.53 | 2.55 | - | - | - | | | |
| | | GR.LENGTH | 0.50 | 0.30 | 0.70 | 0.48 | 0.50 | - | - | - | | | |
| | | O.D | 26.00 | 25.50 | 26.50 | 26.05 | 26.04 | - | - | - | | | |
| | | O.D.L | 8.50 | 8.00 | 9.00 | 8.53 | 8.55 | - | - | - | | | |
| | | O.D | 29.00 | 28.50 | 29.50 | 28.95 | 28.94 | - | - | - | | | |
| | | O.D.L | 8.00 | 7.70 | 8.30 | 8.05 | 8.04 | - | - | - | | | |
| | | O.D | 22.50 | 22.00 | 23.00 | 22.60 | 22.59 | - | - | - | | | |
| | | O.D.L | 5.50 | 5.20 | 5.80 | 5.53 | 5.55 | - | - | - | | | |
| | | O.D | 23.50 | 23.00 | 24.00 | 23.58 | 23.56 | - | - | - | | | |
| | | O.D | 24.00 | 23.50 | 24.50 | 24.06 | 24.05 | - | - | - | | | |
| | | O.D | 24.50 | 24.00 | 25.00 | 24.53 | 24.55 | - | - | - | | | |
| | | O.D.L | 8.50 | 8.00 | 9.00 | 8.53 | 8.55 | - | - | - | | | |
| | | I.D | 20.00 | 19.50 | 20.50 | 20.05 | 20.04 | - | - | - | | | |
| | | RADIUS | 0.5 MM AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | RADIUS | 0.3 MM AS PER PP FOUND | | | OK | OK | - | - | - | | | |
| | | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALTECH ENGINEERING PVT. LTD. QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | REVERSIBLE ARMOUR RING | **Size** | M25 | **Drawing No.** | 313004-02 | **Date:** | 04-11-2026 |
| **Wo No.** | 26000341 | **Total Quantity** | 5 | **Lot Quantity** | 5 | **Sample Size-** | 2 | **Variable & Gauging** | 2PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 11 | 11 | 11 | - | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | - | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | **ASM No - AEX261022-08** | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 6.00 | 5.70 | 6.30 | 6.03 | 6.05 | - | - | - | | | |
| | | O.D | 30.00 | 29.50 | 30.50 | 30.07 | 30.06 | - | - | - | | | |
| | | I.D | 25.50 | 25.00 | 26.00 | 25.55 | 25.54 | - | - | - | | | |
| | | I.D | 26.50 | 26.00 | 27.00 | 26.56 | 26.54 | - | - | - | | | |
| | | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | COMPRESSIBLE INNER SEAL | Size | M25 | Drawing No. | GI-02 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000341 | Total Quantity | 5 | Lot Quantity | 5 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 11 | 11 | 11 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261022-08 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 14.00 | 13.50 | 14.50 | 13.55 | 13.58 | - | - | - | | |
| | | O.D.L | 5.00 | 4.70 | 5.30 | 5.05 | 5.04 | - | - | - | | |
| | | O.D | 30.50 | 30.30 | 30.50 | 30.40 | 30.39 | - | - | - | | |
| | | O.D.L | 9.00 | 8.50 | 9.50 | 8.56 | 8.54 | - | - | - | | |
| | | I.D | 19.80 | 19.80 | 20.00 | 19.88 | 19.90 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | O-RING | Size | M25 | Drawing No. | OR-2M | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000341 | Total Quantity | 5 | Lot Quantity | 5 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 11 | 11 | 11 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261022-08 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | - | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | THICKNESS | 2.50 | 2.00 | 2.50 | 2.05 | 2.04 | - | - | - | | | |
| | | I.D | 20.00 | 19.50 | 20.50 | 20.04 | 20.06 | - | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-01 | **Product Name** | COMPRESSIBLE OUTER SEAL | **Size** | M25 | **Drawing No.** | GE-02 | **Date:** | 04-11-2026 |
| **Wo No.** | 26000341 | **Total Quantity** | 5 | **Lot Quantity** | 5 | **Sample Size-** | 2 | **Variable & Gauging** | 2PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **-** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 11 | 11 | 11 | - | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | **ASM No - AEX261022-08** | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 15.00 | 14.50 | 15.50 | 15.05 | 15.03 | - | - | - | | |
| | | O.D | 35.20 | 35.00 | 35.20 | 35.12 | 35.11 | - | - | - | | |
| | | GR.LENGTH | 3.50 | 3.20 | 3.80 | 3.53 | 3.55 | - | - | - | | |
| | | I.D | 26.00 | 25.90 | 26.10 | 26.03 | 26.05 | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | INNER SKID WASHER | Size | M25 | Drawing No. | IW-02 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000341 | Total Quantity | 5 | Lot Quantity | 5 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 11 | 11 | 11 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261022-08 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | | |
| | | T.L | 5.00 | 4.70 | 5.30 | 5.05 | 5.04 | - | - | - | | |
| | | O.D | 30.00 | 29.80 | 30.00 | 29.90 | 29.89 | - | - | - | | |
| | | O.D | 26.00 | 25.80 | 26.00 | 25.93 | 25.95 | - | - | - | | |
| | | O.D.L | 3.00 | 3.00 | 3.20 | 3.04 | 3.03 | - | - | - | | |
| | | I.D | 19.90 | 19.90 | 20.10 | 19.95 | 19.94 | - | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECH®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-01 | Product Name | OUTER SKID WASHER | Size | M25 | Drawing No. | OW-02 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26000341 | Total Quantity | 5 | Lot Quantity | 5 | Sample Size- | 2 | Variable & Gauging | 2PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | - | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | - | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 11 | 11 | 11 | - | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | - | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | - | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | - | - | - | | ASM No - AEX261022-08 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | - | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | - | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | - | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | - | - | - | | |
| | | T.L | 6.00 | 5.70 | 6.30 | 6.04 | 6.06 | - | - | - | | |
| | | O.D | 33.00 | 33.00 | 33.10 | 33.03 | 33.05 | - | - | - | | |
| | | O.D | 30.00 | 29.80 | 30.00 | 29.93 | 29.96 | - | - | - | | |
| | | O.D.L | 4.00 | 4.00 | 4.10 | 4.03 | 4.05 | - | - | - | | |
| | | I.D | 26.20 | 26.20 | 26.40 | 26.25 | 26.24 | - | - | - | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

