METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	ENTRY COMPONENT	Size	M40	Drawing No.	313001M-04	Date:	19-10-2026
Wo No.	26000310	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-E1FUNV404MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X	-	-	-		ASM No :- AEX261011-05	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	50.00	49.81	50.00	49.97	49.96	-	-	-		
		A/C	55.00	54.20	55.80	54.83	54.85	-	-	-		
		T.L	37.00	37.00	37.50	37.11	37.13	-	-	-		
		TH.L	13.00	12.50	13.50	13.09	13.07	-	-	-		
		LENGTH	17.00	17.00	17.50	17.07	17.06	-	-	-		
		GR.OD	38.00	37.20	38.80	37.99	37.97	-	-	-		
		GR.LE	2.50	2.30	2.70	2.55	2.54	-	-	-		
		O.D	49.00	48.20	49.80	48.97	48.97	-	-	-		
		O.D.L	11.00	10.50	11.50	11.01	11.00	-	-	-		
		H.L	9.00	8.50	9.50	9.05	9.04	-	-	-		
		I.D	32.50	31.70	33.30	32.52	32.51	-	-	-		
		INT.THL	15.00	14.50	15.50	15.08	15.07	-	-	-		
		THREAD	M40x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M45x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	INTERMIDIATE BODY	Size	M40	Drawing No.	313002U-04	Date:	19-10-2026
Wo No.	26000310	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-		Measuring Instruments I.D No-	
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		(1) DV-55	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 11	11	11	-	-	-		(2) PP-01	
		Washing & Plating	Surface Finishing NICKEL	OK	OK	-	-	-			
		RUBBER MARKING	AS PER DRG. NA	NA	NA	-	-	-		ASM No :- AEX261011-05	
		Marking	WO Ref. No. NA	NA	NA	-	-	-			
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	2	-	-	-			
		A/F	50.00 49.81 50.00	49.91	49.90	-	-	-			
		A/C	55.00 54.20 55.80	54.73	54.72	-	-	-			
		T.L	29.00 28.50 29.50	29.11	29.10	-	-	-			
		TH.L	13.50 13.00 14.00	13.52	13.51	-	-	-			
		GR.OD	43.00 42.20 43.80	43.03	43.05	-	-	-			
		GR.LE	1.00 0.80 1.20	1.01	1.02	-	-	-			
		H.L	6.00 5.70 6.30	6.11	6.13	-	-	-			
		TH.L	9.50 9.00 10.00	9.45	9.44	-	-	-			
		GR.OD	46.00 45.20 46.80	45.97	45.99	-	-	-			
		GR.LE	1.00 0.80 1.20	1.02	1.01	-	-	-			
		I.D	40.00 39.20 40.80	40.04	40.03	-	-	-			
		I.D	42.50 41.70 43.30	42.51	42.50	-	-	-			
		DEPTH	8.00 7.70 8.30	8.08	8.07	-	-	-			
		THREAD	M45x1.5 AS PER T.R.G GO NOT GO	OK	OK	-	-	-			
		THREAD	M48x1.5 AS PER T.R.G GO NOT GO	OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	MIDDLE BODY	Size	M40	Drawing No.	313002-04	Date:	19-10-2026
Wo No.	26000310	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts: 11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing: NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. / NA	NA	NA	-	-	-			
		Marking	WO Ref. No. / NA	NA	NA	-	-	-		ASM No :- AEX261011-05	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE / - / +	1	2	-	-	-			
		A/F	55.00 / 54.81 / 55.00	54.96	54.95	-	-	-			
		A/C	60.00 / 59.20 / 60.80	60.00	59.99	-	-	-			
		T.L	32.00 / 31.20 / 32.80	32.13	32.15	-	-	-			
		TH.L	15.00 / 14.50 / 15.50	15.02	15.01	-	-	-			
		GR.OD	50.00 / 49.20 / 50.80	50.06	50.05	-	-	-			
		GR.LE	1.00 / 0.80 / 1.20	1.00	0.99	-	-	-			
		H.L	9.00 / 8.50 / 9.50	9.05	9.07	-	-	-			
		O.D	53.00 / 52.20 / 53.80	53.06	53.05	-	-	-			
		O.D.L	8.00 / 7.70 / 8.30	8.00	7.99	-	-	-			
		I.D	40.50 / 39.70 / 41.30	40.55	40.54	-	-	-			
		I.D	41.50 / 40.70 / 42.30	41.53	41.55	-	-	-			
		I.D.LE	5.00 / 4.70 / 5.30	5.02	5.00	-	-	-			
		INT.THL	11.50 / 11.00 / 12.00	11.49	11.51	-	-	-			
		GR.ID	46.00 / 45.20 / 46.80	45.98	46.00	-	-	-			
		GR.LE	7.00 / 6.70 / 7.30	7.01	7.03	-	-	-			
		DEPTH	18.50 / 18.00 / 19.00	18.45	18.44	-	-	-			
		THREAD	M48x1.5 AS PER T.R.G GO NOT GO	OK	OK	-	-	-			
		INT.THREAD	M52x1.5 AS PER P.G GO NOT GO	OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND	OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	BACK NUT	Size	M40	Drawing No.	313003-04	Date:	19-10-2026
Wo No.	26000310	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	-	-	-			
		Marking	WO Ref. No. NA	NA	NA	-	-	-		ASM No :- AEX261011-05	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	2	-	-	-			
		A/F	55.00 54.81 55.00	54.97	54.96	-	-	-			
		A/C	60.00 59.20 60.80	59.90	59.89	-	-	-			
		T.L	23.00 22.50 23.50	23.07	23.06	-	-	-			
		O.D	54.50 53.70 55.30	54.45	54.47	-	-	-			
		O.D.L	10.00 9.50 10.50	10.02	10.01	-	-	-			
		H.L	13.00 12.50 13.50	13.06	13.05	-	-	-			
		I.D	45.50 44.70 46.30	45.55	45.54	-	-	-			
		INT.THL	4.00 3.70 4.30	4.02	4.01	-	-	-			
		GR.ID	52.20 51.40 53.00	52.25	52.23	-	-	-			
		GR.LE	14.50 14.00 15.00	14.55	14.54	-	-	-			
		DEPTH	18.50 18.00 19.00	18.52	18.54	-	-	-			
		GR.ID	50.50 49.70 51.30	50.51	50.53	-	-	-			
		GR.LE	2.50 2.30 2.70	2.52	2.54	-	-	-			
		DEPTH	21.00 20.50 21.50	20.99	20.98	-	-	-			
		INT.THREAD	M52x1.5 AS PER P.G GO NOT GO	OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND	OK	OK	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERS QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	**Product Name**	UNIVERSAL CLAMPING CONE	**Size**	M40	**Drawing No.**	313005-04	**Date:**	19-10-2026
Wo No.	26000310	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11		11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL		OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-			
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX261011-05	
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	30.00	29.50	30.50	30.12	30.11	-	-	-			
		O.D	36.00	35.20	36.80	35.98	36.00	-	-	-			
		O.D.L	5.50	5.20	5.80	5.58	5.57	-	-	-			
		O.D	38.50	37.70	39.30	38.55	38.54	-	-	-			
		O.D.L	2.50	2.30	2.70	2.59	2.58	-	-	-			
		GR.LENGTH	0.50	0.30	0.70	0.50	0.49	-	-	-			
		O.D	39.80	39.00	40.60	39.80	39.77	-	-	-			
		O.D.L	11.00	10.50	11.50	11.01	11.03	-	-	-			
		O.D	42.00	41.20	42.80	41.96	41.98	-	-	-			
		O.D.L	8.00	7.70	8.30	8.04	8.06	-	-	-			
		O.D	34.50	33.70	35.30	34.55	34.57	-	-	-			
		O.D.L	6.50	6.20	6.80	6.45	6.48	-	-	-			
		O.D	36.00	35.20	36.80	35.99	36.00	-	-	-			
		O.D	36.50	35.70	37.30	36.52	36.51	-	-	-			
		O.D	37.50	36.70	38.30	37.56	37.55	-	-	-			
		O.D.L	11.00	10.70	11.30	11.03	11.02	-	-	-			
		I.D	32.50	31.70	33.30	32.55	32.58	-	-	-			
		RADIUS	0.50 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	REVERSIBLE ARMOURED RING	Size	M40	Drawing No.	313004-04	Date:	19-10-2026
Wo No.	26000310	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261011-05	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	9.00	8.50	9.50	9.09	9.08	-	-	-		
		O.D	44.00	43.20	44.80	44.03	44.05	-	-	-		
		I.D	39.50	38.70	40.30	39.55	39.54	-	-	-		
		I.D	40.30	39.50	41.10	40.33	40.38	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA® THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	COMPRESSIBLE INNER SEAL	Size	M40	Drawing No.	GI-04	Date:	19-10-2026
Wo No.	26000310	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261011-05	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.50	15.00	16.00	15.49	15.50	-	-	-		
		O.D.L	6.00	5.70	6.30	6.02	5.99	-	-	-		
		O.D	43.50	43.30	43.50	43.39	43.41	-	-	-		
		O.D.L	9.50	9.00	10.00	9.55	9.54	-	-	-		
		I.D	32.10	32.10	32.30	32.15	32.12	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	**Product Name**	O-RING	**Size**	M40	**Drawing No.**	OR-4M	**Date:**	19-10-2026
Wo No.	26000310	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261011-05	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.26	2.30	-	-	-		
		I.D	30.00	29.50	30.50	30.03	30.06	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	COMPRESSIBLE OUTER SEAL	Size	M40	Drawing No.	GE-04	Date:	19-10-2026
Wo No.	26000310	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261011-05	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	15.00	14.50	15.50	15.03	15.02	-	-	-			
		O.D	52.20	52.00	52.20	52.01	52.00	-	-	-			
		GR.LENGTH	5.00	4.70	5.30	5.02	5.03	-	-	-			
		I.D	40.00	39.90	40.10	40.04	40.05	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	Product Name	INNER SKID WASHER	Size	M40	Drawing No.	IW-04	Date:	19-10-2026
Wo No.	26000310	Total Quantity	2	Lot Quantity	2	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261011-05	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.00	4.70	5.30	5.00	4.99	-	-	-		
		O.D	42.50	42.30	42.50	42.39	42.41	-	-	-		
		O.D	39.50	39.30	39.50	39.50	39.49	-	-	-		
		O.D.L	3.00	3.00	3.20	3.02	2.99	-	-	-		
		I.D	32.20	32.20	32.40	32.25	32.23	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-02	**Product Name**	OUTER SKID WASHER	**Size**	M40	**Drawing No.**	OW-04	**Date:**	19-10-2026
Wo No.	26000310	**Total Quantity**	2	**Lot Quantity**	2	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261011-05**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.50	6.20	6.80	6.52	6.51	-	-	-		
		O.D	50.00	50.00	50.10	50.01	50.03	-	-	-		
		O.D	44.50	44.30	44.50	44.39	44.41	-	-	-		
		O.D.L	4.50	4.50	4.60	4.53	4.52	-	-	-		
		I.D	40.50	40.50	40.70	40.52	40.54	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED