



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	LOCK NUT		Size	M20		Drawing No.	DL1M	Date:	23-09-2026	
Wo No.	26000227	Total Quantity	1		Lot Quantity	1		Sample Size-	1	Variable & Gauging	1PC	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260919-03	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-		
		A/F	24.00	23.87	24.00	23.96	-	-	-	-		
		A/C	26.00	25.50	26.50	26.05	-	-	-	-		
		T.L	3.50	3.20	3.80	3.54	-	-	-	-		
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	-	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	-	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	ENTRY COMPONENT		Size		M20		Drawing No.		313001M-018	Date:	23-09-2026
Wo No.	26000227	Total Quantity	1		Lot Quantity		1		Sample Size-		1	Variable & Gauging	1PC
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	-	-	-	-				
		Surface	Fine, Clean		FINE	-	-	-	-			Measuring Instruments ID No.	
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	-	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX-EIFUNV20s1MB2 2026 CE Logo 2460 Ex Logo H 2 GD Ex db IIC	OK	-	-	-	-		ASM No :- AEN260919-03		
		Assembly Perfection	As per Drg.		OK	-	-	-	-				
		Inner Packing	Labeling & Printing		OK	-	-	-	-				
		Outer Packing	Printing & Stamping		OK	-	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	-	-	-	-			
		A/F	25.00	24.87	25.00	24.96	-	-	-	-			
		A/C	27.50	27.00	28.00	27.53	-	-	-	-			
		T.L	32.00	32.00	32.50	32.15	-	-	-	-			
		TH.L	13.00	12.50	13.50	13.05	-	-	-	-			
		LENGTH	17.00	17.00	17.50	17.07	-	-	-	-			
		GR.OD	18.00	18.00	18.50	18.08	-	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	-	-	-	-			
		O.D	24.50	24.00	25.00	24.55	-	-	-	-			
		O.D.L	9.00	8.50	9.50	9.04	-	-	-	-			
		H.L	6.00	5.70	6.30	6.06	-	-	-	-			
		L.D	12.00	11.50	12.50	12.11	-	-	-	-			
		DEPTH	11.50	11.00	12.00	11.54	-	-	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO		OK	-	-	-	-				
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO		OK	-	-	-	-				
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	-	-	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	-	-	-	-				
		CH.ANGLE	20° AS PER PP FOUND		OK	-	-	-	-				
		ANGLE	90° AS PER PP FOUND		OK	-	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	INTERMEDIATE BODY		Size	M20		Drawing No.	313002U-01s		Date:	23-09-2026	
Wo No.	26000227	Total Quantity	1		Lot Quantity	1		Sample Size-	1		Variable & Gauging	1PC	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	-	-	-	-				
		Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments ID No.		
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts		16	-	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing		OK	-	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.		NA	-	-	-	-				
		Marking	WO Ref. No.		NA	-	-	-	-		ASM No :- AEX260919-03		
		Assembly Perfection	As per Drg.		OK	-	-	-	-				
		Inner Packing	Labeling & Printing		OK	-	-	-	-				
		Outer Packing	Printing & Stamping		OK	-	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	-	-	-	-			
		A/F	25.00	24.87	25.00	24.96	-	-	-	-			
		A/C	27.50	27.00	28.00	27.49	-	-	-	-			
		T.L	22.00	21.50	22.50	22.10	-	-	-	-			
		TH.L	10.00	9.50	10.50	10.01	-	-	-	-			
		GR.OD	18.00	17.50	18.50	18.02	-	-	-	-			
		GR.LE	1.00	0.80	1.20	1.03	-	-	-	-			
		H.L	4.00	3.70	4.30	4.06	-	-	-	-			
		TH.L	8.00	7.70	8.30	8.06	-	-	-	-			
		GR.OD	20.00	19.50	20.50	20.05	-	-	-	-			
		GR.LE	1.00	0.80	1.20	1.02	-	-	-	-			
		I.D	16.00	15.50	16.50	16.08	-	-	-	-			
		I.D	18.00	17.50	18.50	18.05	-	-	-	-			
		DEPTH	7.00	6.70	7.30	7.02	-	-	-	-			
		I.D	17.00	16.50	17.50	17.04	-	-	-	-			
		I.D.LE	4.50	4.20	4.80	4.53	-	-	-	-			
		DEPTH	11.50	11.00	12.00	11.55	-	-	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	-	-	-	-			
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO			OK	-	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	-	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	-	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	-	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold






MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	MIDDLE BODY	Size	M20	Drawing No.	3130002-018	Date:	23-09-2026			
Wo No.	26000227	Total Quantity	1	Lot Quantity	1	Sample Size-	1	Variable & Gauging	1PC			
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-			
		Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instrument's I.D. No.	
		Size-wise No. of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX360919-03	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
			VALUE	-	+	1	-	-	-	-		
		A/F	25.00	24.87	25.00	24.95	-	-	-	-		
		A/C	27.50	27.00	28.00	27.45	-	-	-	-		
		T.L	28.00	27.50	28.50	28.09	-	-	-	-		
		TH.L	12.00	11.50	12.50	12.03	-	-	-	-		
		GR.OD	20.50	20.00	21.00	20.55	-	-	-	-		
		GR.LE	1.00	0.80	1.20	1.02	-	-	-	-		
		O.D	24.50	24.00	25.00	24.37	-	-	-	-		
		O.D.L	8.00	7.70	8.30	8.04	-	-	-	-		
		H.L	8.00	7.70	8.30	8.05	-	-	-	-		
		LD	16.00	15.50	16.50	16.05	-	-	-	-		
		LD	17.00	16.50	17.50	17.06	-	-	-	-		
		LD.LE	4.00	3.70	4.30	4.03	-	-	-	-		
		INT.TH.L	9.50	9.00	10.00	9.53	-	-	-	-		
		LD	20.00	19.50	20.50	20.04	-	-	-	-		
		DEPTH	14.00	13.50	14.50	14.09	-	-	-	-		
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	-	-	-	-		
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	-	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	-	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	-	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	-	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	-	-	-	-		
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant		

Conclusion :

☒ Accept ☐ Reject ☐ Hold





☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	UNIVERSAL CLAMPING CONE		Size		M20		Drawing No.		313005-018	Date:	23-09-2026	
Wo No.	26000227	Total Quantity	1		Lot Quantity		1		Sample Size-		1	Variable & Gauging	IPC	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	-	-	-	-					
		Surface	Fine, Clean		FINE	-	-	-	-					
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-			(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	-	-	-	-			(2) PP-01		
		RUBBER MARKING	AS PER DRG.		NA	NA	-	-	-	-				
		Marking	WO Ref. No.	NA	NA	-	-	-	-			ASM No :- AEX260919-03		
		Assembly Perfection	As per Drg.		OK	-	-	-	-					
		Inner Packing	Labeling & Printing		OK	-	-	-	-					
		Outer Packing	Printing & Stamping		OK	-	-	-	-					
		All Dimensions Are In MM												
			VALUE	-	+	1	-	-	-	-				
		T.L	22.00	21.50	22.50	22.05	-	-	-	-				
		O.D	14.00	13.50	14.50	14.05	-	-	-	-				
		O.D.L	3.50	3.20	3.80	3.45	-	-	-	-				
		GR.OD	15.50	15.00	16.00	15.51	-	-	-	-				
		GR.LE	2.50	2.30	2.70	2.52	-	-	-	-				
		O.D	16.20	15.70	16.70	16.23	-	-	-	-				
		O.D.L	7.50	7.20	7.80	7.51	-	-	-	-				
		O.D	17.50	17.00	18.00	17.46	-	-	-	-				
		O.D.L	7.00	6.70	7.30	7.06	-	-	-	-				
		O.D	14.00	13.50	14.50	14.08	-	-	-	-				
		O.D.L	4.50	4.20	4.80	4.45	-	-	-	-				
		O.D	14.50	14.00	15.00	14.52	-	-	-	-				
		O.D	15.00	14.50	15.50	15.05	-	-	-	-				
		O.D	15.50	15.00	16.00	15.53	-	-	-	-				
		O.D.L	7.50	7.20	7.80	7.53	-	-	-	-				
		LD	12.00	11.50	12.50	12.06	-	-	-	-				
		GROOVE.STEP.LE	0.50	0.30	0.70	0.48	-	-	-	-				
		RADIUS	0.5 MM AS PER PP FOUND			OK	-	-	-	-				
		RADIUS	0.3 AS PER PP FOUND			OK	-	-	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reiect



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	REVERSIBLE ARMOUR RING		Size	M20		Drawing No.	313004-01S		Date:	23-09-2026	
Wo No.	26000227	Total Quantity	1		Lot Quantity	1		Sample Size-	1		Variable & Gauging	1PC	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NICKEL	OK	-	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260919-03		
		Assembly Perfection	As per Drg.		OK	-	-	-	-				
		Inner Packing	Labeling & Printing		OK	-	-	-	-				
		Outer Packing	Printing & Stamping		OK	-	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		T.L	6.00	5.70	6.30	6.02	-	-	-	-			
		O.D	18.50	18.00	19.00	18.73	-	-	-	-			
		I.D	16.00	15.50	16.50	16.16	-	-	-	-			
		I.D	16.50	16.00	17.00	16.65	-	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	O-RING	Size	M20	Drawing No.	OR-1M	Date:	23-09-2026			
Wo No.	26000227	Total Quantity	1	Lot Quantity	1	Sample Size-	1	Variable & Gauging	1PC			
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260919-03	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-		
		THICKNESS	2.50	2.00	2.50	2.09	-	-	-	-		
		I.D	16.00	15.50	16.50	16.03	-	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	COMPRESSIBLE INNER SEAL		Size	M20		Drawing No.	GI-01S		Date:	23-09-2026
Wo No.	26000227	Total Quantity	1		Lot Quantity	1		Sample Size-	1		Variable & Gauging	1PC
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260919-03	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-		
		T.L	9.50	9.00	10.00	9.53	-	-	-	-		
		O.D.L	3.00	2.70	3.30	3.01	-	-	-	-		
		O.D	18.50	18.30	18.50	18.42	-	-	-	-		
		O.D.L	6.50	6.20	6.80	6.52	-	-	-	-		
		I.D	11.70	11.70	11.90	11.77	-	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	COMPRESSIBLE OUTER SEAL		Size	M20		Drawing No.	GE-01S	Date:	23-09-2026	
Wo No.	26000227	Total Quantity	1		Lot Quantity	1		Sample Size-	1	Variable & Gauging	1PC	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260919-03	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	-	-	-	-		
		T.L	10.00	9.50	10.50	10.04	-	-	-	-		
		O.D	22.20	22.00	22.20	22.11	-	-	-	-		
		GR.LENGTH	3.50	3.20	3.80	3.53	-	-	-	-		
		I.D	15.70	15.70	15.80	15.74	-	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	INNER SKID WASHER		Size	M20		Drawing No.		IW-01s	Date:	23-09-2026	
Wo No.	26000227	Total Quantity	1		Lot Quantity	1		Sample Size-		1	Variable & Gauging	1PC	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	-	-	-	-				
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260919-03		
		Assembly Perfection	As per Drg.		OK	-	-	-	-				
		Inner Packing	Labeling & Printing		OK	-	-	-	-				
		Outer Packing	Printing & Stamping		OK	-	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		T.L	4.50	4.20	4.80	4.48	-	-	-	-			
		O.D	18.00	17.80	18.00	17.95	-	-	-	-			
		O.D	15.50	15.30	15.50	15.43	-	-	-	-			
		O.D.L	2.50	2.50	2.70	2.52	-	-	-	-			
		I.D	12.00	12.00	12.20	12.05	-	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	OUTER SKID WASHER		Size	M20		Drawing No.	OW-01s	Date:	23-09-2026	
Wo No.	26000227	Total Quantity	1		Lot Quantity	1		Sample Size-	1	Variable & Gauging	1PC	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260919-03	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-		
		T.L	6.50	6.20	6.80	6.52	-	-	-	-		
		O.D	20.50	20.50	20.60	20.52	-	-	-	-		
		O.D	18.50	18.30	18.50	18.40	-	-	-	-		
		O.D.L	4.00	4.00	4.10	4.02	-	-	-	-		
		I.D	16.00	16.00	16.20	16.03	-	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	SHROUD		Size		C-2027		Drawing No.			Date:	23-09-2026
Wo No.	26000227	Total Quantity	1		Lot Quantity		1		Sample Size-		1	Variable & Gauging	1PC
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	-	-	-				-
1	Visual	Surface	Fine, Clean			FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-				
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260919-03		
		Assembly Perfection	As per Drg.			OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-				
		Outer Packing	Printing & Stamping			OK	-	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	-	-	-	-			
		T.L	125.00	124.20	125.80	125.12	-	-	-	-			
		I.D	27.00	26.50	27.50	27.07	-	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	EARTH TAG		Size	M20		Drawing No.		Date:	23-09-2026	
Wo No.	26000227	Total Quantity	1		Lot Quantity	1		Sample Size-	1	Variable & Gauging	1PC	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260919-03	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-		
		THICKNESS	1.00	0.80	1.20	1.01	-	-	-	-		
		O.D	29.20	28.70	29.70	29.18	-	-	-	-		
		O.D	13.00	12.50	13.50	13.02	-	-	-	-		
		I.D	20.00	19.50	20.50	20.23	-	-	-	-		
		I.D	6.20	5.90	6.50	6.25	-	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	NYLON WASHER		Size	M20		Drawing No.	-	Date:	23-09-2026	
Wo No.	26000227	Total Quantity	1		Lot Quantity	1		Sample Size-	1	Variable & Gauging	1PC	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260919-03	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-		
		THICKNESS	1.50	1.30	1.70	1.48	-	-	-	-		
		I.D	20.00	19.50	20.50	20.33	-	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-06	Product Name	STAR WASHER		Size	M20		Drawing No.	-	Date:	23-09-2026	
Wo No.	26000227	Total Quantity	1		Lot Quantity	1		Sample Size-	1	Variable & Gauging	1PC	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	-	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	-	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	-	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	-	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-	-			
		Marking	WO Ref. No.	NA	NA	-	-	-	-		ASM No :- AEX260919-03	
		Assembly Perfection	As per Drg.		OK	-	-	-	-			
		Inner Packing	Labeling & Printing		OK	-	-	-	-			
		Outer Packing	Printing & Stamping		OK	-	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	-	-	-	-		
		O.D	33.00	32.70	33.30	33.06	-	-	-	-		
		I.D	21.00	20.50	21.50	21.34	-	-	-	-		
		T.L	4.00	3.70	4.30	4.06	-	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion : ☒ Accept ☐ Reject ☐ Hold

