# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-012 | **Product Name** | LOCK NUT | **Size** | M32 | **Drawing No.** | DL3M | **Date:** | 04-11-2026 |
| **Wo No.** | 26100096 | **Total Quantity** | 150 | **Lot Quantity** | 150 | **Sample Size-** | 3 | **Variable & Gauging** | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | OK | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No - AEX260923-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | A/F | 36.00 | 35.84 | 36.00 | 35.94 | 35.96 | 35.95 | - | - | | |
| | | A/C | 39.00 | 38.20 | 39.80 | 39.01 | 39.03 | 39.02 | - | - | | |
| | | T.L | 4.00 | 3.70 | 4.30 | 4.04 | 4.06 | 4.08 | - | - | | |
| | | THREAD | M32x1.5 AS PER P.G GO NOT GO | | | OK | OK | OK | - | - | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | | | OK | OK | OK | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-012 | Product Name | ENTRY COMPONENT | Size | M32 | Drawing No. | 313001M-03 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100096 | Total Quantity | 150 | Lot Quantity | 150 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | OK | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | Metalmech Logo MM-EX-E1FUNV323MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X | | | - | - | | ASM No - AEX260923-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | A/F | 42.00 | 41.84 | 42.00 | 41.95 | 41.94 | 41.93 | - | - | | | |
| | | A/C | 46.00 | 45.20 | 46.80 | 45.93 | 45.95 | 45.97 | - | - | | | |
| | | T.L | 38.00 | 38.00 | 38.50 | 38.21 | 38.19 | 38.20 | - | - | | | |
| | | TH.L | 13.00 | 12.50 | 13.50 | 13.05 | 13.03 | 13.04 | - | - | | | |
| | | LENGTH | 17.00 | 17.00 | 17.50 | 17.08 | 17.07 | 17.06 | - | - | | | |
| | | GR.OD | 30.00 | 29.50 | 30.50 | 29.93 | 29.95 | 29.94 | - | - | | | |
| | | GR.LE | 2.50 | 2.30 | 2.70 | 2.53 | 2.55 | 2.54 | - | - | | | |
| | | O.D | 41.00 | 40.20 | 41.80 | 40.97 | 40.99 | 40.98 | - | - | | | |
| | | O.D.L | 12.00 | 11.50 | 12.50 | 12.05 | 12.04 | 12.06 | - | - | | | |
| | | H.L | 9.00 | 8.50 | 9.50 | 9.07 | 9.06 | 9.05 | - | - | | | |
| | | I.D | 26.50 | 26.00 | 27.00 | 26.52 | 26.51 | 26.53 | - | - | | | |
| | | INT.THL | 14.50 | 14.00 | 15.00 | 14.55 | 14.58 | 14.59 | - | - | | | |
| | | THREAD | M32x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | OK | - | - | | | |
| | | INT.THREAD | M38x1.5 AS PER P.G GO NOT GO | | | OK | OK | OK | - | - | | | |
| | | CH.ANGLE | 1.5x45° AS PER PP FOUND | | | OK | OK | OK | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | OK | - | - | | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | | | OK | OK | OK | - | - | | | |
| | | ANGLE | 90° AS PER PP FOUND | | | OK | OK | OK | - | - | | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-012 | **Product Name** | INTERMIDIATE BODY | **Size** | M32 | **Drawing No.** | 313002U-03 | **Date:** | 04-11-2026 |
| **Wo No.** | 26100096 | **Total Quantity** | 150 | **Lot Quantity** | 150 | **Sample Size-** | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D.No. | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | OK | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No - AEX260923-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | A/F | 42.00 | 41.84 | 42.00 | 41.93 | 41.95 | 41.94 | - | - | | |
| | | A/C | 46.00 | 45.20 | 46.80 | 45.93 | 45.95 | 45.97 | - | - | | |
| | | T.L | 29.00 | 28.50 | 29.50 | 29.06 | 29.09 | 29.08 | - | - | | |
| | | TH.L | 13.50 | 13.00 | 14.00 | 13.55 | 13.54 | 13.53 | - | - | | |
| | | GR.OD | 36.00 | 35.20 | 36.80 | 36.05 | 36.03 | 36.04 | - | - | | |
| | | GR.LE | 1.00 | 0.80 | 1.20 | 1.00 | 0.99 | 1.00 | - | - | | |
| | | H.L | 6.00 | 5.70 | 6.30 | 6.03 | 6.06 | 6.10 | - | - | | |
| | | TH.L | 9.50 | 9.00 | 10.00 | 9.55 | 9.54 | 9.53 | - | - | | |
| | | GR.OD | 38.00 | 37.20 | 38.80 | 38.03 | 38.05 | 38.04 | - | - | | |
| | | GR.LE | 1.50 | 1.30 | 1.70 | 1.52 | 1.54 | 1.52 | - | - | | |
| | | I.D | 32.50 | 31.70 | 33.30 | 32.58 | 32.56 | 32.54 | - | - | | |
| | | I.D | 35.00 | 34.20 | 35.80 | 35.05 | 35.04 | 35.03 | - | - | | |
| | | DEPTH | 8.00 | 7.50 | 8.50 | 7.93 | 7.95 | 7.97 | - | - | | |
| | | I.D | 33.20 | 32.40 | 34.00 | 33.17 | 33.15 | 33.12 | - | - | | |
| | | I.D.LE | 10.00 | 9.50 | 10.50 | 10.02 | 10.00 | 10.02 | - | - | | |
| | | THREAD | M38x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | OK | - | - | | |
| | | THREAD | M40x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | OK | - | - | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | | OK | OK | OK | - | - | | |
| | | CH.ANGLE | 20° AS PER PP FOUND | | | OK | OK | OK | - | - | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | | OK | OK | OK | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALTECH ENGINEERS CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-012 | **Product Name** | MIDDLE BODY | **Size** | M32 | **Drawing No.** | 313002-03 | **Date:** | 04-11-2026 |
| **Wo No.** | 26100096 | **Total Quantity** | 150 | **Lot Quantity** | 150 | **Sample Size-** | 3 | Variable & Gauging | 3PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **3** | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | OK | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | **ASM No - AEX260923-04** | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | A/F | 46.00 | 45.84 | 46.00 | 45.89 | 45.91 | 45.93 | - | - | | |
| | | A/C | 51.00 | 50.20 | 51.80 | 50.90 | 50.89 | 50.91 | - | - | | |
| | | T.L | 30.00 | 29.50 | 30.50 | 30.05 | 30.04 | 30.03 | - | - | | |
| | | TH.L | 15.00 | 14.50 | 15.50 | 15.04 | 15.06 | 15.08 | - | - | | |
| | | GR.OD | 41.00 | 40.20 | 41.80 | 41.03 | 41.06 | 41.09 | - | - | | |
| | | GR.LE | 1.50 | 1.30 | 1.70 | 1.52 | 1.49 | 1.51 | - | - | | |
| | | O.D | 44.00 | 43.20 | 44.80 | 44.08 | 44.07 | 44.06 | - | - | | |
| | | O.D.L | 7.00 | 6.70 | 7.30 | 6.98 | 6.95 | 6.97 | - | - | | |
| | | H.L | 8.00 | 7.50 | 8.50 | 8.05 | 8.08 | 8.06 | - | - | | |
| | | I.D | 34.00 | 33.20 | 34.80 | 34.04 | 34.06 | 34.08 | - | - | | |
| | | I.D | 35.00 | 34.20 | 35.80 | 35.02 | 35.05 | 35.09 | - | - | | |
| | | I.D.LE | 5.00 | 4.70 | 5.30 | 5.01 | 4.99 | 5.01 | - | - | | |
| | | INT.THL | 11.50 | 11.00 | 12.00 | 11.52 | 11.54 | 11.55 | - | - | | |
| | | GR.ID | 37.50 | 36.70 | 38.30 | 37.97 | 37.99 | 37.98 | - | - | | |
| | | GR.LE | 7.00 | 6.70 | 7.30 | 7.01 | 6.99 | 7.01 | - | - | | |
| | | DEPTH | 18.50 | 18.00 | 19.00 | 18.52 | 18.54 | 18.55 | - | - | | |
| | | THREAD | M43x1.5 AS PER T.R.G GO NOT GO | | | OK | OK | OK | - | - | | |
| | | INT.THREAD | M40x1.5 AS PER P.G GO NOT GO | | | OK | OK | OK | - | - | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | | OK | OK | OK | - | - | | |
| | | CH.ANGLE | 30° AS PER PP FOUND | | | OK | OK | OK | - | - | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-012 | **Product Name** | BACK NUT | **Size** | M32 | **Drawing No.** | 313003-03 | **Date:** | 04-11-2026 |
| **Wo No.** | 26100096 | **Total Quantity** | 150 | **Lot Quantity** | 150 | **Sample Size-** | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments LD No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | OK | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No - AEX260923-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - / + | 1 | 2 | 3 | - | - | | | |
| | | A/F | 46.00 | 45.84 / 46.00 | 45.89 | 45.90 | 45.91 | - | - | | | |
| | | A/C | 51.00 | 50.20 / 51.80 | 50.89 | 50.90 | 50.90 | - | - | | | |
| | | T.L | 23.00 | 22.50 / 23.50 | 23.06 | 23.08 | 23.05 | - | - | | | |
| | | O.D | 45.20 | 44.40 / 46.00 | 45.22 | 45.25 | 45.28 | - | - | | | |
| | | O.D.L | 10.00 | 9.50 / 10.50 | 10.08 | 10.09 | 10.04 | - | - | | | |
| | | H.L | 13.00 | 12.50 / 13.50 | 13.07 | 13.09 | 13.05 | - | - | | | |
| | | I.D | 38.50 | 37.70 / 39.30 | 38.52 | 38.54 | 38.56 | - | - | | | |
| | | INT.THL | 4.00 | 3.70 / 4.30 | 4.01 | 3.99 | 4.00 | - | - | | | |
| | | GR.ID | 43.20 | 42.40 / 44.00 | 43.25 | 43.21 | 43.23 | - | - | | | |
| | | GR.LE | 14.50 | 14.00 / 15.00 | 14.52 | 14.50 | 14.51 | - | - | | | |
| | | DEPTH | 18.00 | 17.50 / 18.50 | 18.01 | 18.03 | 18.02 | - | - | | | |
| | | GR.ID | 41.50 | 40.70 / 42.30 | 41.52 | 41.54 | 41.56 | - | - | | | |
| | | GR.LE | 3.00 | 2.80 / 3.20 | 3.02 | 3.00 | 3.01 | - | - | | | |
| | | DEPTH | 21.00 | 20.50 / 21.50 | 21.03 | 21.01 | 21.04 | - | - | | | |
| | | INT.THREAD | M43x1.5 AS PER P.G GO NOT GO | | OK | OK | OK | - | - | | | |
| | | CH.ANGLE | 0.5x45° AS PER PP FOUND | | OK | OK | OK | - | - | | | |
| | | CH.ANGLE | 1x45° AS PER PP FOUND | | OK | OK | OK | - | - | | | |
| | | CH.ANGLE | 45° AS PER PP FOUND | | OK | OK | OK | - | - | | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-012 | **Product Name** | UNIVERSAL CLAMPING CONE | **Size** | M32 | **Drawing No.** | 313005-03 | **Date:** | 04-11-2026 |
| **Wo No.** | 26100096 | **Total Quantity** | 150 | **Lot Quantity** | 150 | **Sample Size-** | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | OK | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No - AEX260923-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 30.00 | 29.50 | 30.50 | 30.09 | 30.08 | 30.06 | - | - | | | |
| | | O.D | 29.70 | 29.20 | 30.20 | 29.73 | 29.75 | 29.76 | - | - | | | |
| | | O.D.L | 5.50 | 5.20 | 5.80 | 5.56 | 5.55 | 5.54 | - | - | | | |
| | | O.D | 31.50 | 30.70 | 32.30 | 31.55 | 31.53 | 31.56 | - | - | | | |
| | | O.D.L | 2.50 | 2.30 | 2.70 | 2.54 | 2.53 | 2.56 | - | - | | | |
| | | GR.LENGTH | 0.50 | 0.30 | 0.70 | 0.50 | 0.49 | 0.51 | - | - | | | |
| | | O.D | 33.00 | 32.20 | 33.80 | 33.03 | 33.01 | 33.02 | - | - | | | |
| | | O.D.L | 11.00 | 10.50 | 11.50 | 11.01 | 10.99 | 11.00 | - | - | | | |
| | | O.D | 34.50 | 33.70 | 35.30 | 34.54 | 34.56 | 34.58 | - | - | | | |
| | | O.D.L | 8.00 | 7.70 | 8.30 | 8.00 | 7.99 | 8.01 | - | - | | | |
| | | O.D | 29.00 | 28.50 | 29.50 | 29.06 | 29.05 | 29.04 | - | - | | | |
| | | O.D.L | 6.50 | 6.20 | 6.80 | 6.52 | 6.49 | 6.51 | - | - | | | |
| | | O.D | 29.50 | 29.00 | 30.00 | 29.55 | 29.54 | 29.53 | - | - | | | |
| | | O.D | 30.00 | 29.50 | 30.50 | 29.99 | 29.97 | 29.95 | - | - | | | |
| | | O.D | 31.00 | 30.20 | 31.80 | 31.01 | 31.03 | 31.04 | - | - | | | |
| | | O.D.L | 11.00 | 10.50 | 11.50 | 11.03 | 11.01 | 11.02 | - | - | | | |
| | | I.D | 26.50 | 26.00 | 27.00 | 26.53 | 26.55 | 26.56 | - | - | | | |
| | | RADIUS | 0.50 MM AS PER PP FOUND | | | OK | OK | OK | - | - | | | |
| | | RADIUS | 0.3 MM AS PER PP FOUND | | | OK | OK | OK | - | - | | | |
| | | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALTECH ENGINEERS CA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-012 | **Product Name** | REVERSIBLE ARMOUR RING | **Size** | M32 | **Drawing No.** | 313004-03 | **Date:** | 04-11-2026 |
| **Wo No.** | 26100096 | **Total Quantity** | 150 | **Lot Quantity** | 150 | **Sample Size-** | 3 | **Variable & Gauging** | 3PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **3** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NICKEL | OK | OK | OK | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | **ASM No - AEX260923-04** | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 9.00 | 8.50 | 9.50 | 9.01 | 9.03 | 9.02 | - | - | | |
| | | O.D | 37.00 | 36.20 | 37.80 | 37.07 | 37.09 | 37.06 | - | - | | |
| | | I.D | 32.50 | 31.70 | 33.30 | 32.53 | 32.55 | 32.54 | - | - | | |
| | | I.D | 33.50 | 32.70 | 34.30 | 33.55 | 33.54 | 33.56 | - | - | | |
| | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-012 | **Product Name** | COMPRESSIBLE INNER SEAL | **Size** | M32 | **Drawing No.** | GI-03 | **Date:** | 04-11-2026 |
| **Wo No.** | 26100096 | **Total Quantity** | 150 | **Lot Quantity** | 150 | **Sample Size-** | 3 | **Variable & Gauging** | 3PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **3** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | OK | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | **ASM No - AEX260923-04** | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 14.00 | 13.50 | 14.50 | 14.04 | 14.06 | 14.08 | - | - | | | |
| | | O.D.L | 5.00 | 4.70 | 5.30 | 5.05 | 5.04 | 5.03 | - | - | | | |
| | | O.D | 36.50 | 36.30 | 36.50 | 36.40 | 36.39 | 36.41 | - | - | | | |
| | | O.D.L | 9.00 | 8.50 | 9.50 | 9.04 | 9.06 | 9.08 | - | - | | | |
| | | I.D | 26.30 | 26.30 | 26.50 | 26.35 | 26.34 | 26.36 | - | - | | | |
| | | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-012 | **Product Name** | O-RING | **Size** | M32 | **Drawing No.** | OR-3M | **Date:** | 04-11-2026 |
| **Wo No.** | 26100096 | **Total Quantity** | 150 | **Lot Quantity** | 150 | **Sample Size-** | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No - AEX260923-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | |
| | | THICKNESS | 2.50 | 2.00 | 2.50 | 2.05 | 2.09 | 2.06 | - | - | | |
| | | I.D | 29.00 | 28.50 | 29.50 | 29.06 | 29.05 | 29.04 | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-012 | **Product Name** | COMPRESSIBLE OUTER SEAL | **Size** | M32 | **Drawing No.** | GE-03 | **Date:** | 04-11-2026 |
| **Wo No.** | 26100096 | **Total Quantity** | 150 | **Lot Quantity** | 150 | **Sample Size-** | 3 | **Variable & Gauging** | 3PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | **1** | **2** | **3** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | OK | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | **ASM No - AEX260923-04** | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 15.00 | 14.50 | 15.50 | 15.04 | 15.06 | 15.08 | - | - | | |
| | | O.D | 43.20 | 43.00 | 43.20 | 43.11 | 43.13 | 43.12 | - | - | | |
| | | GR.LENGTH | 3.50 | 3.20 | 3.80 | 3.53 | 3.55 | 3.54 | - | - | | |
| | | I.D | 33.70 | 33.60 | 33.80 | 33.74 | 33.76 | 33.79 | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**



# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-012 | Product Name | INNER SKID WASHER | Size | M32 | Drawing No. | IW-03 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100096 | Total Quantity | 150 | Lot Quantity | 150 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | OK | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No - AEX260923-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 5.00 | 4.70 | 5.30 | 5.11 | 5.13 | 5.12 | - | - | | | |
| | | O.D | 35.50 | 35.30 | 35.50 | 35.40 | 35.39 | 35.41 | - | - | | | |
| | | O.D | 32.00 | 31.80 | 32.00 | 31.93 | 31.95 | 31.94 | - | - | | | |
| | | O.D.L | 3.00 | 3.00 | 3.20 | 3.02 | 3.01 | 3.03 | - | - | | | |
| | | I.D | 26.20 | 26.20 | 26.40 | 26.24 | 26.26 | 26.28 | - | - | | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-012 | Product Name | OUTER SKID WASHER | Size | M32 | Drawing No. | OW-03 | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100096 | Total Quantity | 150 | Lot Quantity | 150 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | OK | OK | OK | OK | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No - AEX260923-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 6.00 | 5.70 | 6.30 | 6.04 | 6.06 | 6.08 | - | - | | | |
| | | O.D | 41.00 | 41.00 | 41.10 | 41.05 | 41.04 | 41.03 | - | - | | | |
| | | O.D | 37.50 | 37.30 | 37.50 | 37.45 | 37.47 | 37.46 | - | - | | | |
| | | O.D.L | 4.00 | 4.00 | 4.10 | 4.03 | 4.05 | 4.04 | - | - | | | |
| | | I.D | 34.00 | 34.00 | 34.20 | 34.06 | 34.05 | 34.04 | - | - | | | |
| | | | | | | | | | | | | |

| INSPECTED BY: | Jay Hadiyal | APPROVED BY: | Shreekant |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-012 | **Product Name** | EARTH TAG | **Size** | M32 | **Drawing No.** | - | **Date:** | 04-11-2026 |
| **Wo No.** | 26100096 | **Total Quantity** | 150 | **Lot Quantity** | 150 | **Sample Size-** | 3 | **Variable & Gauging** | 3PCS |

| **Sr. No.** | **Checking Parameter** | **REQUIRED PARAMETER** | | | | **OBSERVED RESULTS** | | | | | **REJECTION REWORK DETAIL** | **REMARK** | **CHECKED BY** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | **PARAMETER** | **CRITERIA** | | | **1** | **2** | **3** | **-** | **-** | | | |
| 1 | Visual | Surface | Fine, Clean | | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | | 15 | 15 | 15 | - | - | | **(1) DV-55** | |
| | | Washing & Plating | Surface Finishing | NICKEL | | OK | OK | OK | - | - | | **(2) PP-01** | |
| | | RUBBER MARKING | AS PER DRG. | NA | | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | | NA | NA | NA | - | - | | **ASM No - AEX260923-04** | |
| | | Assembly Perfection | As per Drg. | | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | THICKNESS | 1.00 | 0.80 | 1.20 | 1.01 | 1.03 | 1.02 | - | - | | | |
| | | O.D | 44.00 | 43.20 | 44.80 | 43.75 | 43.72 | 43.73 | - | - | | | |
| | | O.D | 16.00 | 15.50 | 16.50 | 16.05 | 16.04 | 16.06 | - | - | | | |
| | | I.D | 32.00 | 31.20 | 32.80 | 32.26 | 32.25 | 32.24 | - | - | | | |
| | | I.D | 7.50 | 7.20 | 7.80 | 7.55 | 7.54 | 7.53 | - | - | | | |
| | | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **INSP. No.** | FIR-012 | **Product Name** | SHROUD | **Size** | M32 | **Drawing No.** | - | **Date:** | 04-11-2026 |
| **Wo No.** | 26100096 | **Total Quantity** | 150 | **Lot Quantity** | 150 | **Sample Size-** | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No - AEX260923-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | **All Dimensions Are In MM** | | | | | | | | | | |
| 2 | DIMENSION | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
| | | T.L | 145.00 | 144.20 | 145.80 | 145.15 | 145.19 | 145.16 | - | - | | |
| | | I.D | 51.00 | 50.20 | 51.80 | 51.08 | 51.06 | 51.04 | - | - | | |
| | | | | | | | | | | | | |

| | | | |
|---|---|---|---|
| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

# MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

| INSP. No. | FIR-012 | Product Name | NYLON WASHER | Size | M32 | Drawing No. | - | Date: | 04-11-2026 |
|---|---|---|---|---|---|---|---|---|---|
| Wo No. | 26100096 | Total Quantity | 150 | Lot Quantity | 150 | Sample Size- | 3 | Variable & Gauging | 3PCS |

| Sr. No. | Checking Parameter | REQUIRED PARAMETER | | | OBSERVED RESULTS | | | | | REJECTION REWORK DETAIL | REMARK | CHECKED BY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | PARAMETER | CRITERIA | | 1 | 2 | 3 | - | - | | | |
| 1 | Visual | Surface | Fine, Clean | | FINE | FINE | FINE | - | - | | Measuring Instruments I.D No- | |
| | | Sizewise No of Pcs. With Internal Parts | As per Drg. No. of Parts | 15 | 15 | 15 | 15 | - | - | | (1) DV-55 | |
| | | Washing & Plating | Surface Finishing | NA | NA | NA | NA | - | - | | (2) PP-01 | |
| | | RUBBER MARKING | AS PER DRG. | NA | NA | NA | NA | - | - | | | |
| | | Marking | WO Ref. No. | NA | NA | NA | NA | - | - | | ASM No - AEX260923-04 | |
| | | Assembly Perfection | As per Drg. | | OK | OK | OK | - | - | | | |
| | | Inner Packing | Labeling & Printing | | OK | OK | OK | - | - | | | |
| | | Outer Packing | Printing & Stamping | | OK | OK | OK | - | - | | | |
| | | All Dimensions Are In MM | | | | | | | | | | |

| | | | VALUE | - | + | 1 | 2 | 3 | - | - | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | DIMENSION | THICKNESS | 1.50 | 1.30 | 1.70 | 1.45 | 1.48 | 1.49 | - | - | | | |
| | | I.D | 32.00 | 31.20 | 32.80 | 32.29 | 32.30 | 32.31 | - | - | | | |
| | | | | | | | | | | | | | |

| *INSPECTED BY:* | *Jay Hadiyal* | *APPROVED BY:* | *Shreekant* |
|---|---|---|---|

**Conclusion :**

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED