

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	LOCK NUT		Size	M20		Drawing No.	DL1M	Date:	07-10-2026		
Wo No.	26000320	Total Quantity	20		Lot Quantity	20		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-				
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-				
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	24.00	23.87	24.00	23.97	23.94	-	-	-			
		A/C	26.00	25.50	26.50	26.00	25.99	-	-	-			
		T.L	3.50	3.20	3.80	3.53	3.55	-	-	-			
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:			<i>Shreekant</i>					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	ENTRY COMPONENT		Size	M20		Drawing No.	313001M-018	Date:	07-10-2026	
Wo No.	26000320	Total Quantity	20		Lot Quantity	20		Sample Size-	2	Variable & Gangling	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments ID No.	
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E/FUN/2016161M02.2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC	OK	OK	-	-	-		ASM No :- AEX261005-01	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	25.00	24.87	25.00	24.93	24.92	-	-	-		
		A/C	27.50	27.00	28.00	27.54	27.56	-	-	-		
		T.L	32.00	32.00	32.50	32.11	32.13	-	-	-		
		TH.L	13.00	12.50	13.50	13.03	13.02	-	-	-		
		LENGTH	17.00	17.00	17.50	17.08	17.06	-	-	-		
		GR.OD	18.00	18.00	18.50	18.00	17.99	-	-	-		
		GR.LE	2.50	2.30	2.70	2.52	2.55	-	-	-		
		O.D	24.50	24.00	25.00	24.50	24.49	-	-	-		
		O.D.L	9.00	8.50	9.50	9.02	9.01	-	-	-		
		H.L	6.00	5.70	6.30	6.07	6.06	-	-	-		
		LD	9.00	8.50	9.50	9.04	9.03	-	-	-		
		DEPTH	11.50	11.00	12.00	11.55	11.54	-	-	-		
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :

☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INTERMEDIATE BODY		Size		M20		Drawing No.		3130002U-01s	Date:	07-10-2026
Wo No.	260000320	Total Quantity	20		Lot Quantity		20		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Size/wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	-	-	-					
		Washing & Plating	NICKEL Surface Finishing	OK	OK	-	-	-					
		RUBBER MARKING	AS PER DRG.	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	-	-	-					
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
		2	DIMENSION		VALUE	-	+	1	2	-	-	-	
A/F	25.00			24.87	25.00	24.96	24.95	-	-	-			
A/C	27.50			27.00	28.00	27.43	27.45	-	-	-			
T.L	22.00			21.50	22.50	22.15	22.16	-	-	-			
TH.L	10.00			9.50	10.50	10.13	10.15	-	-	-			
GR.OD	18.00			17.50	18.50	18.11	18.12	-	-	-			
GR.LE	1.00			0.80	1.20	1.01	1.00	-	-	-			
H.L	4.00			3.70	4.30	3.93	3.91	-	-	-			
TH.L	8.00			7.70	8.30	8.12	8.11	-	-	-			
GR.OD	20.00			19.50	20.50	20.03	20.05	-	-	-			
GR.LE	1.00			0.80	1.20	1.01	1.00	-	-	-			
LD	16.00			15.50	16.50	16.03	16.02	-	-	-			
LD	18.00			17.50	18.50	18.03	18.01	-	-	-			
DEPTH	7.00			6.70	7.30	7.00	7.00	-	-	-			
LD	17.00			16.50	17.50	17.03	17.02	-	-	-			
LD.LE	4.50			4.20	4.80	4.49	4.51	-	-	-			
DEPTH	11.50			11.00	12.00	11.51	11.53	-	-	-			
THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-					
THREAD	M22x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-					
CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-					
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-					
CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-					

INSPECTED BY: Jay HadiyalAPPROVED BY: Shreekant

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	MIDDLE BODY		Size	M20		Drawing No.	313002-018	Date:	07-10-2026		
Wo No.	26000320	Total Quantity	20		Lot Quantity	20		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instrument I.D. No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASMT No :- AEX261005-01		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	A/F	25.00	24.87	25.00	24.96	24.95	-	-	-			
		A/C	27.50	27.00	28.00	27.50	27.49	-	-	-			
		T.L	28.00	27.50	28.50	28.07	28.06	-	-	-			
		TH.L	12.00	11.50	12.50	12.03	12.02	-	-	-			
		GR.OD	20.50	20.00	21.00	20.55	20.54	-	-	-			
		GR.LE	1.00	0.80	1.20	1.01	1.00	-	-	-			
		O.D	24.50	24.00	25.00	24.52	24.51	-	-	-			
		O.D.L	8.00	7.70	8.30	8.02	8.01	-	-	-			
		H.L	8.00	7.70	8.30	7.99	8.00	-	-	-			
		I.D	16.00	15.50	16.50	16.03	16.02	-	-	-			
		I.D	17.00	16.50	17.50	17.02	17.04	-	-	-			
		I.D.LE	4.00	3.70	4.30	4.01	4.03	-	-	-			
		INT.TH.L	9.50	9.00	10.00	9.51	9.49	-	-	-			
		I.D	20.00	19.50	20.50	20.03	20.04	-	-	-			
		DEPTH	14.00	13.50	14.50	14.00	13.99	-	-	-			
		THREAD	M22x1 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant		

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-01	Product Name	BACK NUT			Size		M20		Drawing No.		313003-018	Date:	07-10-2026	
Wo No.	26000320	Total Quantity	20			Lot Quantity		20		Sample Size-		2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA			1	2	-	-				-		
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-					
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-						
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-						
		Marking	WO Ref. No.	NA	NA	NA	-	-	-						
		Assembly Perfection	As per Drg.			OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-						
		Outer Packing	Printing & Stamping			OK	OK	-	-	-					
		All Dimensions Are In MM													
		2	DIMENSION		VALUE	-	+	1	2	-	-	-			
A/F	25.00			24.87	25.00	24.92	24.91	-	-	-					
A/C	27.50			27.00	28.00	27.41	27.39	-	-	-					
T.L	17.00			16.50	17.50	17.11	17.13	-	-	-					
O.D	24.00			23.50	24.50	24.02	24.01	-	-	-					
O.D.L	8.00			7.70	8.30	8.02	8.01	-	-	-					
H.L	9.00			8.50	9.50	9.01	9.03	-	-	-					
LD	19.00			18.50	19.50	19.03	19.02	-	-	-					
INT.THL	3.00			2.80	3.20	3.02	3.01	-	-	-					
GR.ID	22.20			21.70	22.70	22.25	22.24	-	-	-					
GR.LE	10.50			10.00	11.00	10.51	10.53	-	-	-					
DEPTH	13.50			13.00	14.00	13.52	13.51	-	-	-					
GR.ID	21.00			20.50	21.50	21.03	21.02	-	-	-					
GR.LE	2.50			2.30	2.70	2.52	2.50	-	-	-					
DEPTH	16.00			15.50	16.50	16.03	16.02	-	-	-					
INT.THREAD	M22x1 AS PER P.G GO NOT GO				OK	OK	-	-	-						
CH.ANGLE	1x45° AS PER PP FOUND				OK	OK	-	-	-						
CH.ANGLE	0.5x45° AS PER PP FOUND				OK	OK	-	-	-						
CH.ANGLE	45° AS PER PP FOUND				OK	OK	-	-	-						
INSPECTED BY:				Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	UNIVERSAL CLAMPING CONE		Size		M20		Drawing No.		313005-018	Date:	07-10-2026
Wo No.	26000320	Total Quantity	20		Lot Quantity		20		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments ID No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261005-01		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are in MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	22.00	21.50	22.50	22.01	22.00	-	-	-			
		O.D	14.00	13.50	14.50	14.00	13.99	-	-	-			
		O.D.L	3.50	3.20	3.80	3.52	3.51	-	-	-			
		GR.OD	15.50	15.00	16.00	15.51	15.49	-	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.51	-	-	-			
		O.D	16.20	15.70	16.70	16.20	16.19	-	-	-			
		O.D.L	7.50	7.20	7.80	7.52	7.49	-	-	-			
		O.D	17.50	17.00	18.00	17.46	17.45	-	-	-			
		O.D.L	7.00	6.70	7.30	7.02	6.99	-	-	-			
		O.D	14.00	13.50	14.50	14.00	13.99	-	-	-			
		O.D.L	4.50	4.20	4.80	4.51	4.50	-	-	-			
		O.D	14.50	14.00	15.00	14.52	14.51	-	-	-			
		O.D	15.00	14.50	15.50	15.02	15.01	-	-	-			
		O.D	15.50	15.00	16.00	15.51	15.49	-	-	-			
		O.D.L	7.50	7.20	7.80	7.49	7.51	-	-	-			
		I.D	12.00	11.50	12.50	12.05	12.04	-	-	-			
		GROOVE.STEP.LE	0.50	0.30	0.70	0.50	0.49	-	-	-			
		RADIUS	0.5 MM AS PER PP FOUND		OK	OK	-	-	-				
		RADIUS	0.3 AS PER PP FOUND		OK	OK	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	REVERSIBLE ARMOUR RING		Size		M20		Drawing No.		313004-01S	Date:	07-10-2026
Wo No.	26000320	Total Quantity	20		Lot Quantity		20		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261005-01		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.00	5.70	6.30	6.13	6.15	-	-	-			
		O.D	18.50	18.00	19.00	18.45	18.44	-	-	-			
		I.D	16.00	15.50	16.50	16.03	16.05	-	-	-			
		I.D	16.50	16.00	17.00	16.52	16.54	-	-	-			
										-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	O-RING	Size	M20	Drawing No.	OR-1M	Date:	07-10-2026				
Wo No.	26000320	Total Quantity	20	Lot Quantity	20	Sample Size-	2	Variable & Gauging	2PCS				
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261005-01		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.05	2.04	-	-	-			
		I.D	16.00	15.50	16.50	16.03	16.02	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	COMPRESSIBLE INNER SEAL		Size	M20		Drawing No.	GI-00		Date:	07-10-2026	
Wo No.	26000320	Total Quantity	20		Lot Quantity	20		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261005-01		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	9.50	9.00	10.00	9.54	9.56	-	-	-			
		O.D.L	6.50	6.20	6.80	6.52	6.51	-	-	-			
		O.D	18.50	18.30	18.50	18.45	18.43	-	-	-			
		O.D.L	3.00	2.80	3.20	3.02	3.01	-	-	-			
		I.D	8.70	8.70	8.90	8.75	8.77	-	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:				<i>Shreekant</i>				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL			Size	M20			Drawing No.	GE-00	Date:	07-10-2026	
Wo No.	26000320	Total Quantity	20			Lot Quantity	20			Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER					OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261005-01			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
All Dimensions Are In MM														
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		T.L	10.00	9.50	10.50	10.03	10.05	-	-	-				
		O.D	22.20	22.00	22.20	22.14	22.13	-	-	-				
		GR.LENGTH	3.00	2.70	3.30	3.02	3.04	-	-	-				
		I.D	13.10	13.10	13.20	13.15	13.17	-	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INNER SKID WASHER		Size	M20		Drawing No.	IW-01S		Date:	07-10-2026	
Wo No.	26000320	Total Quantity	20		Lot Quantity	20		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-				
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-				
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	4.50	4.20	4.80	4.49	4.51	-	-	-			
		O.D	18.00	17.80	18.00	17.90	17.92	-	-	-			
		O.D	15.50	15.30	15.50	15.42	15.40	-	-	-			
		O.D.L	2.50	2.50	2.70	2.52	2.54	-	-	-			
		I.D	12.00	12.00	12.20	12.05	12.04	-	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:			<i>Shreekant</i>					

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	OUTER SKID WASHER		Size	M20		Drawing No.	OW-01S		Date:	07-10-2026	
Wo No.	26000320	Total Quantity	20		Lot Quantity	20		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261005-01		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.50	6.20	6.80	6.52	6.51	-	-	-			
		O.D	20.50	20.50	20.60	20.52	20.55	-	-	-			
		O.D	18.50	18.30	18.50	18.40	18.39	-	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	-	-	-			
		I.D	16.00	16.00	16.20	16.03	16.05	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	EARTH TAG		Size	M20		Drawing No.	-		Date:	07-10-2026	
Wo No.	26000320	Total Quantity	20		Lot Quantity	20		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-				
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.00	0.80	1.20	1.01	1.03	-	-	-			
		O.D	29.20	28.70	29.70	29.18	29.20	-	-	-			
		O.D	13.00	12.50	13.50	13.02	13.01	-	-	-			
		I.D	20.20	19.70	20.70	20.23	20.25	-	-	-			
		I.D	6.20	5.90	6.50	6.25	6.24	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	NYLON WASHER	Size	M20	Drawing No.	-	Date:	07-10-2026				
Wo No.	26000320	Total Quantity	20	Lot Quantity	20	Sample Size-	2	Variable & Gauging	2PCS				
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261005-01		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.49	-	-	-			
		I.D	20.20	19.70	20.70	20.29	20.30	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	STAR WASHER		Size	M20		Drawing No.	-	Date:	07-10-2026		
Wo No.	26000320	Total Quantity	20		Lot Quantity	20		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	15	15	15	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261005-01		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		O.D	33.00	32.70	33.30	33.06	33.05	-	-	-			
		I.D	20.00	19.50	20.50	20.25	20.29	-	-	-			
		T.L	4.00	3.70	4.30	4.06	4.05	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion : ☒ Accept ☐ Reject ☐ Hold

