MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	ENTRY COMPONENT	**Size**	M20	**Drawing No.**	313001M-01s	**Date:**	21-10-2026
Wo No.	26000288	**Total Quantity**	500	**Lot Quantity**	500	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	3	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts: 11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing: NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. / NA	NA	NA	NA	-	-			
		Marking	WO Ref. No. / Metalmech Logo MM-EX-E1FUNV20x1MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48908X IECEx PRE 20.0124X P538496/5				-	-		ASM No :- AEX261015-08	
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE / - / +	1	2	3	-	-			
		A/F	25.00 / 24.87 / 25.00	24.96	24.95	24.94	-	-			
		A/C	27.50 / 27.00 / 28.00	27.53	27.55	27.54	-	-			
		T.L	32.00 / 32.00 / 32.50	32.19	32.18	32.20	-	-			
		TH.L	13.00 / 12.50 / 13.50	13.05	13.06	13.05	-	-			
		LENGTH	17.00 / 17.00 / 17.50	17.17	17.19	17.18	-	-			
		GR.OD	18.00 / 18.00 / 18.50	17.97	17.99	17.98	-	-			
		GR.LE	2.50 / 2.30 / 2.70	2.53	2.54	2.55	-	-			
		O.D	24.50 / 24.00 / 25.00	24.53	24.55	24.54	-	-			
		O.D.L	9.00 / 8.50 / 9.50	9.04	9.01	9.03	-	-			
		H.L	6.00 / 5.70 / 6.30	6.05	6.04	6.06	-	-			
		I.D	12.00 / 11.50 / 12.50	12.11	12.12	12.13	-	-			
		DEPTH	11.50 / 11.00 / 12.00	11.54	11.55	11.54	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO	OK	OK	OK	-	-			
		INT.THREAD	M20x1.5 AS PER P.G GO NOT GO	OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND	OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND	OK	OK	OK	-	-			
		ANGLE	90° AS PER PP FOUND	OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	INTERMIDIATE BODY	**Size**	M20	**Drawing No.**	313002U-01s	**Date:**	21-10-2026
Wo No.	26000288	**Total Quantity**	500	**Lot Quantity**	500	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-08	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	25.00	24.87	25.00	24.96	24.95	24.94	-	-			
		A/C	27.50	27.00	28.00	27.52	27.51	27.50	-	-			
		T.L	22.00	21.50	22.50	22.12	22.11	22.14	-	-			
		TH.L	10.00	9.50	10.50	10.01	10.03	10.02	-	-			
		GR.OD	18.00	17.50	18.50	18.02	18.01	18.01	-	-			
		GR.LE	1.00	0.80	1.20	1.03	1.02	1.03	-	-			
		H.L	4.00	3.70	4.30	4.03	4.04	4.02	-	-			
		TH.L	8.00	7.70	8.30	8.09	8.08	8.07	-	-			
		GR.OD	20.00	19.50	20.50	20.05	20.04	20.06	-	-			
		GR.LE	1.00	0.80	1.20	1.02	1.01	1.03	-	-			
		I.D	16.00	15.50	16.50	16.08	16.07	16.05	-	-			
		I.D	18.00	17.50	18.50	18.05	18.06	18.05	-	-			
		DEPTH	7.00	6.70	7.30	7.02	7.01	7.05	-	-			
		I.D	17.00	16.50	17.50	17.04	17.06	17.07	-	-			
		I.D.LE	4.50	4.20	4.80	4.53	4.55	4.55	-	-			
		DEPTH	11.50	11.00	12.00	11.55	11.54	11.53	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		THREAD	M22x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	MIDDLE BODY	**Size**	M20	**Drawing No.**	313002-018	**Date:**	21-10-2026
Wo No.	26000288	**Total Quantity**	500	**Lot Quantity**	500	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishine	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-08	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	3	-	-			
		A/F	25.00	24.87 25.00	24.95	24.94	24.96	-	-			
		A/C	27.50	27.00 28.00	27.49	27.48	27.49	-	-			
		T.L	28.00	27.50 28.50	28.15	28.13	28.16	-	-			
		TH.L	12.00	11.50 12.50	12.13	12.15	12.14	-	-			
		GR.OD	20.50	20.00 21.00	20.55	20.54	20.53	-	-			
		GR.LE	1.00	0.80 1.20	1.02	1.01	1.03	-	-			
		O.D	24.50	24.00 25.00	24.41	24.40	24.39	-	-			
		O.D.L	8.00	7.70 8.30	8.04	8.03	8.05	-	-			
		H.L	8.00	7.70 8.30	8.05	8.04	8.06	-	-			
		I.D	16.00	15.50 16.50	16.05	16.04	16.03	-	-			
		I.D	17.00	16.50 17.50	17.06	17.05	17.04	-	-			
		I.D.LE	4.00	3.70 4.30	4.03	4.05	4.04	-	-			
		INT.THL	9.50	9.00 10.00	9.53	9.55	9.54	-	-			
		I.D	20.00	19.50 20.50	20.04	20.03	20.05	-	-			
		DEPTH	14.00	13.50 14.50	14.09	14.08	14.08	-	-			
		THREAD	M22x1 AS PER T.R.G GO NOT GO		OK	OK	OK	-	-			
		INT.THREAD	M22x1.5 AS PER P.G GO NOT GO		OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND		OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAMECH ENGINEERS PVT. LTD. CA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	BACK NUT	Size	M20	Drawing No.	313003-018	Date:	21-10-2026
Wo No.	26000288	Total Quantity	500	Lot Quantity	500	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments ID No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-08	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	3	-	-			
		A/F	25.00	24.87 25.00	24.95	24.94	24.93	-	-			
		A/C	27.50	27.00 28.00	27.50	27.49	27.48	-	-			
		T.L	17.00	16.50 17.50	17.08	17.07	17.06	-	-			
		O.D	24.00	23.50 24.50	24.07	24.06	24.05	-	-			
		O.D.L	8.00	7.70 8.30	8.02	8.01	8.03	-	-			
		H.L	9.00	8.50 9.50	9.06	9.05	9.04	-	-			
		I.D	19.00	18.50 19.50	19.03	19.02	19.05	-	-			
		INT.THL	3.00	2.80 3.20	3.02	3.01	3.03	-	-			
		GR.ID	22.20	21.70 22.70	22.25	22.24	22.26	-	-			
		GR.LE	10.50	10.00 11.00	10.51	10.53	10.52	-	-			
		DEPTH	13.50	13.00 14.00	13.52	13.51	13.53	-	-			
		GR.ID	21.00	20.50 21.50	21.03	21.02	21.05	-	-			
		GR.LE	2.50	2.30 2.70	2.52	2.51	2.53	-	-			
		DEPTH	16.00	15.50 16.50	16.03	16.05	16.04	-	-			
		INT.THREAD	M22x1 AS PER P.G GO NOT GO		OK	OK	OK	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND		OK	OK	OK	-	-			
		CH.ANGLE	45° AS PER PP FOUND		OK	OK	OK	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. CA PASSED

METAL MECH
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	UNIVERSAL CLAMPING CONE	Size	M20	Drawing No.	313005-01s	Date:	21-10-2026
Wo No.	26000288	Total Quantity	500	Lot Quantity	500	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-08	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	22.00	21.50	22.50	22.05	22.04	22.03	-	-			
		O.D	14.00	13.50	14.50	14.05	14.04	14.03	-	-			
		O.D.L	3.50	3.20	3.80	3.45	3.48	3.47	-	-			
		GR.OD	15.50	15.00	16.00	15.51	15.49	15.46	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.51	2.53	-	-			
		O.D	16.20	15.70	16.70	16.23	16.22	16.26	-	-			
		O.D.L	7.50	7.20	7.80	7.51	7.53	7.54	-	-			
		O.D	17.50	17.00	18.00	17.55	17.54	17.56	-	-			
		O.D.L	7.00	6.70	7.30	7.06	7.05	7.04	-	-			
		O.D	14.00	13.50	14.50	14.08	14.06	14.05	-	-			
		O.D.L	4.50	4.20	4.80	4.45	4.48	4.46	-	-			
		O.D	14.50	14.00	15.00	14.52	14.55	14.58	-	-			
		O.D	15.00	14.50	15.50	15.05	15.04	15.03	-	-			
		O.D	15.50	15.00	16.00	15.53	15.55	15.54	-	-			
		O.D.L	7.50	7.20	7.80	7.53	7.55	7.54	-	-			
		I.D	12.00	11.50	12.50	12.08	12.07	12.09	-	-			
		GROOVE.STEP.LE	0.50	0.30	0.70	0.48	0.50	0.49	-	-			
		RADIUS	0.5 MM AS PER PP FOUND			OK	OK	OK	-	-			
		RADIUS	0.3 AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS (INDIA) CA PASSED

METAL MECA®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	REVERSIBLE ARMOUR RING	**Size**	M20	**Drawing No.**	313004-01S	**Date:**	21-10-2026
Wo No.	26000288	**Total Quantity**	500	**Lot Quantity**	500	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-08	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	T.L	6.00	5.70	6.30	6.02	6.03	6.04	-	-			
		O.D	18.50	18.00	19.00	18.73	18.75	18.76	-	-			
		I.D	16.00	15.50	16.50	16.16	16.15	16.12	-	-			
		I.D	16.50	16.00	17.00	16.65	16.64	16.65	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	O-RING	**Size**	M20	**Drawing No.**	OR-1M	**Date:**	21-10-2026
Wo No.	26000288	**Total Quantity**	500	**Lot Quantity**	500	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-08	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	2.50	2.00	2.50	2.22	2.23	2.24	-	-			
		I.D	16.00	15.50	16.50	16.03	16.05	16.07	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	COMPRESSIBLE INNER SEAL	Size	M20	Drawing No.	GI-01s	Date:	21-10-2026
Wo No.	26000288	Total Quantity	500	Lot Quantity	500	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-08	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	9.50	9.00	10.00	9.53	9.52	9.55	-	-			
		O.D.L	3.00	2.70	3.30	3.01	3.03	3.05	-	-			
		O.D	18.50	18.30	18.50	18.42	18.44	18.45	-	-			
		O.D.L	6.50	6.20	6.80	6.52	6.53	6.55	-	-			
		I.D	11.70	11.70	11.90	11.77	11.76	11.75	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	M20	**Drawing No.**	GE-01s	**Date:**	21-10-2026
Wo No.	26000288	**Total Quantity**	500	**Lot Quantity**	500	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No :- AEX261015-08**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	10.00	9.50	10.50	10.04	10.06	10.08	-	-		
		O.D	22.20	22.00	22.20	22.11	22.13	22.12	-	-		
		GR.LENGTH	3.50	3.20	3.80	3.53	3.52	3.55	-	-		
		I.D	15.70	15.70	15.80	15.74	15.76	15.76	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECA
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	Product Name	INNER SKID WASHER	Size	M20	Drawing No.	IW-01s	Date:	21-10-2026
Wo No.	26000288	Total Quantity	500	Lot Quantity	500	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-08	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	4.50	4.20	4.80	4.48	4.47	4.45	-	-			
		O.D	18.00	17.80	18.00	17.95	17.92	17.93	-	-			
		O.D	15.50	15.30	15.50	15.43	15.42	15.45	-	-			
		O.D.L	2.50	2.50	2.70	2.52	2.54	2.55	-	-			
		I.D	12.00	12.00	12.20	12.05	12.04	12.03	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-01	**Product Name**	OUTER SKID WASHER	**Size**	M20	**Drawing No.**	OW-01s	**Date:**	21-10-2026
Wo No.	26000288	**Total Quantity**	500	**Lot Quantity**	500	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	11	11	11	11	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No :- AEX261015-08	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	T.L	6.50	6.20	6.80	6.52	6.53	6.54	-	-			
		O.D	20.50	20.50	20.60	20.52	20.55	20.54	-	-			
		O.D	18.50	18.30	18.50	18.40	18.39	18.41	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	4.03	-	-			
		I.D	16.00	16.00	16.20	16.03	16.05	16.04	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED