



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	LOCK NUT		Size		M50		Drawing No.		DL5IB	Date:	23-08-2026
Wo No.	26000218	Total Quantity	8		Lot Quantity		8		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260820-08		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	55.00	54.81	55.00	54.95	54.97	-	-	-			
		A/C	60.00	59.20	60.80	60.01	60.03	-	-	-			
		T.L	7.00	6.70	7.30	7.02	7.01	-	-	-			
		THREAD	M50x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX											
INSP. No.	FIR-04	Product Name	ENTRY COMPONENT		Size		M50		Drawing No.		313001M-05	Date:	23-08-2026
Wo No.	26000218	Total Quantity	8		Lot Quantity		8		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	-	-	-					
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX-E1FUNV505MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db BIC	OK	OK	-	-	-			ASM No :- AEX260820-08	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
All Dimensions Are In MM													
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	60.00	59.81	60.00	59.95	59.96	-	-	-			
		A/C	65.00	64.20	65.80	65.00	64.99	-	-	-			
		T.L	38.00	38.00	38.50	38.08	38.09	-	-	-			
		TH.L	13.00	12.50	13.50	13.05	13.04	-	-	-			
		LENGTH	17.00	17.00	17.50	17.07	17.06	-	-	-			
		GR.OD	48.00	47.20	48.80	47.95	47.97	-	-	-			
		GR.LE	2.50	2.30	2.70	2.53	2.55	-	-	-			
		O.D	59.00	58.20	59.80	58.99	58.99	-	-	-			
		O.D.L	12.00	11.50	12.50	12.01	12.02	-	-	-			
		H.L	9.00	8.50	9.50	9.09	9.08	-	-	-			
		I.D	44.50	43.70	45.30	44.58	44.57	-	-	-			
		DEPTH	15.00	14.50	15.50	15.03	15.06	-	-	-			
		THREAD	M50x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M56x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-			
ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-					
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	INTERMEDIATE BODY		Size	M50	Drawing No.	313002U-05	Date:	23-08-2026		
Wo No.	260000218	Total Quantity	8		Lot Quantity	8	Sample Size	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-	REWORK	DETAIL
		Surface	Fine, Clean			FINE	FINE	-	-	-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 12			12	12	-	-	-		Measuring Instruments ID No.
		Washing & Plating	Surface Finishing NICKEL			OK	OK	-	-	-		(1) DV-55
		RUBBER MARKING	AS PER DRG. NA			NA	NA	-	-	-		(2) PP-01
		Marking	WO Ref. No. NA			NA	NA	-	-	-		ASM No :- AEX260820-08
		Assembly Perfection	As per Drg.			OK	OK	-	-	-		
		Inner Packing	Labeling & Printline			OK	OK	-	-	-		
		Outer Packing	Printing & Stamping			OK	OK	-	-	-		
		All Dimensions Are In MM										
			VALUE	-	+	1	2	-	-	-		
		A/F	65.00	64.81	65.00	64.93	64.95	-	-	-		
		A/C	70.00	69.20	70.80	70.05	70.06	-	-	-		
		T.L	34.00	33.20	34.80	34.11	34.12	-	-	-		
		TH.L	13.50	13.00	14.00	13.56	13.55	-	-	-		
		G.ROD	54.00	53.20	54.80	53.92	53.94	-	-	-		
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-		
		HL	7.50	7.20	7.80	7.55	7.54	-	-	-		
		TH.L	13.00	12.50	13.50	13.03	13.05	-	-	-		
		G.ROD	62.00	61.20	62.80	61.55	61.53	-	-	-		
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-		
		I.D	49.50	48.70	50.30	49.56	49.58	-	-	-		
		I.D	57.50	56.70	58.30	57.47	57.46	-	-	-		
		DEPTH	4.00	3.70	4.30	4.09	4.06	-	-	-		
		I.D	54.50	53.70	55.30	54.48	54.47	-	-	-		
		I.D.LE	14.50	14.00	15.00	14.46	14.48	-	-	-		
		DEPTH	18.50	18.00	19.00	18.55	18.54	-	-	-		
		THREAD	M50x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		THREAD	M64x2 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		CHANGLE	2x45° AS PER PP FOUND			OK	OK	-	-	-		
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CHANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant		

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.		FIR-04		Product Name		MIDDLE BODY		Size		M50		Drawing No.		313002-05		Date:		23-08-2026	
Wo No.		26000218		Total Quantity		8		Lot Quantity		8		Sample Size		2		Variable & Sampling		2PCS	
Sr. No.		Checking Parameter		REQUIRED PARAMETER				OBSERVED RESULTS						REJECTION Rework Detail		REMARK		CHECKED BY	
				PARAMETER		CRITERIA		1		2									
				Surface		Fine, Clean		FINE		FINE		-		-		-			
				Sizewise No of Pcs. With Internal Parts		As per Drg. No. of Parts		12		12		12		-		-			
				Washing & Plating		Surface Finishing		NICKEL		OK		OK		-		-			
				RUBBER MARKING		AS PER DRG.		NA		NA		NA		-		-			
				Marking		WO Ref. No.		NA		NA		NA		-		-			
				Assembly Perfection		As per Drg.		OK		OK		-		-		-			
				Inner Packing		Labelling & Printing		OK		OK		-		-		-			
				Outer Packing		Printing & Stamping		OK		OK		-		-		-			
				All Dimensions Are In MM															
				VALUE		-		+		1		2		-		-			
				A/F		70.00		69.81		70.00		69.93		69.95		-			
				A/C		76.00		75.20		76.80		75.89		75.91		-			
				T.L		35.00		34.20		35.80		35.07		35.09		-			
				THL		18.00		17.50		18.50		18.05		18.04		-			
				GR.OD		65.00		64.20		65.80		64.50		64.49		-			
				GR.LE		1.00		0.80		1.20		1.01		1.03		-			
				H.L		8.00		7.70		8.30		8.05		8.04		-			
				O.D		68.00		67.20		68.80		68.04		68.06		-			
				O.D.L		9.00		8.50		9.50		9.06		9.05		-			
				I.D		54.00		53.20		54.80		54.03		54.02		-			
				I.D		55.00		54.20		55.80		55.07		55.06		-			
				I.D.LE		5.00		4.70		5.30		5.03		5.05		-			
				INT.TH.L		15.50		14.70		16.30		15.56		15.59		-			
				GR.ID		60.50		59.70		61.30		60.47		60.46		-			
				GR.LE		9.50		9.00		10.00		9.59		9.54		-			
				DEPTH		25.00		24.50		25.50		25.15		25.14		-			
				THREAD		M67x2 AS PER T.R.G GO NOT GO		OK		OK		-		-		-			
				INT.THREAD		M64x2 AS PER P.G GO NOT GO		OK		OK		-		-		-			
				CHANGLE		0.5x45° AS PER PP FOUND		OK		OK		-		-		-			
				CHANGLE		2x45° AS PER PP FOUND		OK		OK		-		-		-			
				CHANGLE		30° AS PER PP FOUND		OK		OK		-		-		-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant									

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	BACK NUT		Size		M50		Drawing No.		313003-05	Date:	23-08-2026
Wo No.	26000218	Total Quantity	8		Lot Quantity		8		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments ID No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260820-08		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	70.00	69.81	70.00	69.94	69.93	-	-	-			
		A/C	76.00	75.20	76.80	75.91	75.94	-	-	-			
		T.L	25.00	24.50	25.50	25.06	25.09	-	-	-			
		O.D	69.50	68.70	70.30	69.43	69.45	-	-	-			
		O.D.L	12.00	11.50	12.50	12.05	12.04	-	-	-			
		H.L	13.00	12.50	13.50	13.07	13.09	-	-	-			
		I.D	60.50	59.70	61.30	60.55	60.53	-	-	-			
		INT.THL	5.00	4.70	5.30	5.03	5.05	-	-	-			
		GR.ID	67.20	66.40	68.00	67.25	67.23	-	-	-			
		GR.LE	15.00	14.50	15.50	15.05	15.06	-	-	-			
		DEPTH	20.00	19.50	20.50	20.04	20.06	-	-	-			
		GR.ID	65.00	64.20	65.80	65.03	65.05	-	-	-			
		GR.LE	3.00	2.80	3.20	3.02	3.01	-	-	-			
		DEPTH	23.00	22.50	23.50	23.03	23.05	-	-	-			
		INT.THREAD	M6x2 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :

☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	UNIVERSAL CLAMPING CONE		Size	M50		Drawing No.	313005-05	Date:	23-08-2026		
Wo No.	26000218	Total Quantity	8		Lot Quantity	8		Sample Size	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments ID No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260820-08		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
			VALUE	-	+	1	2	-	-	-			
		T.L	32.00	31.20	32.80	32.13	32.15	-	-	-			
		O.D	49.00	48.20	49.80	48.98	49.00	-	-	-			
		O.D.L	6.50	6.20	6.80	6.57	6.56	-	-	-			
		O.D	52.80	52.00	53.60	52.77	52.79	-	-	-			
		O.D	54.00	53.20	54.80	54.07	54.08	-	-	-			
		GR.LE	2.50	2.30	2.70	2.52	2.54	-	-	-			
		O.D.L	14.00	13.50	14.50	14.00	13.99	-	-	-			
		O.D	57.00	56.20	57.80	57.07	57.06	-	-	-			
		O.D.L	4.00	3.70	4.30	4.09	4.06	-	-	-			
		O.D	47.00	46.20	47.80	47.09	47.08	-	-	-			
		O.D	49.00	48.20	49.80	49.07	49.08	-	-	-			
		O.D	50.00	49.20	50.80	50.11	50.15	-	-	-			
		O.D	51.50	50.70	52.30	51.55	51.58	-	-	-			
		O.D.L	8.50	8.00	9.00	8.58	8.57	-	-	-			
		O.D.L	14.00	13.50	14.50	14.11	14.13	-	-	-			
		L.D	44.10	43.30	44.90	44.22	44.24	-	-	-			
		GROOVE.STEP.LE	0.5 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.50 MM AS PER PP FOUND			OK	OK	-	-	-			
		RADIUS	0.3 MM AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	REVERSIBLE ARMoured RING		Size		M50		Drawing No.		313004-05	Date:	23-08-2026
Wo No.	26000218	Total Quantity	8		Lot Quantity		8		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-			Measuring Instruments I.D No-	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-			(1) DV-55	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			(2) PP-01	
		Marking	WO Ref. No.	NA	NA	NA	-	-	-			ASM No :- AEX260820-08	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	12.00	11.50	12.50	12.05	12.06	-	-	-			
		O.D	59.50	58.70	60.30	59.45	59.48	-	-	-			
		I.D	54.50	53.70	55.30	54.53	54.55	-	-	-			
		I.D	53.00	52.20	53.80	53.05	53.04	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-04	Product Name	COMPRESSIBLE INNER SEAL			Size		M50		Drawing No.		GI-05	Date:	23-08-2026
Wo No.	26000218	Total Quantity	8			Lot Quantity		8		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-				
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12		12	12	-	-	-		Measuring Instruments I.D No-		
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(1) DV-55		
		RUBBER MARKING	AS PER DRG.	OK		OK	OK	-	-	-		(2) PP-01		
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX260820-08		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing			OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		T.L	15.50	15.00	16.00	15.59	15.55	-	-	-				
		O.D.L	5.50	5.20	5.80	5.51	5.53	-	-	-				
		O.D	54.50	54.30	54.50	54.41	54.39	-	-	-				
		O.D.L	10.00	9.50	10.50	10.02	10.01	-	-	-				
		I.D	43.90	43.90	44.10	43.92	43.94	-	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion :

☒

Accept

☐

Reject

☐

Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	O-RING		Size		M50		Drawing No.		OR-5M	Date:	23-08-2026	
Wo No.	26000218	Total Quantity	8		Lot Quantity		8		Sample Size		2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12		12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA		NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA		NA	NA	-	-	-				
		Marking	WO Ref. No.	NA		NA	NA	-	-	-		ASM No :- AEX260820-08		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing			OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
		2	DIMENSION		VALUE	-	+	1	2	-	-	-		
THICKNESS	2.50			2.00	2.50	2.08	2.07	-	-	-				
I.D	45.00			44.20	45.80	45.03	45.05	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	COMPRESSIBLE OUTER SEAL			Size		M50		Drawing No.		GE-05	Date:	23-08-2026
Wo No.	26000218	Total Quantity	8			Lot Quantity		8		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER					OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-				
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260820-08			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		T.L	15.00	14.50	15.50	15.05	15.03	-	-	-				
		O.D	67.20	67.00	67.20	67.12	67.14	-	-	-				
		GR.LENGTH	5.50	5.20	5.80	5.52	5.51	-	-	-				
		I.D	53.00	52.90	53.10	52.98	52.97	-	-	-				
INSPECTED BY:		Jay Hadiyal				APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	INNER SKID WASHER		Size		M50		Drawing No.		IW-05	Date:	23-08-2026
Wo No.	26000218	Total Quantity	8		Lot Quantity		8		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260820-08		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.50	5.20	5.80	5.46	5.49	-	-	-			
		O.D	53.00	52.80	53.00	52.92	52.90	-	-	-			
		O.D	48.50	48.30	48.50	48.40	48.39	-	-	-			
		O.D.L	3.50	3.50	3.70	3.47	3.49	-	-	-			
		I.D	44.00	44.00	44.20	44.05	44.03	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	OUTER SKID WASHER		Size		M50		Drawing No.		OW-05	Date:	23-08-2026
Wo No.	26000218	Total Quantity	8		Lot Quantity		8		Sample Size		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments ID No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	12	12	12	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX260820-08		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.50	6.20	6.80	6.52	6.54	-	-	-			
		O.D	64.00	64.00	64.10	64.01	64.03	-	-	-			
		O.D	59.50	59.30	59.50	59.41	59.40	-	-	-			
		O.D.L	4.00	4.00	4.10	4.02	4.01	-	-	-			
		I.D	53.00	53.00	53.20	53.05	53.06	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion : ☒ Accept ☐ Reject ☐ Hold

