METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-023	Product Name	LOCK NUT	Size	M20	Drawing No.	DL1M	Date:	04-11-2026
Wo No.	26100096	Total Quantity	500	Lot Quantity	500	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261006-07	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	A/F	24.00	23.87	24.00	23.96	23.98	23.95	-	-			
		A/C	26.00	25.50	26.50	26.05	26.04	26.03	-	-			
		T.L	3.50	3.20	3.80	3.54	3.56	3.55	-	-			
		THREAD	M20x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-023	Product Name	ENTRY COMPONENT	Size	M20	Drawing No.	313001M-01s	Date:	04-11-2026
Wo No.	26100096	Total Quantity	500	Lot Quantity	500	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-A2F201MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC Gb, Ex eb IIC Gb, Ex tb IIIC Db, IP66/68 -55°C ≤ Ta ≤ +160°C Presafe 20 ATEX 48906X IECEx PRE 20.0124X			-	-		ASM No - AEX261006-07	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		A/F	27.00	26.87	27.00	26.96	26.95	26.93	-	-			
		A/C	30.00	29.50	30.50	30.04	30.08	30.05	-	-			
		T.L	33.00	33.00	33.50	33.16	33.15	33.14	-	-			
		TH.L	13.00	12.50	13.50	13.03	13.02	13.05	-	-			
		LENGTH	17.00	17.00	17.50	17.14	17.16	17.15	-	-			
		GR.OD	18.00	17.50	18.50	18.05	18.04	18.06	-	-			
		GR.LE	2.50	2.30	2.70	2.54	2.56	2.55	-	-			
		O.D	26.50	26.00	27.00	26.55	26.54	26.56	-	-			
		O.D.L	9.00	8.50	9.50	9.04	9.06	9.05	-	-			
		H.L	7.00	6.70	7.30	7.09	7.08	7.05	-	-			
		I.D	14.10	13.60	14.60	14.16	14.15	14.14	-	-			
		INT.THL	11.50	11.00	12.00	11.54	11.56	11.55	-	-			
		THREAD	M20x1.5 AS PER T.R.G GO NOT GO			OK	OK	OK	-	-			
		INT.THREAD	M24x1.5 AS PER P.G GO NOT GO			OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	OK	-	-			
		ANGLE	90° AS PER PP FOUND			OK	OK	OK	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-023	Product Name	BACK NUT	Size	M20	Drawing No.	314006-00	Date:	04-11-2026
Wo No.	26100096	Total Quantity	500	Lot Quantity	500	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	3	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NICKEL	OK	OK	OK	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	NA	-	-			
		Marking	WO Ref. No. NA	NA	NA	NA	-	-		ASM No - AEX261006-07	
		Assembly Perfection	As per Drg.	OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing	OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping	OK	OK	OK	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	2	3	-	-			
		A/F	27.00 26.87 27.00	26.95	26.94	26.93	-	-			
		A/C	30.00 29.50 30.50	30.00	29.99	30.01	-	-			
		T.L	15.00 14.50 15.50	15.02	15.01	15.03	-	-			
		TH.L	10.50 10.00 11.00	10.55	10.54	10.58	-	-			
		GR.OD	22.00 21.50 22.50	22.03	22.02	22.04	-	-			
		GR.LE	1.50 1.30 1.70	1.53	1.55	1.57	-	-			
		H.L	4.50 4.20 4.80	4.45	4.47	4.46	-	-			
		I.D	20.00 19.50 20.50	20.05	20.04	20.06	-	-			
		THREAD	M24x1.5 AS PER T.R.G GO NOT GO	OK	OK	OK	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	OK	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND	OK	OK	OK	-	-			
		CH.ANGLE	20° AS PER PP FOUND	OK	OK	OK	-	-			
		RADIUS	3 MM AS PER PP FOUND	OK	OK	OK	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-023	**Product Name**	COMPRESSIBLE SEALING RING	**Size**	M20	**Drawing No.**	GI-01s	**Date:**	04-11-2026
Wo No.	26100096	**Total Quantity**	500	**Lot Quantity**	500	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	OK	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261006-07	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	10.50	10.00	11.00	10.55	10.54	10.55	-	-		
		O.D	22.50	22.30	22.50	22.43	22.45	22.46	-	-		
		O.D.L	6.50	6.20	6.80	6.54	6.56	6.55	-	-		
		O.D.L	4.00	3.70	4.30	4.03	4.05	4.04	-	-		
		I.D	14.00	14.00	14.20	14.06	14.05	14.06	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-023	**Product Name**	SKID WASHER	**Size**	M20	**Drawing No.**	IW-01s	**Date:**	04-11-2026
Wo No.	26100096	**Total Quantity**	500	**Lot Quantity**	500	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No - AEX261006-07**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	5.00	4.70	5.30	5.05	5.04	5.05	-	-		
		O.D	22.00	21.80	22.00	21.93	21.95	21.94	-	-		
		O.D.L	3.00	3.00	3.20	3.03	3.05	3.04	-	-		
		O.D	19.50	19.30	19.50	19.43	19.45	19.46	-	-		
		I.D	14.00	14.00	14.20	14.06	14.05	14.04	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

METAL MECH®
THE SAFEST CONNECTIONS

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-023	Product Name	O-RING	Size	M20	Drawing No.	OR-1M	Date:	04-11-2026
Wo No.	26100096	Total Quantity	500	Lot Quantity	500	Sample Size-	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261006-07	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	3	-	-			
2	DIMENSION	THICKNESS	2.50	2.00	2.50	2.04	2.06	2.08	-	-			
		I.D	16.00	15.50	16.50	16.03	16.05	16.07	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-023	**Product Name**	EARTH TAG	**Size**	M20	**Drawing No.**	-	**Date:**	04-11-2026
Wo No.	26100096	**Total Quantity**	500	**Lot Quantity**	500	**Sample Size-**	3	**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NICKEL	OK	OK	OK	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No - AEX261006-07**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.00	0.80	1.20	1.03	1.02	1.02	-	-		
		O.D	29.20	28.70	29.70	29.25	29.24	29.26	-	-		
		O.D	13.00	12.50	13.50	13.04	13.06	13.05	-	-		
		I.D	20.00	19.50	20.50	20.25	20.24	20.26	-	-		
		I.D	6.20	5.90	6.50	6.23	6.25	6.26	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-023	**Product Name**	SHROUD	**Size**	M20	**Drawing No.**			**Date:**	04-11-2026
Wo No.	26100096	**Total Quantity**	500	**Lot Quantity**	500	**Sample Size-**	3		**Variable & Gauging**	3PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**3**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		**ASM No - AEX261006-07**	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		T.L	90.00	89.20	90.80	90.15	90.12	90.09	-	-		
		I.D	30.00	29.50	30.50	30.03	30.09	30.06	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MM-086000-SXUA-QCZA-FR-02-01-Final Inspection Report-Ex-V26I01

INSP. No.	FIR-023	**Product Name**	NYLON WASHER	**Size**	M20	**Drawing No.**	-	**Date:**	04-11-2026
Wo No.	26100096	**Total Quantity**	500	**Lot Quantity**	500	**Sample Size-**	3	Variable & Gauging	3PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	3	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	FINE	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	9	9	9	9	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	NA	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	NA	-	-			
		Marking	WO Ref. No.	NA	NA	NA	NA	-	-		ASM No - AEX261006-07	
		Assembly Perfection	As per Drg.		OK	OK	OK	-	-			
		Inner Packing	Labeling & Printing		OK	OK	OK	-	-			
		Outer Packing	Printing & Stamping		OK	OK	OK	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	3	-	-			
		THICKNESS	1.50	1.30	1.70	1.45	1.49	1.46	-	-		
		I.D	20.00	19.50	20.50	20.27	20.29	20.29	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED