



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	LOCK NUT		Size	M63			Drawing No	DL6M	Date:	03-10-2026
Wo No.	26000303	Total Quantity	12		Lot Quantity	12			Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261001-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		A/F	70.00	69.81	70.00	69.92	69.95	-	-	-		
		A/C	76.00	75.20	76.80	76.01	76.03	-	-	-		
		T.L	7.00	6.70	7.30	7.02	7.05	-	-	-		
		THREAD	M63x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	ENTRY COMPONENT			Size		M63		Drawing No	313001M-06	Date:	03-10-2026
Wo No.	26000303	Total Quantity	12			Lot Quantity		12		Sample Size-	2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-				
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	Metalmech Logo MM-EX- E1FUNV636MB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC		OK	OK	-	-	-			
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing			OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
				VALUE	-	+	1	2	-	-	-		
2	DIMENSION	A/F	74.00	73.81	74.00	73.94	73.96	-	-	-			
		A/C	81.00	80.20	81.80	81.07	81.09	-	-	-			
		T.L	37.00	37.00	37.50	37.19	37.18	-	-	-			
		TH.L	13.00	12.50	13.50	13.06	13.09	-	-	-			
		LENGTH	17.00	17.00	17.50	17.09	17.08	-	-	-			
		GR.OD	61.00	60.20	61.80	61.04	61.06	-	-	-			
		GR.LE	2.50	2.30	2.70	2.55	2.54	-	-	-			
		O.D	73.00	72.20	73.80	73.03	73.05	-	-	-			
		O.D.L	11.00	10.70	11.30	11.03	11.02	-	-	-			
		H.L	9.00	8.50	9.50	9.05	9.04	-	-	-			
		LD	56.50	55.70	57.30	56.52	56.51	-	-	-			
		DEPTH	15.00	14.50	15.50	15.03	15.02	-	-	-			
		THREAD	M63x1.5 AS PER T.R.G GO NOT GO		OK	OK	-	-	-				
		INT.THREAD	M68x1.5 AS PER P.G GO NOT GO		OK	OK	-	-	-				
		CH.ANGLE	1x45° AS PER PP FOUND		OK	OK	-	-	-				
		CH.ANGLE	1.5x45° AS PER PP FOUND		OK	OK	-	-	-				
		CH.ANGLE	20° AS PER PP FOUND		OK	OK	-	-	-				
ANGLE	90° AS PER PP FOUND		OK	OK	-	-	-						
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :

☐ Accept

☒ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INTERMEDIATE BODY		Size		M63		Drawing No		313002U-06	Date:	03-10-2026	
Wo No.	26000303	Total Quantity	12		Lot Quantity		12		Sample Size-		2	Variable & Ganging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA		1	2	-	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instrument ID No.			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261001-03			
		Assembly Perfection	As per Drg.		OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping		OK	OK	-	-	-					
2	DIMENSION	All Dimensions Are In MM												
			VALUE	-	+	1	2	-	-	-				
		A/F	76.00	75.81	76.00	75.93	75.95	-	-	-				
		A/C	83.00	82.20	83.80	83.04	83.05	-	-	-				
		T.L	38.00	37.20	38.80	38.03	38.04	-	-	-				
		TH.L	14.00	13.50	14.50	14.02	14.01	-	-	-				
		GR.OD	66.00	65.20	66.80	65.96	65.95	-	-	-				
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-				
		H.L	8.00	7.70	8.30	8.03	8.05	-	-	-				
		TH.L	16.00	15.50	16.50	16.00	15.99	-	-	-				
		GR.OD	73.00	72.20	73.80	73.01	73.00	-	-	-				
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-				
		I.D	60.00	59.20	60.80	60.13	60.12	-	-	-				
		I.D	67.50	66.70	68.30	67.50	67.48	-	-	-				
		DEPTH	7.00	6.70	7.30	7.03	7.05	-	-	-				
		I.D	64.00	63.20	64.80	64.00	63.99	-	-	-				
		I.D.LE	14.00	13.50	14.50	14.04	14.06	-	-	-				
		DEPTH	21.00	20.50	21.50	21.09	21.08	-	-	-				
		THREAD	M68x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		THREAD	M75x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-				
		CHANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		CHANGLE	20° AS PER PP FOUND			OK	OK	-	-	-				
		CHANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-				
		INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :

☒ Accept

☐ Reject

☐ Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	MIDDLE BODY	Size	M6g	Drawing No	313002-06	Date:	03-10-2026				
Wo No.	26000303	Total Quantity	12	Lot Quantity	12	Sample Size-	2	Variable & Gauging	2PCS				
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
		Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instrument ID No.		
		Size wise No of Pcs. With Internal Parts	As per Drg. No. of Parts		16	16	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing		NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.		NA	NA	-	-	-				
		Marking	WO Ref. No.		NA	NA	-	-	-		ASM No :- AEX261001-03		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
		VALUE	-	+	1	2	-	-	-				
		A/F	80.00	79.81	80.00	79.95	79.93	-	-	-			
		A/C	89.00	88.20	89.80	88.97	88.98	-	-	-			
		T.L	46.00	45.20	46.80	46.15	46.16	-	-	-			
		TH.L	17.00	16.50	17.50	17.05	17.04	-	-	-			
		GR.OD	74.00	73.20	74.80	73.50	73.49	-	-	-			
		GR.LE	1.50	1.30	1.70	1.53	1.55	-	-	-			
		H.L	17.00	16.50	17.50	17.06	17.05	-	-	-			
		O.D	79.00	78.20	79.80	78.97	78.99	-	-	-			
		O.D.L	12.00	11.70	12.30	11.95	11.93	-	-	-			
		I.D	66.00	65.20	66.80	66.01	66.00	-	-	-			
		I.D	68.00	67.20	68.80	68.05	68.04	-	-	-			
		I.D.LE	10.00	9.80	10.20	10.03	10.05	-	-	-			
		INT.TH.L	18.00	17.50	18.50	18.05	18.04	-	-	-			
		GR.ID	72.00	71.20	72.80	72.03	72.05	-	-	-			
		GR.LE	10.00	9.70	10.30	10.01	10.03	-	-	-			
		DEPTH	28.00	27.50	28.50	28.06	28.08	-	-	-			
		THREAD	M75x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-			
		INT.THREAD	M76x2 AS PER P.G GO NOT GO			OK	OK	-	-	-			
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	2x45° AS PER PP FOUND			OK	OK	-	-	-			
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:					Shreekant			

Conclusion :



Accept



Reiect



Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX												
INSP. No.	FIR-01	Product Name	BACK NUT			Size		M63		Drawing No		313003-06	Date:	03-10-2026
Wo No.	26000303	Total Quantity	12			Lot Quantity		12		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY		
		PARAMETER	CRITERIA			1	2	-	-				-	
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments ID No.		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01			
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-					
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261001-03			
		Assembly Perfection	As per Drg.			OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping			OK	OK	-	-	-				
		All Dimensions Are In MM												
		2	DIMENSION	VALUE	-	+	1	2	-	-	-			
A/F	80.00			79.81	80.00	79.95	79.93	-	-	-				
A/C	89.00			88.20	89.80	89.07	89.06	-	-	-				
T.L	24.00			23.50	24.50	24.07	24.05	-	-	-				
O.D	79.00			78.20	79.80	78.95	78.97	-	-	-				
O.D.L	12.00			11.50	12.50	12.06	12.05	-	-	-				
H.L	12.00			11.50	12.50	12.05	12.08	-	-	-				
LD	70.00			69.20	70.80	70.09	70.08	-	-	-				
INT.THL	5.00			4.70	5.30	5.01	5.03	-	-	-				
GR.ID	76.20			75.40	77.00	76.23	76.25	-	-	-				
GR.LE	14.50			14.00	15.00	14.53	14.58	-	-	-				
DEPTH	19.50			19.00	20.00	19.55	19.57	-	-	-				
GR.ID	76.20			75.40	77.00	76.24	76.26	-	-	-				
GR.LE	2.50			2.30	2.70	2.53	2.55	-	-	-				
DEPTH	22.00			21.50	22.50	21.94	21.96	-	-	-				
INT.THREAD	M76x2 AS PER P.G GO NOT GO			OK	OK	-	-	-						
CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-						
CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-						
CH.ANGLE	45° AS PER PP FOUND			OK	OK	-	-	-						
INSPECTED BY:				Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :

☒ Accept

☐ Reject

☐ Hold



		MetalMech-08500-FR-QX-08-Final Inspection Report-EX													
INSP. No.	FIR-01	Product Name	UNIVERSAL CLAMPING CONE		Size	M63		Drawing No		313005-06	Date:	03-10-2026			
Wo No.	26000303	Total Quantity	12		Lot Quantity	12		Sample Size-		2	Variable & Gauging	2PCS			
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY			
		PARAMETER	CRITERIA			1	2	-	-				-		
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-					
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-						
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-						
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-						
		Marking	WO Ref. No.	NA	NA	NA	-	-	-						
		Assembly Perfection	As per Drg.			OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-						
		Outer Packing	Printing & Stamping			OK	OK	-	-	-					
		All Dimensions Are In MM													
		2	DIMENSION	VALUE	-	+	1	2	-	-	-				
T.L	35.00			34.20	35.80	35.06	35.09	-	-	-					
O.D	59.50			58.70	60.30	59.48	59.46	-	-	-					
O.D.L	7.50			7.00	8.00	7.53	7.55	-	-	-					
O.D	62.00			61.20	62.80	61.97	61.96	-	-	-					
O.D	63.50			62.70	64.30	63.53	63.55	-	-	-					
GR.LE	2.50			2.30	2.70	2.53	2.55	-	-	-					
O.D.L	14.00			13.50	14.50	14.03	14.06	-	-	-					
O.D	58.50			57.70	59.30	58.47	58.46	-	-	-					
O.D.L	8.00			7.70	8.30	8.01	8.03	-	-	-					
O.D	59.00			58.20	59.80	58.98	58.97	-	-	-					
O.D	59.50			58.70	60.30	59.49	59.47	-	-	-					
O.D	61.00			60.20	61.80	61.01	61.03	-	-	-					
O.D	67.00			66.20	67.80	66.99	66.98	-	-	-					
O.D.L	7.00			6.50	7.50	7.02	7.05	-	-	-					
O.D.L	14.00			13.50	14.50	14.03	14.06	-	-	-					
LD	56.50			55.70	57.30	56.56	56.59	-	-	-					
GROOVE,STEP,LE	0.5 MM AS PER PP FOUND			OK	OK	-	-	-							
RADIUS	0.50 MM AS PER PP FOUND			OK	OK	-	-	-							
RADIUS	0.3 MM AS PER PP FOUND			OK	OK	-	-	-							
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant						

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	REVERSIBLE ARMoured RING		Size		M63		Drawing No		313004-06	Date:	03-10-2026
Wo No.	26000303	Total Quantity	12		Lot Quantity		12		Sample Size-		2	Variable & Gauging	2PCS
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261001-03		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	12.00	11.50	12.50	12.07	12.09	-	-	-			
		O.D	70.00	69.20	70.80	69.77	69.78	-	-	-			
		I.D	63.00	62.20	63.80	63.05	63.04	-	-	-			
		I.D	64.50	63.70	65.30	64.53	64.56	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	COMPRESSIBLE INNER SEAL		Size	M63		Drawing No	GI-06s		Date:	03-10-2026	
Wo No.	26000303	Total Quantity	12		Lot Quantity	12		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261001-03		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.50	15.00	16.00	15.52	15.55	-	-	-			
		O.D.L	5.50	5.20	5.80	5.55	5.58	-	-	-			
		O.D	66.50	66.30	66.50	66.43	66.46	-	-	-			
		O.D.L	10.00	9.50	10.50	10.02	10.05	-	-	-			
		I.D	56.20	56.20	56.40	56.23	56.28	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant					

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	O-RING	Size	M63	Drawing No	OR-6M	Date:	03-10-2026				
Wo No.	26000303	Total Quantity	12	Lot Quantity	12	Sample Size-	2	Variable & Gauging	2PCS				
Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY	
		PARAMETER	CRITERIA		1	2	-	-	-				
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-		
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261001-03		
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	2.50	2.00	2.50	2.04	2.06	-	-	-			
		I.D	55.00	54.20	55.80	55.08	55.07	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	COMPRESSIBLE OUTER SEAL		Size		M63		Drawing No		GE-06	Date:	03-10-2026	
Wo No.	26000303	Total Quantity	12		Lot Quantity		12		Sample Size-		2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER					OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-					
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-					
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		Measuring Instruments I.D No-			
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(1) DV-55			
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-		(2) PP-01			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261001-03			
		Assembly Perfection	As per Drg.		OK	OK	-	-	-					
		Inner Packing	Labeling & Printing		OK	OK	-	-	-					
		Outer Packing	Printing & Stamping		OK	OK	-	-	-					
		All Dimensions Are In MM												
2	DIMENSION		VALUE	-	+	1	2	-	-	-				
		T.L	15.00	14.50	15.50	15.02	15.05	-	-	-				
		O.D	76.20	76.00	76.20	76.14	76.13	-	-	-				
		GR.LENGTH	5.50	5.20	5.80	5.53	5.55	-	-	-				
		I.D	65.60	65.50	65.70	65.65	65.67	-	-	-				
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant					

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	INNER SKID WASHER		Size	M63		Drawing No	IW-06	Date:	03-10-2026		
Wo No.	26000303	Total Quantity	12		Lot Quantity	12		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-				
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.50	5.20	5.80	5.52	5.55	-	-	-			
		O.D	65.00	64.80	65.00	64.90	64.93	-	-	-			
		O.D	59.50	59.30	59.50	59.45	59.48	-	-	-			
		O.D.L	4.00	4.00	4.20	4.02	4.05	-	-	-			
		I.D	56.50	56.50	56.70	56.53	56.56	-	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>				APPROVED BY:				<i>Shreekant</i>			

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	OUTER SKID WASHER		Size	M63		Drawing No	OW-06		Date:	03-10-2026	
Wo No.	26000303	Total Quantity	12		Lot Quantity	12		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-				
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	7.00	6.70	7.30	7.01	7.03	-	-	-			
		O.D	73.00	73.00	73.10	73.02	73.06	-	-	-			
		O.D	69.50	69.30	69.50	69.43	69.48	-	-	-			
		O.D.L	4.50	4.50	4.60	4.55	4.54	-	-	-			
		I.D	66.00	66.00	66.20	66.04	66.08	-	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:				<i>Shreekant</i>				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	SHROUD		Size	M63		Drawing No		Date:	03-10-2026	
Wo No.	26000303	Total Quantity	12		Lot Quantity	12		Sample Size-		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261001-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	220.00	219.20	220.80	220.25	220.29	-	-	-		
		I.D	88.00	87.20	88.80	88.07	88.09	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant			

Conclusion :



Accept



Reject



Hold



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	EARTH TAG		Size	M63		Drawing No			Date:	03-10-2026	
Wo No.	26000303	Total Quantity	12		Lot Quantity	12		Sample Size-	2		Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-			
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-				
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-				
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-				
		Assembly Perfection	As per Drg.		OK	OK	-	-	-				
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping		OK	OK	-	-	-				
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.00	0.80	1.20	1.02	1.01	-	-	-			
		O.D	79.50	78.70	80.30	79.55	79.58	-	-	-			
		O.D	23.20	22.70	23.70	23.25	23.28	-	-	-			
		I.D	64.00	63.20	64.80	64.06	64.03	-	-	-			
		I.D	7.00	6.70	7.30	7.05	7.04	-	-	-			
INSPECTED BY:		<i>Jay Hadiyal</i>			APPROVED BY:				<i>Shreekant</i>				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	NYLON WASHER		Size	M63		Drawing No	-	Date:	03-10-2026		
Wo No.	26000303	Total Quantity	12		Lot Quantity	12		Sample Size-	2	Variable & Gauging	2PCS		
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA			1	2	-	-	-			
1	Visual	Surface	Fine, Clean			FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55		
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01		
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-				
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261001-03		
		Assembly Perfection	As per Drg.			OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-				
		Outer Packing	Printing & Stamping			OK	OK	-	-	-			
		All Dimensions Are In MM											
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		THICKNESS	1.50	1.30	1.70	1.50	1.49	-	-	-			
		I.D	63.00	62.20	63.80	63.55	63.54	-	-	-			
INSPECTED BY:		Jay Hadiyal			APPROVED BY:				Shreekant				

Conclusion :



Accept



Reject



Hold





MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-01	Product Name	STAR WASHER		Size	M63		Drawing No	-	Date:	03-10-2026	
Wo No.	26000303	Total Quantity	12		Lot Quantity	12		Sample Size-	2	Variable & Gauging	2PCS	
Sr. No.	Checking Parameter	REQUIRED PARAMETER				OBSERVED RESULTS				REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	16	16	16	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261001-03	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	5.00	4.80	5.20	5.05	5.04	-	-	-		
		O.D	80.00	79.80	80.20	80.03	80.06	-	-	-		
		I.D	63.00	62.20	63.80	63.59	63.60	-	-	-		
INSPECTED BY:		Jay Hadiyal			APPROVED BY:			Shreekant				

Conclusion :



Accept



Reject



Hold

