MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	**Product Name**	ENTRY COMPONENT	**Size**	1.1/2" NPT	**Drawing No.**	313001M-05s	**Date:**	11-10-2026
Wo No.	26000301	**Total Quantity**	5	**Lot Quantity**	5	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	Metalmech Logo MM-EX-E1FUNV50s5NB2 2026 CE Logo 2460 Ex Logo II 2 GD Ex db IIC	OK	OK	-	-	-		ASM No :- AEX261008-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	55.00	54.81	55.00	54.97	54.95	-	-	-		
		A/C	60.00	59.20	60.80	60.01	60.03	-	-	-		
		T.L	43.00	43.00	43.50	43.13	43.12	-	-	-		
		LENGTH	26.00	26.00	26.50	26.04	26.06	-	-	-		
		O.D	54.00	53.20	54.80	53.99	54.00	-	-	-		
		O.D.L	8.00	7.70	8.30	8.02	8.01	-	-	-		
		H.L	9.00	8.50	9.50	9.01	9.03	-	-	-		
		I.D	38.50	37.70	39.30	38.56	38.54	-	-	-		
		INT.THL	14.50	14.00	15.00	14.54	14.55	-	-	-		
		DEPTH	15.00	14.50	15.50	15.05	15.04	-	-	-		
		THREAD	1.1/2" NPT AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M50x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	2x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		ANGLE	90° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING CA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	**Product Name**	INTERMIDIATE BODY	**Size**	1.1/2" NPT	**Drawing No.**	313002U-05s	**Date:** 11-10-2026
Wo No.	26000301	**Total Quantity**	5	**Lot Quantity**	5	**Sample Size-**	2	Variable & Gauging 2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	60.00	59.81	60.00	59.95	59.93	-	-	-		
		A/C	66.00	65.20	66.80	66.05	66.04	-	-	-		
		T.L	32.00	31.20	32.80	32.10	32.09	-	-	-		
		TH.L	13.50	13.00	14.00	13.48	13.50	-	-	-		
		GR.OD	48.00	47.20	48.80	48.00	47.99	-	-	-		
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-		
		H.L	8.00	7.70	8.30	8.04	8.06	-	-	-		
		TH.L	10.50	10.00	11.00	10.46	10.48	-	-	-		
		GR.OD	55.00	54.20	55.80	54.99	54.98	-	-	-		
		GR.LE	1.00	0.80	1.20	1.00	1.02	-	-	-		
		I.D	44.50	43.70	45.30	44.48	44.47	-	-	-		
		I.D	50.50	49.70	51.30	50.46	50.48	-	-	-		
		DEPTH	4.00	3.70	4.30	3.97	3.99	-	-	-		
		I.D	48.00	47.20	48.80	48.04	48.06	-	-	-		
		I.D.LE	13.00	12.50	13.50	13.02	13.01	-	-	-		
		DEPTH	17.00	16.50	17.50	17.03	17.05	-	-	-		
		THREAD	M50x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		THREAD	M57x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	20° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accent** ☐ **Reiect** ☐ **Hold**



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	**Product Name**	MIDDLE BODY	**Size**	1.1/2" NPT	**Drawing No.**	313002-058	**Date:** 11-10-2026
Wo No.	26000301	**Total Quantity**	5	**Lot Quantity**	5	**Sample Size-**	2	Variable & Gauging 2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments LD No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		A/F	60.00	59.81	60.00	59.96	59.95	-	-	-		
		A/C	66.00	65.20	66.80	65.96	65.98	-	-	-		
		T.L	32.00	31.20	32.80	32.07	32.06	-	-	-		
		TH.L	16.00	15.50	16.50	15.99	16.00	-	-	-		
		GR.OD	56.00	55.20	56.80	55.93	55.92	-	-	-		
		GR.LE	1.00	0.80	1.20	1.01	1.03	-	-	-		
		H.L	10.00	9.50	10.50	10.05	10.04	-	-	-		
		O.D	59.50	58.70	60.30	59.45	59.44	-	-	-		
		O.D.L	6.00	5.70	6.30	6.05	6.06	-	-	-		
		I.D	47.00	46.20	47.80	47.05	47.03	-	-	-		
		I.D	48.00	47.20	48.80	48.04	48.06	-	-	-		
		I.D.LE	5.50	5.30	5.70	5.52	5.51	-	-	-		
		INT.THL	12.50	12.00	13.00	12.53	12.52	-	-	-		
		GR.ID	52.00	51.20	52.80	52.05	52.04	-	-	-		
		GR.LE	7.00	6.70	7.30	7.03	7.01	-	-	-		
		DEPTH	19.50	19.00	20.00	19.51	19.50	-	-	-		
		THREAD	M57x1.5 AS PER T.R.G GO NOT GO			OK	OK	-	-	-		
		INT.THREAD	M58x1.5 AS PER P.G GO NOT GO			OK	OK	-	-	-		
		CH.ANGLE	0.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	1.5x45° AS PER PP FOUND			OK	OK	-	-	-		
		CH.ANGLE	30° AS PER PP FOUND			OK	OK	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accent** ☐ **Reiect** ☐ **Hold**

METALMECH ENGINEERS CA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	**Product Name**	BACK NUT	**Size**	1.1/2" NPT	**Drawing No.**	313003-058	**Date:**	11-10-2026
Wo No.	26000301	**Total Quantity**	5	**Lot Quantity**	5	**Sample Size-**	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER		OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA	1	2	-	-	-			
1	Visual	Surface	Fine, Clean	FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts 10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG. NA	NA	NA	-	-	-			
		Marking	WO Ref. No. NA	NA	NA	-	-	-		ASM No :- AEX261008-04	
		Assembly Perfection	As per Drg.	OK	OK	-	-	-			
		Inner Packing	Labeling & Printing	OK	OK	-	-	-			
		Outer Packing	Printing & Stamping	OK	OK	-	-	-			
		All Dimensions Are In MM									
2	DIMENSION		VALUE - +	1	2	-	-	-			
		A/F	61.00 60.81 61.00	60.91	60.90	-	-	-			
		A/C	66.50 65.70 67.30	66.55	66.54	-	-	-			
		T.L	23.00 22.50 23.50	23.03	23.05	-	-	-			
		O.D	60.50 59.70 61.30	60.55	60.54	-	-	-			
		O.D.L	10.00 9.50 10.50	10.02	10.01	-	-	-			
		H.L	13.00 12.50 13.50	13.00	13.03	-	-	-			
		I.D	52.50 51.70 53.30	52.54	52.53	-	-	-			
		INT.THL	4.00 3.70 4.30	4.01	4.03	-	-	-			
		GR.ID	58.20 57.40 59.00	58.25	58.23	-	-	-			
		GR.LE	15.00 14.50 15.50	15.02	15.01	-	-	-			
		DEPTH	19.00 18.50 19.50	19.03	19.05	-	-	-			
		GR.ID	56.50 55.70 57.30	56.51	56.53	-	-	-			
		GR.LE	2.00 1.80 2.20	2.02	2.01	-	-	-			
		DEPTH	21.00 20.50 21.50	21.03	21.02	-	-	-			
		INT.THREAD	M58x1.5 AS PER P.G GO NOT GO	OK	OK	-	-	-			
		CH.ANGLE	0.5x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	1x45° AS PER PP FOUND	OK	OK	-	-	-			
		CH.ANGLE	45° AS PER PP FOUND	OK	OK	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERS QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	UNIVERSAL CLAMPING CONE	Size	1.1/2" NPT	Drawing No.	313005-058	Date:	11-10-2026
Wo No.	26000301	Total Quantity	5	Lot Quantity	5	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	- +	1	2	-	-	-			
		T.L	32.00	31.20 32.80	32.12	32.11	-	-	-			
		O.D	43.00	42.20 43.80	42.98	42.97	-	-	-			
		O.D.L	8.50	8.00 9.00	8.50	8.49	-	-	-			
		O.D	46.50	45.70 47.30	46.49	46.48	-	-	-			
		O.D	47.50	46.70 48.30	47.51	47.49	-	-	-			
		GR.LE	2.50	2.30 2.70	2.52	2.51	-	-	-			
		O.D.L	14.00	13.50 14.50	14.01	14.03	-	-	-			
		O.D	50.00	49.20 50.80	50.00	49.98	-	-	-			
		O.D.L	4.00	3.70 4.30	4.01	4.03	-	-	-			
		O.D	41.00	40.20 41.80	41.00	40.98	-	-	-			
		O.D	43.00	42.20 43.80	42.99	42.98	-	-	-			
		O.D	43.50	42.70 44.30	43.51	43.50	-	-	-			
		O.D	44.50	43.70 45.30	44.49	44.51	-	-	-			
		O.D.L	8.50	8.00 9.00	8.51	8.50	-	-	-			
		O.D.L	14.00	13.50 14.50	14.03	14.01	-	-	-			
		I.D	38.50	37.70 39.30	38.50	38.49	-	-	-			
		GROOVE.STEP.LE	0.5 MM AS PER PP FOUND		OK	OK	-	-	-			
		RADIUS	0.50 MM AS PER PP FOUND		OK	OK	-	-	-			
		RADIUS	0.3 MM AS PER PP FOUND		OK	OK	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METAL MECH ENGINEERS PVT. LTD. CA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	**Product Name**	REVERSIBLE ARMOURED RING	**Size**	1.1/2" NPT	**Drawing No.**	313004-05S	**Date:**	11-10-2026
Wo No.	26000301	**Total Quantity**	5	**Lot Quantity**	5	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261008-04**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-		
		T.L	9.00	8.50	9.50	9.06	9.08	-	-	-		
		O.D	51.00	50.20	51.80	51.00	50.98	-	-	-		
		I.D	47.00	46.20	47.80	47.03	47.02	-	-	-		
		I.D	48.00	47.20	48.80	48.04	48.03	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	COMPRESSIBLE INNER SEAL	Size	1.1/2" NPT	Drawing No.	GI-05s	Date:	11-10-2026
Wo No.	26000301	Total Quantity	5	Lot Quantity	5	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	15.50	15.00	16.00	15.51	15.49	-	-	-			
		O.D.L	5.50	5.20	5.80	5.50	5.52	-	-	-			
		O.D	48.50	48.30	48.50	48.40	48.39	-	-	-			
		O.D.L	9.50	9.00	10.00	9.51	9.53	-	-	-			
		I.D	37.90	37.90	38.10	37.94	37.96	-	-	-			

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	**Product Name**	COMPRESSIBLE OUTER SEAL	**Size**	1.1/2" NPT	**Drawing No.**	GE-05s	**Date:**	11-10-2026
Wo No.	26000301	**Total Quantity**	5	**Lot Quantity**	5	**Sample Size-**	2	**Variable & Gauging**	2PCS

Sr. No.	**Checking Parameter**	**REQUIRED PARAMETER**			**OBSERVED RESULTS**					**REJECTION REWORK DETAIL**	**REMARK**	**CHECKED BY**
		PARAMETER	**CRITERIA**		**1**	**2**	**-**	**-**	**-**			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		**(1) DV-55**	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		**(2) PP-01**	
		RUBBER MARKING	AS PER DRG.	OK	OK	OK	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		**ASM No :- AEX261008-04**	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										

			VALUE	-	+	1	2	-	-	-			
2	DIMENSION	T.L	15.00	14.50	15.50	15.02	15.01	-	-	-			
		O.D	58.20	58.00	58.20	58.14	58.13	-	-	-			
		GR.LENGTH	5.00	4.70	5.30	5.02	5.03	-	-	-			
		I.D	46.70	45.90	47.50	46.64	46.66	-	-	-			

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

METALMECH ENGINEERING QA PASSED

MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	INNER SKID WASHER	Size	1.1/2" NPT	Drawing No.	IW-05s	Date:	11-10-2026
Wo No.	26000301	Total Quantity	5	Lot Quantity	5	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	5.50	5.20	5.80	5.51	5.53	-	-	-		
		O.D	47.50	47.30	47.50	47.49	47.51	-	-	-		
		O.D	43.50	43.30	43.50	43.48	43.50	-	-	-		
		O.D.L	3.50	3.50	3.70	3.52	3.51	-	-	-		
		I.D	38.20	38.20	38.40	38.23	38.25	-	-	-		

INSPECTED BY:	*Jay Hadiyal*	*APPROVED BY:*	*Shreekant*

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**



MetalMech-08500-FR-QX-08-Final Inspection Report-EX

INSP. No.	FIR-04	Product Name	OUTER SKID WASHER	Size	1.1/2" NPT	Drawing No.	IW-05s	Date:	11-10-2026
Wo No.	26000301	Total Quantity	5	Lot Quantity	5	Sample Size-	2	Variable & Gauging	2PCS

Sr. No.	Checking Parameter	REQUIRED PARAMETER			OBSERVED RESULTS					REJECTION REWORK DETAIL	REMARK	CHECKED BY
		PARAMETER	CRITERIA		1	2	-	-	-			
1	Visual	Surface	Fine, Clean		FINE	FINE	-	-	-		Measuring Instruments I.D No-	
		Sizewise No of Pcs. With Internal Parts	As per Drg. No. of Parts	10	10	10	-	-	-		(1) DV-55	
		Washing & Plating	Surface Finishing	NA	NA	NA	-	-	-		(2) PP-01	
		RUBBER MARKING	AS PER DRG.	NA	NA	NA	-	-	-			
		Marking	WO Ref. No.	NA	NA	NA	-	-	-		ASM No :- AEX261008-04	
		Assembly Perfection	As per Drg.		OK	OK	-	-	-			
		Inner Packing	Labeling & Printing		OK	OK	-	-	-			
		Outer Packing	Printing & Stamping		OK	OK	-	-	-			
		All Dimensions Are In MM										
2	DIMENSION		VALUE	-	+	1	2	-	-	-			
		T.L	6.00	5.70	6.30	6.01	6.03	-	-	-		
		O.D	55.50	55.50	55.60	55.53	55.52	-	-	-		
		O.D	51.50	51.30	51.50	51.40	51.39	-	-	-		
		O.D.L	4.00	4.00	4.10	4.02	4.01	-	-	-		
		I.D	46.50	46.50	46.70	46.54	46.53	-	-	-		

INSPECTED BY:	Jay Hadiyal	APPROVED BY:	Shreekant

Conclusion :

☑ **Accept** ☐ **Reject** ☐ **Hold**

