

## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                            |                                 |       |              |                  |            |   |              |   |                               |                                 |            |
|---------------|--------------------|--------------------------------------------|---------------------------------|-------|--------------|------------------|------------|---|--------------|---|-------------------------------|---------------------------------|------------|
| INSP. No.     | FIR-014            | Product Name                               | LOCK NUT                        |       | Size         |                  | 1.1/2" NPT |   | Drawing No.  |   | DL5NB                         | Date:                           | 20-07-2026 |
| Wo No.        | 26000134           | Total Quantity                             | 2                               |       | Lot Quantity |                  | 2          |   | Sample Size- |   | 2                             | Variable & Gauging              | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                         |                                 |       |              | OBSERVED RESULTS |            |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK                          | CHECKED BY |
|               |                    | PARAMETER                                  | CRITERIA                        |       |              | 1                | 2          | - | -            | - |                               |                                 |            |
| 1             | Visual             | Surface                                    | Fine, Clean                     |       |              | FINE             | FINE       | - | -            | - |                               | Measuring<br>Instruments ID No- |            |
|               |                    | Sizewise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts     | 15    | 15           | 15               | -          | - | -            |   | (1) DV-55                     |                                 |            |
|               |                    | Washing & Plating                          | Surface<br>Finishing            | NA    | NA           | NA               | -          | - | -            |   | (2) PP-01                     |                                 |            |
|               |                    | RUBBER MARKING                             | AS PER DRG.                     | NA    | NA           | NA               | -          | - | -            |   |                               |                                 |            |
|               |                    | Marking                                    | WO Ref. No.                     | NA    | NA           | NA               | -          | - | -            |   | ASM No :-<br>AEX260714-05     |                                 |            |
|               |                    | Assembly Perfection                        | As per Drg.                     |       |              | OK               | OK         | - | -            | - |                               |                                 |            |
|               |                    | Inner Packing                              | Labeling &<br>Printing          |       | OK           | OK               | -          | - | -            |   |                               |                                 |            |
|               |                    | Outer Packing                              | Printing & Stamping             |       |              | OK               | OK         | - | -            | - |                               |                                 |            |
|               |                    | All Dimensions Are In MM                   |                                 |       |              |                  |            |   |              |   |                               |                                 |            |
| 2             | DIMENSION          |                                            | VALUE                           | -     | +            | 1                | 2          | - | -            | - |                               |                                 |            |
|               |                    | A/F                                        | 55.00                           | 54.81 | 55.00        | 54.95            | 54.91      | - | -            | - |                               |                                 |            |
|               |                    | A/C                                        | 60.00                           | 59.20 | 60.80        | 59.99            | 60.00      | - | -            | - |                               |                                 |            |
|               |                    | T.L                                        | 5.00                            | 4.70  | 5.30         | 5.05             | 5.04       | - | -            | - |                               |                                 |            |
|               |                    | THREAD                                     | 1.1/2" NPT AS PER P.G GO NOT GO |       |              | OK               | OK         | - | -            | - |                               |                                 |            |
|               |                    | CH.ANGLE                                   | 30° AS PER PP FOUND             |       |              | OK               | OK         | - | -            | - |                               |                                 |            |
|               |                    |                                            |                                 |       |              |                  |            |   |              |   |                               |                                 |            |
| INSPECTED BY: |                    | Jay Hadiyal                                |                                 |       | APPROVED BY: |                  |            |   | Shreekant    |   |                               |                                 |            |

Conclusion :



Accept



Reject



Hold



|  |                     | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                                   |                                                                                      |              |                  |            |           |              |   |                               |                    |                                 |
|----------------------------------------------------------------------------------|---------------------|-----------------------------------------------------|-----------------------------------|--------------------------------------------------------------------------------------|--------------|------------------|------------|-----------|--------------|---|-------------------------------|--------------------|---------------------------------|
| INSP. No.                                                                        | FIR-014             | Product Name                                        | ENTRY COMPONENT                   |                                                                                      | Size         |                  | 1.1/2" NPT |           | Drawing No.  |   | 313001M-058                   | Date:              | 20-07-2026                      |
| Wo No.                                                                           | 26000134            | Total Quantity                                      | 2                                 |                                                                                      | Lot Quantity |                  | 2          |           | Sample Size: |   | 2                             | Variable & Gauging | 2PCS                            |
| Sr. No.                                                                          | Checking Parameter  | REQUIRED PARAMETER                                  |                                   |                                                                                      |              | OBSERVED RESULTS |            |           |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY                      |
|                                                                                  |                     | PARAMETER                                           | CRITERIA                          |                                                                                      | 1            | 2                | -          | -         | -            |   |                               |                    |                                 |
| 1                                                                                | Visual              | Surface                                             | Fine, Clean                       |                                                                                      | FINE         | FINE             | -          | -         | -            |   |                               |                    | Measuring<br>Instruments ID No. |
|                                                                                  |                     | Size wise No of Pes.<br>With Internal Parts         | As per Drg. No.<br>of Parts       | 15                                                                                   | 15           | 15               | -          | -         | -            |   |                               |                    | (1) DV-55                       |
|                                                                                  |                     | Washing & Plating                                   | Surface<br>Finishing              | NA                                                                                   | NA           | NA               | -          | -         | -            |   |                               |                    | (2) PP-01                       |
|                                                                                  |                     | RUBBER MARKING                                      | AS PER DRG.                       | NA                                                                                   | NA           | NA               | -          | -         | -            |   |                               |                    |                                 |
|                                                                                  |                     | Marking                                             | WO Ref. No.                       | Metalmech Logo MMEX-<br>E1FUNV5065NB2 2026 CE Logo<br>2460 Ex Logo II 2 GD Ex db IIC |              | OK               | OK         | -         | -            | - |                               |                    | ASM No :-<br>AEX260714-05       |
|                                                                                  |                     | Assembly Perfection                                 | As per Drg.                       |                                                                                      | OK           | OK               | -          | -         | -            |   |                               |                    |                                 |
|                                                                                  |                     | Inner Packing                                       | Labeling &<br>Printing            |                                                                                      | OK           | OK               | -          | -         | -            |   |                               |                    |                                 |
|                                                                                  |                     | Outer Packing                                       | Printing & Stamping               |                                                                                      | OK           | OK               | -          | -         | -            |   |                               |                    |                                 |
| All Dimensions Are In MM                                                         |                     |                                                     |                                   |                                                                                      |              |                  |            |           |              |   |                               |                    |                                 |
| 2                                                                                | DIMENSION           |                                                     | VALUE                             | -                                                                                    | +            | 1                | 2          | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | A/F                                                 | 55.00                             | 54.81                                                                                | 55.00        | 54.97            | 54.95      | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | A/C                                                 | 60.00                             | 59.20                                                                                | 60.80        | 60.01            | 60.03      | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | T.L                                                 | 43.00                             | 43.00                                                                                | 43.50        | 43.13            | 43.12      | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | TH.L                                                | 24.00                             | 23.50                                                                                | 24.50        | 24.00            | 24.01      | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | LENGTH                                              | 26.00                             | 26.00                                                                                | 26.50        | 26.04            | 26.06      | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | O.D                                                 | 54.00                             | 53.20                                                                                | 54.80        | 53.99            | 54.00      | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | O.D.L                                               | 8.00                              | 7.70                                                                                 | 8.30         | 8.02             | 8.01       | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | H.L                                                 | 9.00                              | 8.50                                                                                 | 9.50         | 9.01             | 9.03       | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | I.D                                                 | 38.50                             | 37.70                                                                                | 39.30        | 38.56            | 38.54      | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | INT.THL                                             | 14.50                             | 14.00                                                                                | 15.00        | 14.54            | 14.55      | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | DEPTH                                               | 15.00                             | 14.50                                                                                | 15.50        | 15.05            | 15.04      | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | THREAD                                              | 1.1/2" NPT AS PER T.R.G GO NOT GO |                                                                                      |              | OK               | OK         | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | INT.THREAD                                          | M50x1.5 AS PER P.G GO NOT GO      |                                                                                      |              | OK               | OK         | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | CHANGLE                                             | 2x45° AS PER PP FOUND             |                                                                                      |              | OK               | OK         | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | CHANGLE                                             | 1x45° AS PER PP FOUND             |                                                                                      |              | OK               | OK         | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | CHANGLE                                             | 1.5x45° AS PER PP FOUND           |                                                                                      |              | OK               | OK         | -         | -            | - |                               |                    |                                 |
|                                                                                  |                     | CHANGLE                                             | 20° AS PER PP FOUND               |                                                                                      |              | OK               | OK         | -         | -            | - |                               |                    |                                 |
| ANGLE                                                                            | 90° AS PER PP FOUND |                                                     |                                   | OK                                                                                   | OK           | -                | -          | -         |              |   |                               |                    |                                 |
| INSPECTED BY:                                                                    |                     | Jay Hadiyal                                         |                                   |                                                                                      | APPROVED BY: |                  |            | Shreekant |              |   |                               |                    |                                 |

Conclusion :



Accept



Reject



Hold



|  |                                | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                          |       |                  |       |            |   |              |                         |              |                               |            |  |  |
|----------------------------------------------------------------------------------|--------------------------------|-----------------------------------------------------|--------------------------|-------|------------------|-------|------------|---|--------------|-------------------------|--------------|-------------------------------|------------|--|--|
| INSP. No.                                                                        | FIR-014                        | Product Name                                        | INTERMEDIATE BODY        |       | Size             |       | 1.1/2" NPT |   | Drawing No.  |                         | 3130092U-058 | Date:                         | 20-07-2026 |  |  |
| Wo No.                                                                           | 26000134                       | Total Quantity                                      | 2                        |       | Lot Quantity     |       | 2          |   | Sample Size: |                         | 2            | Variable & Gauging            | 2PCS       |  |  |
| Sr. No.                                                                          | Checking Parameter             | REQUIRED PARAMETER                                  |                          |       | OBSERVED RESULTS |       |            |   |              | REJECTION REWORK DETAIL | REMARK       | CHECKED BY                    |            |  |  |
|                                                                                  |                                | PARAMETER                                           | CRITERIA                 |       | 1                | 2     | -          | - | -            |                         |              |                               |            |  |  |
| 1                                                                                | Visual                         | Surface                                             | Fine, Clean              |       | FINE             | FINE  | -          | - | -            |                         |              | Measuring Instruments ID No:- |            |  |  |
|                                                                                  |                                | Size wise No of Pcs. With Internal Parts            | As per Drg. No. of Parts | 15    | 15               | 15    | -          | - | -            |                         |              | (1) DV-55                     |            |  |  |
|                                                                                  |                                | Washing & Plating                                   | Surface Finishing        | NA    | NA               | NA    | -          | - | -            |                         |              | (2) PP-01                     |            |  |  |
|                                                                                  |                                | RUBBER MARKING                                      | AS PER DRG.              | NA    | NA               | NA    | -          | - | -            |                         |              |                               |            |  |  |
|                                                                                  |                                | Marking                                             | WO Ref. No.              | NA    | NA               | NA    | -          | - | -            |                         |              | ASM No :- AEX260714-05        |            |  |  |
|                                                                                  |                                | Assembly Perfection                                 | As per Drg.              | OK    | OK               | -     | -          | - |              |                         |              |                               |            |  |  |
|                                                                                  |                                | Inner Packing                                       | Labeling & Printing      | OK    | OK               | -     | -          | - |              |                         |              |                               |            |  |  |
|                                                                                  |                                | Outer Packing                                       | Printing & Stamping      | OK    | OK               | -     | -          | - |              |                         |              |                               |            |  |  |
|                                                                                  |                                | All Dimensions Are In MM                            |                          |       |                  |       |            |   |              |                         |              |                               |            |  |  |
|                                                                                  |                                | 2                                                   | DIMENSION                | VALUE | -                | +     | 1          | 2 | -            | -                       | -            |                               |            |  |  |
| A/F                                                                              | 60.00                          |                                                     |                          | 59.81 | 60.00            | 59.95 | 59.93      | - | -            | -                       |              |                               |            |  |  |
| A/C                                                                              | 66.00                          |                                                     |                          | 65.20 | 66.80            | 66.05 | 66.04      | - | -            | -                       |              |                               |            |  |  |
| T.L                                                                              | 32.00                          |                                                     |                          | 31.20 | 32.80            | 32.10 | 32.09      | - | -            | -                       |              |                               |            |  |  |
| TH.L                                                                             | 13.50                          |                                                     |                          | 13.00 | 14.00            | 13.48 | 13.50      | - | -            | -                       |              |                               |            |  |  |
| GR.OD                                                                            | 48.00                          |                                                     |                          | 47.20 | 48.80            | 48.00 | 47.99      | - | -            | -                       |              |                               |            |  |  |
| GR.LE                                                                            | 1.00                           |                                                     |                          | 0.80  | 1.20             | 1.01  | 1.03       | - | -            | -                       |              |                               |            |  |  |
| H.L                                                                              | 8.00                           |                                                     |                          | 7.70  | 8.30             | 8.04  | 8.06       | - | -            | -                       |              |                               |            |  |  |
| TH.L                                                                             | 10.50                          |                                                     |                          | 10.00 | 11.00            | 10.46 | 10.48      | - | -            | -                       |              |                               |            |  |  |
| GR.OD                                                                            | 55.00                          |                                                     |                          | 54.20 | 55.80            | 54.99 | 54.98      | - | -            | -                       |              |                               |            |  |  |
| GR.LE                                                                            | 1.00                           |                                                     |                          | 0.80  | 1.20             | 1.00  | 1.02       | - | -            | -                       |              |                               |            |  |  |
| LD                                                                               | 44.50                          |                                                     |                          | 43.70 | 45.30            | 44.48 | 44.47      | - | -            | -                       |              |                               |            |  |  |
| LD                                                                               | 50.50                          |                                                     |                          | 49.70 | 51.30            | 50.46 | 50.48      | - | -            | -                       |              |                               |            |  |  |
| DEPTH                                                                            | 4.00                           |                                                     |                          | 3.70  | 4.30             | 3.97  | 3.99       | - | -            | -                       |              |                               |            |  |  |
| LD                                                                               | 48.00                          |                                                     |                          | 47.20 | 48.80            | 48.04 | 48.06      | - | -            | -                       |              |                               |            |  |  |
| LD.LE                                                                            | 13.00                          |                                                     |                          | 12.50 | 13.50            | 13.02 | 13.01      | - | -            | -                       |              |                               |            |  |  |
| DEPTH                                                                            | 17.00                          |                                                     |                          | 16.50 | 17.50            | 17.03 | 17.05      | - | -            | -                       |              |                               |            |  |  |
| THREAD                                                                           | M50x1.5 AS PER T.R.G GO NOT GO |                                                     |                          | OK    | OK               | -     | -          | - |              |                         |              |                               |            |  |  |
| THREAD                                                                           | M57x1.5 AS PER T.R.G GO NOT GO |                                                     |                          | OK    | OK               | -     | -          | - |              |                         |              |                               |            |  |  |
| CH.ANGLE                                                                         | 1.5x45° AS PER PP FOUND        |                                                     |                          | OK    | OK               | -     | -          | - |              |                         |              |                               |            |  |  |
| CH.ANGLE                                                                         | 20° AS PER PP FOUND            |                                                     |                          | OK    | OK               | -     | -          | - |              |                         |              |                               |            |  |  |
| CH.ANGLE                                                                         | 0.5x45° AS PER PP FOUND        |                                                     |                          | OK    | OK               | -     | -          | - |              |                         |              |                               |            |  |  |
| <div> INSPECTED BY: Jay Hadiyal APPROVED BY: Shreekant </div>                    |                                |                                                     |                          |       |                  |       |            |   |              |                         |              |                               |            |  |  |

Conclusion :



Accept



Reject



Hold



|  |                                | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                          |       |                  |       |            |           |              |                         |            |                        |            |  |  |
|----------------------------------------------------------------------------------|--------------------------------|-----------------------------------------------------|--------------------------|-------|------------------|-------|------------|-----------|--------------|-------------------------|------------|------------------------|------------|--|--|
| INSP. No.                                                                        | FIR-014                        | Product Name                                        | MIDDLE BODY              |       | Size             |       | 1.1/2" NPT |           | Drawing No.  |                         | 313002-058 | Date:                  | 20-07-2026 |  |  |
| Wo No.                                                                           | 26000134                       | Total Quantity                                      | 2                        |       | Lot Quantity     |       | 2          |           | Sample Size: |                         | 2          | Variable & Gauging     | 2PCS       |  |  |
| Sr. No.                                                                          | Checking Parameter             | REQUIRED PARAMETER                                  |                          |       | OBSERVED RESULTS |       |            |           |              | REJECTION REWORK DETAIL | REMARK     | CHECKED BY             |            |  |  |
|                                                                                  |                                | PARAMETER                                           | CRITERIA                 |       | 1                | 2     | -          | -         | -            |                         |            |                        |            |  |  |
| 1                                                                                | Visual                         | Surface                                             | Fine, Clean              |       | FINE             | FINE  | -          | -         | -            |                         |            |                        |            |  |  |
|                                                                                  |                                | Size wise No of Pcs. With Internal Parts            | As per Drg. No. of Parts | 15    | 15               | 15    | -          | -         | -            |                         |            | (1) DV-55              |            |  |  |
|                                                                                  |                                | Washing & Plating                                   | Surface Finishing        | NA    | NA               | NA    | -          | -         | -            |                         |            | (2) PP-01              |            |  |  |
|                                                                                  |                                | RUBBER MARKING                                      | AS PER DRG.              | NA    | NA               | NA    | -          | -         | -            |                         |            |                        |            |  |  |
|                                                                                  |                                | Marking                                             | WO Ref. No.              | NA    | NA               | NA    | -          | -         | -            |                         |            | ASM No :- AEX260714-05 |            |  |  |
|                                                                                  |                                | Assembly Perfection                                 | As per Drg.              | OK    | OK               | -     | -          | -         |              |                         |            |                        |            |  |  |
|                                                                                  |                                | Inner Packing                                       | Labeling & Printing      | OK    | OK               | -     | -          | -         |              |                         |            |                        |            |  |  |
|                                                                                  |                                | Outer Packing                                       | Printing & Stamping      | OK    | OK               | -     | -          | -         |              |                         |            |                        |            |  |  |
|                                                                                  |                                | All Dimensions Are In MM                            |                          |       |                  |       |            |           |              |                         |            |                        |            |  |  |
|                                                                                  |                                | 2                                                   | DIMENSION                | VALUE | -                | +     | 1          | 2         | -            | -                       | -          |                        |            |  |  |
| A/F                                                                              | 60.00                          |                                                     |                          | 59.81 | 60.00            | 59.96 | 59.95      | -         | -            | -                       |            |                        |            |  |  |
| A/C                                                                              | 66.00                          |                                                     |                          | 65.20 | 66.80            | 65.96 | 65.98      | -         | -            | -                       |            |                        |            |  |  |
| T.L                                                                              | 32.00                          |                                                     |                          | 31.20 | 32.80            | 32.07 | 32.06      | -         | -            | -                       |            |                        |            |  |  |
| TH.L                                                                             | 16.00                          |                                                     |                          | 15.50 | 16.50            | 15.99 | 16.00      | -         | -            | -                       |            |                        |            |  |  |
| GR.OD                                                                            | 56.00                          |                                                     |                          | 55.20 | 56.80            | 55.93 | 55.92      | -         | -            | -                       |            |                        |            |  |  |
| GR.LE                                                                            | 1.00                           |                                                     |                          | 0.80  | 1.20             | 1.01  | 1.03       | -         | -            | -                       |            |                        |            |  |  |
| H.L                                                                              | 10.00                          |                                                     |                          | 9.50  | 10.50            | 10.05 | 10.04      | -         | -            | -                       |            |                        |            |  |  |
| O.D                                                                              | 59.50                          |                                                     |                          | 58.70 | 60.30            | 59.45 | 59.44      | -         | -            | -                       |            |                        |            |  |  |
| O.D.L                                                                            | 6.00                           |                                                     |                          | 5.70  | 6.30             | 6.05  | 6.06       | -         | -            | -                       |            |                        |            |  |  |
| LD                                                                               | 47.00                          |                                                     |                          | 46.20 | 47.80            | 47.05 | 47.03      | -         | -            | -                       |            |                        |            |  |  |
| LD                                                                               | 48.00                          |                                                     |                          | 47.20 | 48.80            | 48.04 | 48.06      | -         | -            | -                       |            |                        |            |  |  |
| LD.LE                                                                            | 5.50                           |                                                     |                          | 5.30  | 5.70             | 5.52  | 5.51       | -         | -            | -                       |            |                        |            |  |  |
| INT.TH.L                                                                         | 12.50                          |                                                     |                          | 12.00 | 13.00            | 12.53 | 12.52      | -         | -            | -                       |            |                        |            |  |  |
| GR.ID                                                                            | 52.00                          |                                                     |                          | 51.20 | 52.80            | 52.05 | 52.04      | -         | -            | -                       |            |                        |            |  |  |
| GR.LE                                                                            | 7.00                           |                                                     |                          | 6.70  | 7.30             | 7.03  | 7.01       | -         | -            | -                       |            |                        |            |  |  |
| DEPTH                                                                            | 19.50                          |                                                     |                          | 19.00 | 20.00            | 19.51 | 19.50      | -         | -            | -                       |            |                        |            |  |  |
| THREAD                                                                           | M57x1.5 AS PER T.R.G GO NOT GO |                                                     |                          | OK    | OK               | -     | -          | -         |              |                         |            |                        |            |  |  |
| INT.THREAD                                                                       | M58x1.5 AS PER P.G GO NOT GO   |                                                     |                          | OK    | OK               | -     | -          | -         |              |                         |            |                        |            |  |  |
| CH.ANGLE                                                                         | 0.5x45° AS PER PP FOUND        |                                                     |                          | OK    | OK               | -     | -          | -         |              |                         |            |                        |            |  |  |
| CH.ANGLE                                                                         | 1.5x45° AS PER PP FOUND        |                                                     |                          | OK    | OK               | -     | -          | -         |              |                         |            |                        |            |  |  |
| CH.ANGLE                                                                         | 30° AS PER PP FOUND            |                                                     |                          | OK    | OK               | -     | -          | -         |              |                         |            |                        |            |  |  |
| INSPECTED BY:                                                                    |                                | Jay Hadiyal                                         |                          |       | APPROVED BY:     |       |            | Shreekant |              |                         |            |                        |            |  |  |

Conclusion :



Accept



Reject



Hold



|  |                     | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                              |       |                  |       |            |   |              |                               |            |                    |            |
|----------------------------------------------------------------------------------|---------------------|-----------------------------------------------------|------------------------------|-------|------------------|-------|------------|---|--------------|-------------------------------|------------|--------------------|------------|
| INSP. No.                                                                        | FIR-014             | Product Name                                        | BACK NUT                     |       | Size             |       | 1.1/2" NPT |   | Drawing No.  |                               | 313003-058 | Date:              | 20-07-2026 |
| Wo No.                                                                           | 26000134            | Total Quantity                                      | 2                            |       | Lot Quantity     |       | 2          |   | Sample Size- |                               | 2          | Variable & Gauging | 2PCS       |
| Sr. No.                                                                          | Checking Parameter  | REQUIRED PARAMETER                                  |                              |       | OBSERVED RESULTS |       |            |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY         |            |
|                                                                                  |                     | PARAMETER                                           | CRITERIA                     |       | 1                | 2     | -          | - | -            |                               |            |                    |            |
| 1                                                                                | Visual              | Surface                                             | Fine, Clean                  |       | FINE             | FINE  | -          | - | -            |                               |            |                    |            |
|                                                                                  |                     | Size wise No of Pcs. With Internal Parts            | As per Drg. No. of Parts     | 15    | 15               | -     | -          | - |              |                               |            |                    |            |
|                                                                                  |                     | Washing & Plating                                   | Surface Finishing            | NA    | NA               | -     | -          | - |              |                               |            |                    |            |
|                                                                                  |                     | RUBBER MARKING                                      | AS PER DRG.                  | NA    | NA               | -     | -          | - |              |                               |            |                    |            |
|                                                                                  |                     | Marking                                             | WO Ref. No.                  | NA    | NA               | -     | -          | - |              |                               |            |                    |            |
|                                                                                  |                     | Assembly Perfection                                 | As per Drg.                  |       | OK               | OK    | -          | - | -            |                               |            |                    |            |
|                                                                                  |                     | Inner Packing                                       | Labeling & Printing          |       | OK               | OK    | -          | - | -            |                               |            |                    |            |
|                                                                                  |                     | Outer Packing                                       | Printing & Stamping          |       | OK               | OK    | -          | - | -            |                               |            |                    |            |
| All Dimensions Are In MM                                                         |                     |                                                     |                              |       |                  |       |            |   |              |                               |            |                    |            |
| 2                                                                                | DIMENSION           |                                                     | VALUE                        | -     | +                | 1     | 2          | - | -            | -                             |            |                    |            |
|                                                                                  |                     | A/F                                                 | 61.00                        | 60.81 | 61.00            | 60.91 | 60.90      | - | -            | -                             |            |                    |            |
|                                                                                  |                     | A/C                                                 | 66.50                        | 65.70 | 67.30            | 66.55 | 66.54      | - | -            | -                             |            |                    |            |
|                                                                                  |                     | T.L                                                 | 23.00                        | 22.50 | 23.50            | 23.03 | 23.05      | - | -            | -                             |            |                    |            |
|                                                                                  |                     | O.D                                                 | 60.50                        | 59.70 | 61.30            | 60.55 | 60.54      | - | -            | -                             |            |                    |            |
|                                                                                  |                     | O.D.L                                               | 10.00                        | 9.50  | 10.50            | 10.02 | 10.01      | - | -            | -                             |            |                    |            |
|                                                                                  |                     | H.L                                                 | 13.00                        | 12.50 | 13.50            | 13.00 | 13.03      | - | -            | -                             |            |                    |            |
|                                                                                  |                     | LD                                                  | 52.50                        | 51.70 | 53.30            | 52.54 | 52.53      | - | -            | -                             |            |                    |            |
|                                                                                  |                     | INT.THL                                             | 4.00                         | 3.70  | 4.30             | 4.01  | 4.03       | - | -            | -                             |            |                    |            |
|                                                                                  |                     | GR.ID                                               | 58.20                        | 57.40 | 59.00            | 58.25 | 58.23      | - | -            | -                             |            |                    |            |
|                                                                                  |                     | GR.LE                                               | 15.00                        | 14.50 | 15.50            | 15.02 | 15.01      | - | -            | -                             |            |                    |            |
|                                                                                  |                     | DEPTH                                               | 19.00                        | 18.50 | 19.50            | 19.03 | 19.05      | - | -            | -                             |            |                    |            |
|                                                                                  |                     | GR.ID                                               | 56.50                        | 55.70 | 57.30            | 56.51 | 56.53      | - | -            | -                             |            |                    |            |
|                                                                                  |                     | GR.LE                                               | 2.00                         | 1.80  | 2.20             | 2.02  | 2.01       | - | -            | -                             |            |                    |            |
|                                                                                  |                     | DEPTH                                               | 21.00                        | 20.50 | 21.50            | 21.03 | 21.02      | - | -            | -                             |            |                    |            |
|                                                                                  |                     | INT.THREAD                                          | M58x1.5 AS PER P.G GO NOT GO |       |                  | OK    | OK         | - | -            | -                             |            |                    |            |
|                                                                                  |                     | CH.ANGLE                                            | 0.5x45° AS PER PP FOUND      |       |                  | OK    | OK         | - | -            | -                             |            |                    |            |
|                                                                                  |                     | CH.ANGLE                                            | 1x45° AS PER PP FOUND        |       |                  | OK    | OK         | - | -            | -                             |            |                    |            |
| CH.ANGLE                                                                         | 45° AS PER PP FOUND |                                                     |                              | OK    | OK               | -     | -          | - |              |                               |            |                    |            |
| INSPECTED BY:                                                                    |                     | Jay Hadiyal                                         |                              |       | APPROVED BY:     |       |            |   | Shreekant    |                               |            |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | MetalMech-08500-FR-QX-08-Final Inspection Report-EX |                          |       |              |                  |            |   |              |                               |            |                     |            |
|----------------------------------------------------------------------------------|--------------------|-----------------------------------------------------|--------------------------|-------|--------------|------------------|------------|---|--------------|-------------------------------|------------|---------------------|------------|
| INSP. No.                                                                        | FIR-014            | Product Name                                        | UNIVERSAL CLAMPING CONE  |       | Size         |                  | 1.1/2" NPT |   | Drawing No.  |                               | 313005-058 | Date:               | 20-07-2026 |
| Wo No.                                                                           | 26000134           | Total Quantity                                      | 2                        |       | Lot Quantity |                  | 2          |   | Sample Size- |                               | 2          | Variable & Gangline | 2PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                  |                          |       |              | OBSERVED RESULTS |            |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK     | CHECKED BY          |            |
|                                                                                  |                    | PARAMETER                                           | CRITERIA                 |       | 1            | 2                | -          | - | -            |                               |            |                     |            |
| 1                                                                                | Visual             | Surface                                             | Fine, Clean              |       | FINE         | FINE             | -          | - | -            |                               |            |                     |            |
|                                                                                  |                    | Sizewise No of Pcs. With Internal Parts             | As per Drg. No. of Parts | 15    | 15           | -                | -          | - |              |                               |            |                     |            |
|                                                                                  |                    | Washing & Plating                                   | Surface Finishing        | NA    | NA           | -                | -          | - |              |                               |            |                     |            |
|                                                                                  |                    | RUBBER MARKING                                      | AS PER DRG.              | NA    | NA           | -                | -          | - |              |                               |            |                     |            |
|                                                                                  |                    | Marking                                             | WO Ref. No.              | NA    | NA           | -                | -          | - |              |                               |            |                     |            |
|                                                                                  |                    | Assembly Perfection                                 | As per Drg.              | OK    | OK           | -                | -          | - |              |                               |            |                     |            |
|                                                                                  |                    | Inner Packing                                       | Labeling & Printing      | OK    | OK           | -                | -          | - |              |                               |            |                     |            |
|                                                                                  |                    | Outer Packing                                       | Printing & Stamping      | OK    | OK           | -                | -          | - |              |                               |            |                     |            |
|                                                                                  |                    | All Dimensions Are In MM                            |                          |       |              |                  |            |   |              |                               |            |                     |            |
| 2                                                                                | DIMENSION          |                                                     | VALUE                    | -     | +            | 1                | 2          | - | -            | -                             |            |                     |            |
|                                                                                  |                    | T.L                                                 | 32.00                    | 31.20 | 32.80        | 32.12            | 32.11      | - | -            | -                             |            |                     |            |
|                                                                                  |                    | O.D                                                 | 43.00                    | 42.20 | 43.80        | 42.98            | 42.97      | - | -            | -                             |            |                     |            |
|                                                                                  |                    | O.D.L                                               | 8.50                     | 8.00  | 9.00         | 8.50             | 8.49       | - | -            | -                             |            |                     |            |
|                                                                                  |                    | O.D                                                 | 46.50                    | 45.70 | 47.30        | 46.49            | 46.48      | - | -            | -                             |            |                     |            |
|                                                                                  |                    | O.D                                                 | 47.50                    | 46.70 | 48.30        | 47.51            | 47.49      | - | -            | -                             |            |                     |            |
|                                                                                  |                    | GR.LE                                               | 2.50                     | 2.30  | 2.70         | 2.52             | 2.51       | - | -            | -                             |            |                     |            |
|                                                                                  |                    | O.D.L                                               | 14.00                    | 13.50 | 14.50        | 14.01            | 14.03      | - | -            | -                             |            |                     |            |
|                                                                                  |                    | O.D                                                 | 50.00                    | 49.20 | 50.80        | 50.00            | 49.98      | - | -            | -                             |            |                     |            |
|                                                                                  |                    | O.D.L                                               | 4.00                     | 3.70  | 4.30         | 4.01             | 4.03       | - | -            | -                             |            |                     |            |
|                                                                                  |                    | O.D                                                 | 41.00                    | 40.20 | 41.80        | 41.00            | 40.98      | - | -            | -                             |            |                     |            |
|                                                                                  |                    | O.D                                                 | 43.00                    | 42.20 | 43.80        | 42.99            | 42.98      | - | -            | -                             |            |                     |            |
|                                                                                  |                    | O.D                                                 | 43.50                    | 42.70 | 44.30        | 43.51            | 43.50      | - | -            | -                             |            |                     |            |
|                                                                                  |                    | O.D                                                 | 44.50                    | 43.70 | 45.30        | 44.49            | 44.51      | - | -            | -                             |            |                     |            |
|                                                                                  |                    | O.D.L                                               | 8.50                     | 8.00  | 9.00         | 8.51             | 8.50       | - | -            | -                             |            |                     |            |
|                                                                                  |                    | O.D.L                                               | 14.00                    | 13.50 | 14.50        | 14.03            | 14.01      | - | -            | -                             |            |                     |            |
|                                                                                  |                    | I.D                                                 | 38.50                    | 37.70 | 39.30        | 38.50            | 38.49      | - | -            | -                             |            |                     |            |
|                                                                                  |                    | GROOVE.STEP.LE                                      | 0.5 MM AS PER PP FOUND   |       |              | OK               | OK         | - | -            | -                             |            |                     |            |
|                                                                                  |                    | RADIUS                                              | 0.50 MM AS PER PP FOUND  |       |              | OK               | OK         | - | -            | -                             |            |                     |            |
|                                                                                  |                    | RADIUS                                              | 0.3 MM AS PER PP FOUND   |       |              | OK               | OK         | - | -            | -                             |            |                     |            |
|                                                                                  |                    |                                                     |                          |       |              |                  |            |   |              |                               |            |                     |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                         |                          |       | APPROVED BY: |                  |            |   | Shreekant    |                               |            |                     |            |

Conclusion :

☒ Accept
 ☐ Reject
 ☐ Hold





## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|               |                    |                                             |                             |       |              |                  |            |   |              |   |                                  |                    |            |
|---------------|--------------------|---------------------------------------------|-----------------------------|-------|--------------|------------------|------------|---|--------------|---|----------------------------------|--------------------|------------|
| INSP. No.     | FIR-014            | Product Name                                | REVERSIBLE ARMoured RING    |       | Size         |                  | 1.1/2" NPT |   | Drawing No.  |   | 313004-058                       | Date:              | 20-07-2026 |
| Wo No.        | 26000134           | Total Quantity                              | 2                           |       | Lot Quantity |                  | 2          |   | Sample Size- |   | 2                                | Variable & Gauging | 2PCS       |
| Sr. No.       | Checking Parameter | REQUIRED PARAMETER                          |                             |       |              | OBSERVED RESULTS |            |   |              |   | REJECTION<br>REWORK<br>DETAIL    | REMARK             | CHECKED BY |
|               |                    | PARAMETER                                   | CRITERIA                    |       | 1            | 2                | -          | - | -            |   |                                  |                    |            |
| 1             | Visual             | Surface                                     | Fine, Clean                 |       | FINE         | FINE             | -          | - | -            |   | Measuring<br>Instruments I.D No- |                    |            |
|               |                    | Size wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 15    | 15           | 15               | -          | - | -            |   | (1) DV-55                        |                    |            |
|               |                    | Washing & Plating                           | Surface<br>Finishing        | NA    | NA           | NA               | -          | - | -            |   | (2) PP-01                        |                    |            |
|               |                    | RUBBER MARKING                              | AS PER DRG.                 | NA    | NA           | NA               | -          | - | -            |   |                                  |                    |            |
|               |                    | Marking                                     | WO Ref. No.                 | NA    | NA           | NA               | -          | - | -            |   | ASM No :-<br>AEX260714-05        |                    |            |
|               |                    | Assembly Perfection                         | As per Drg.                 |       | OK           | OK               | -          | - | -            |   |                                  |                    |            |
|               |                    | Inner Packing                               | Labeling &<br>Printing      |       | OK           | OK               | -          | - | -            |   |                                  |                    |            |
|               |                    | Outer Packing                               | Printing & Stamping         |       | OK           | OK               | -          | - | -            |   |                                  |                    |            |
|               |                    | All Dimensions Are In MM                    |                             |       |              |                  |            |   |              |   |                                  |                    |            |
| 2             | DIMENSION          |                                             | VALUE                       | -     | +            | 1                | 2          | - | -            | - |                                  |                    |            |
|               |                    | T.L                                         | 9.00                        | 8.50  | 9.50         | 9.06             | 9.08       | - | -            | - |                                  |                    |            |
|               |                    | O.D                                         | 51.00                       | 50.20 | 51.80        | 51.00            | 50.98      | - | -            | - |                                  |                    |            |
|               |                    | I.D                                         | 47.00                       | 46.20 | 47.80        | 47.03            | 47.02      | - | -            | - |                                  |                    |            |
|               |                    | I.D                                         | 48.00                       | 47.20 | 48.80        | 48.04            | 48.03      | - | -            | - |                                  |                    |            |
|               |                    |                                             |                             |       |              |                  |            |   |              |   |                                  |                    |            |
| INSPECTED BY: |                    | Jay Hadiyal                                 |                             |       | APPROVED BY: |                  |            |   | Shreekant    |   |                                  |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |       |            |           |              |                               |        |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|-------|------------|-----------|--------------|-------------------------------|--------|--------------------|------------|
| INSP. No.                                                                       | FIR-014            | Product Name                                                                             | COMPRESSIBLE INNER SEAL  |       |              | Size             |       | 1.1/2" NPT |           | Drawing No.  |                               | GI-05s | Date:              | 20-07-2026 |
| Wo No.                                                                          | 26000134           | Total Quantity                                                                           | 2                        |       |              | Lot Quantity     |       | 2          |           | Sample Size- |                               | 2      | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |       |            |           |              | REJECTION<br>REWORK<br>DETAIL | REMARK | CHECKED BY         |            |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2     | -          | -         | -            |                               |        |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE  | -          | -         | -            |                               |        |                    |            |
|                                                                                 |                    | Size wise No of Pcs. With Internal Parts                                                 | As per Drg. No. of Parts | 15    | 15           | 15               | -     | -          | -         |              | Measuring Instruments I.D No- |        |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | -     | -          | -         |              | (1) DV-55                     |        |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | OK    | OK           | OK               | -     | -          | -         |              | (2) PP-01                     |        |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | -     | -          | -         |              | ASM No :- AEX260714-05        |        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK    | -          | -         | -            |                               |        |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | -     | -          | -         |              |                               |        |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK    | -          | -         | -            |                               |        |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |       |            |           |              |                               |        |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2     | -          | -         | -            |                               |        |                    |            |
|                                                                                 |                    | T.L                                                                                      | 15.50                    | 15.00 | 16.00        | 15.51            | 15.49 | -          | -         | -            |                               |        |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 5.50                     | 5.20  | 5.80         | 5.50             | 5.52  | -          | -         | -            |                               |        |                    |            |
|                                                                                 |                    | O.D                                                                                      | 48.50                    | 48.30 | 48.50        | 48.40            | 48.39 | -          | -         | -            |                               |        |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 9.50                     | 9.00  | 10.00        | 9.51             | 9.53  | -          | -         | -            |                               |        |                    |            |
|                                                                                 |                    | I.D                                                                                      | 37.90                    | 37.90 | 38.10        | 37.94            | 37.96 | -          | -         | -            |                               |        |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |              |                  |       |            |           |              |                               |        |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |       |            | Shreekant |              |                               |        |                    |            |

Conclusion : ☒ Accept ☐ Reject ☐ Hold







## MetalMech-08500-FR-QX-08-Final Inspection Report-EX

|                          |                    |                                             |                             |       |              |                  |            |   |              |   |                                  |                    |            |  |
|--------------------------|--------------------|---------------------------------------------|-----------------------------|-------|--------------|------------------|------------|---|--------------|---|----------------------------------|--------------------|------------|--|
| INSP. No.                | FIR-014            | Product Name                                | COMPRESSIBLE OUTER SEAL     |       | Size         |                  | 1.1/2" NPT |   | Drawing No.  |   | GE-058                           | Date:              | 20-07-2026 |  |
| Wo No.                   | 26000134           | Total Quantity                              | 2                           |       | Lot Quantity |                  | 2          |   | Sample Size- |   | 2                                | Variable & Gauging | 2PCS       |  |
| Sr. No.                  | Checking Parameter | REQUIRED PARAMETER                          |                             |       |              | OBSERVED RESULTS |            |   |              |   | REJECTION<br>REWORK<br>DETAIL    | REMARK             | CHECKED BY |  |
|                          |                    | PARAMETER                                   | CRITERIA                    |       | 1            | 2                | -          | - | -            |   |                                  |                    |            |  |
| 1                        | Visual             | Surface                                     | Fine, Clean                 |       | FINE         | FINE             | -          | - | -            |   | Measuring<br>Instruments I.D No- |                    |            |  |
|                          |                    | Size wise No of Pcs.<br>With Internal Parts | As per Drg. No.<br>of Parts | 15    | 15           | 15               | -          | - | -            |   | (1) DV-55                        |                    |            |  |
|                          |                    | Washing & Plating                           | Surface<br>Finishing        | NA    | NA           | NA               | -          | - | -            |   | (2) PP-01                        |                    |            |  |
|                          |                    | RUBBER MARKING                              | AS PER DRG.                 | OK    | OK           | OK               | -          | - | -            |   |                                  |                    |            |  |
|                          |                    | Marking                                     | WO Ref. No.                 | NA    | NA           | NA               | -          | - | -            |   | ASM No :-<br>AEX260714-05        |                    |            |  |
|                          |                    | Assembly Perfection                         | As per Drg.                 |       | OK           | OK               | -          | - | -            |   |                                  |                    |            |  |
|                          |                    | Inner Packing                               | Labeling &<br>Printing      |       | OK           | OK               | -          | - | -            |   |                                  |                    |            |  |
|                          |                    | Outer Packing                               | Printing & Stamping         |       | OK           | OK               | -          | - | -            |   |                                  |                    |            |  |
| All Dimensions Are In MM |                    |                                             |                             |       |              |                  |            |   |              |   |                                  |                    |            |  |
| 2                        | DIMENSION          |                                             | VALUE                       | -     | +            | 1                | 2          | - | -            | - |                                  |                    |            |  |
|                          |                    | T.L                                         | 15.00                       | 14.50 | 15.50        | 15.02            | 15.01      | - | -            | - |                                  |                    |            |  |
|                          |                    | O.D                                         | 58.20                       | 58.00 | 58.20        | 58.14            | 58.13      | - | -            | - |                                  |                    |            |  |
|                          |                    | GR.LENGTH                                   | 5.00                        | 4.70  | 5.30         | 5.02             | 5.03       | - | -            | - |                                  |                    |            |  |
|                          |                    | I.D                                         | 46.70                       | 45.90 | 47.50        | 46.64            | 46.66      | - | -            | - |                                  |                    |            |  |
|                          |                    |                                             |                             |       |              |                  |            |   |              |   |                                  |                    |            |  |
| INSPECTED BY:            |                    | Jay Hadiyal                                 |                             |       | APPROVED BY: |                  |            |   | Shreekant    |   |                                  |                    |            |  |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |       |              |        |   |                               |                               |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|-------|--------------|--------|---|-------------------------------|-------------------------------|------------|
| INSP. No.                                                                       | FIR-014            | Product Name                                                                             | INNER SKID WASHER        |       | Size         | 1.1/2" NPT       |       | Drawing No.  | IW-05s |   | Date:                         | 20-07-2026                    |            |
| Wo No.                                                                          | 26000134           | Total Quantity                                                                           | 2                        |       | Lot Quantity | 2                |       | Sample Size- | 2      |   | Variable & Gauging            | 2PCS                          |            |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |       |              |        |   | REJECTION<br>REWORK<br>DETAIL | REMARK                        | CHECKED BY |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       | 1            | 2                | -     | -            | -      |   |                               |                               |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       | FINE         | FINE             | -     | -            | -      |   |                               |                               |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 15    | 15           | 15               | -     | -            | -      |   |                               | Measuring Instruments I.D No- |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | -     | -            | -      |   |                               | (1) DV-55                     |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | NA    | NA           | NA               | -     | -            | -      |   |                               | (2) PP-01                     |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | -     | -            | -      |   |                               | ASM No :- AEX260714-05        |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       | OK           | OK               | -     | -            | -      |   |                               |                               |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | -     | -            | -      |   |                               |                               |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       | OK           | OK               | -     | -            | -      |   |                               |                               |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |       |              |        |   |                               |                               |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2     | -            | -      | - |                               |                               |            |
|                                                                                 |                    | T.L                                                                                      | 5.50                     | 5.20  | 5.80         | 5.51             | 5.53  | -            | -      | - |                               |                               |            |
|                                                                                 |                    | O.D                                                                                      | 47.50                    | 47.30 | 47.50        | 47.49            | 47.51 | -            | -      | - |                               |                               |            |
|                                                                                 |                    | O.D                                                                                      | 43.50                    | 43.30 | 43.50        | 43.48            | 43.50 | -            | -      | - |                               |                               |            |
|                                                                                 |                    | O.D.L                                                                                    | 3.50                     | 3.50  | 3.70         | 3.52             | 3.51  | -            | -      | - |                               |                               |            |
|                                                                                 |                    | I.D                                                                                      | 38.20                    | 38.20 | 38.40        | 38.23            | 38.25 | -            | -      | - |                               |                               |            |
|                                                                                 |                    |                                                                                          |                          |       |              |                  |       |              |        |   |                               |                               |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |       | Shreekant    |        |   |                               |                               |            |

Conclusion :

☒

Accept

☐

Reject

☐

Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |            |   |              |   |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|------------|---|--------------|---|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-014            | Product Name                                                                             | OUTER SKID WASHER        |       | Size         |                  | 1.1/2" NPT |   | Drawing No.  |   | IW-05s                        | Date:              | 20-07-2026 |
| Wo No.                                                                          | 26000134           | Total Quantity                                                                           | 2                        |       | Lot Quantity |                  | 2          |   | Sample Size- |   | 2                             | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |            |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2          | - | -            | - |                               |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE       | - | -            | - |                               |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 15    | 15           | 15               | -          | - | -            |   | Measuring Instruments I.D No- |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | -          | - | -            |   | (1) DV-55                     |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | NA    | NA           | NA               | -          | - | -            |   | (2) PP-01                     |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | -          | - | -            |   | ASM No :- AEX260714-05        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK         | - | -            | - |                               |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | -          | - | -            |   |                               |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK         | - | -            | - |                               |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |            |   |              |   |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2          | - | -            | - |                               |                    |            |
|                                                                                 |                    | T.L                                                                                      | 6.00                     | 5.70  | 6.30         | 6.01             | 6.03       | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 55.50                    | 55.50 | 55.60        | 55.53            | 55.52      | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 51.50                    | 51.30 | 51.50        | 51.40            | 51.39      | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D.L                                                                                    | 4.00                     | 4.00  | 4.10         | 4.02             | 4.01       | - | -            | - |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 46.50                    | 46.50 | 46.70        | 46.54            | 46.53      | - | -            | - |                               |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |              |                  |            |   |              |   |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |            |   | Shreekant    |   |                               |                    |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                          |       |              |                  |            |   |              |   |                               |                    |            |
|---------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------|-------|--------------|------------------|------------|---|--------------|---|-------------------------------|--------------------|------------|
| INSP. No.                                                                       | FIR-014            | Product Name                                                                             | EARTH TAG                |       | Size         |                  | 1.1/2" NPT |   | Drawing No.  |   | -                             | Date:              | 20-07-2026 |
| Wo No.                                                                          | 26000134           | Total Quantity                                                                           | 2                        |       | Lot Quantity |                  | 2          |   | Sample Size- |   | 2                             | Variable & Gauging | 2PCS       |
| Sr. No.                                                                         | Checking Parameter | REQUIRED PARAMETER                                                                       |                          |       |              | OBSERVED RESULTS |            |   |              |   | REJECTION<br>REWORK<br>DETAIL | REMARK             | CHECKED BY |
|                                                                                 |                    | PARAMETER                                                                                | CRITERIA                 |       |              | 1                | 2          | - | -            | - |                               |                    |            |
| 1                                                                               | Visual             | Surface                                                                                  | Fine, Clean              |       |              | FINE             | FINE       | - | -            | - |                               |                    |            |
|                                                                                 |                    | Sizewise No of Pcs. With Internal Parts                                                  | As per Drg. No. of Parts | 15    | 15           | 15               | -          | - | -            |   | Measuring Instruments I.D No- |                    |            |
|                                                                                 |                    | Washing & Plating                                                                        | Surface Finishing        | NA    | NA           | NA               | -          | - | -            |   | (1) DV-55                     |                    |            |
|                                                                                 |                    | RUBBER MARKING                                                                           | AS PER DRG.              | NA    | NA           | NA               | -          | - | -            |   | (2) PP-01                     |                    |            |
|                                                                                 |                    | Marking                                                                                  | WO Ref. No.              | NA    | NA           | NA               | -          | - | -            |   | ASM No :- AEX260714-05        |                    |            |
|                                                                                 |                    | Assembly Perfection                                                                      | As per Drg.              |       |              | OK               | OK         | - | -            | - |                               |                    |            |
|                                                                                 |                    | Inner Packing                                                                            | Labeling & Printing      |       | OK           | OK               | -          | - | -            |   |                               |                    |            |
|                                                                                 |                    | Outer Packing                                                                            | Printing & Stamping      |       |              | OK               | OK         | - | -            | - |                               |                    |            |
|                                                                                 |                    | All Dimensions Are In MM                                                                 |                          |       |              |                  |            |   |              |   |                               |                    |            |
| 2                                                                               | DIMENSION          |                                                                                          | VALUE                    | -     | +            | 1                | 2          | - | -            | - |                               |                    |            |
|                                                                                 |                    | THICKNESS                                                                                | 1.00                     | 0.80  | 1.20         | 1.01             | 1.03       | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 64.50                    | 63.70 | 65.30        | 64.45            | 64.42      | - | -            | - |                               |                    |            |
|                                                                                 |                    | O.D                                                                                      | 16.00                    | 15.50 | 16.50        | 16.19            | 16.22      | - | -            | - |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 51.00                    | 50.20 | 51.80        | 51.03            | 51.05      | - | -            | - |                               |                    |            |
|                                                                                 |                    | I.D                                                                                      | 7.00                     | 6.70  | 7.30         | 7.04             | 7.06       | - | -            | - |                               |                    |            |
|                                                                                 |                    |                                                                                          |                          |       |              |                  |            |   |              |   |                               |                    |            |
| INSPECTED BY:                                                                   |                    | Jay Hadiyal                                                                              |                          |       | APPROVED BY: |                  |            |   | Shreekant    |   |                               |                    |            |

Conclusion :



Accept



Reject



Hold



| <br><small>THE SAFEST CONNECTIONS</small> |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |        |        |                  |            |   |   |              |                               |                                  |            |
|---------------------------------------------------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|--------|--------|------------------|------------|---|---|--------------|-------------------------------|----------------------------------|------------|
| INSP. No.                                                                                                                 | FIR-014            | Product Name                                                                             | SHROUD                      |        |        | Size             | 1.1/2" NPT |   |   | Drawing No.  | -                             | Date:                            | 20-07-2026 |
| Wo No.                                                                                                                    | 26000134           | Total Quantity                                                                           | 2                           |        |        | Lot Quantity     | 2          |   |   | Sample Size- | 2                             | Variable & Gauging               | 2PCS       |
| Sr. No.                                                                                                                   | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |        |        | OBSERVED RESULTS |            |   |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|                                                                                                                           |                    | PARAMETER                                                                                | CRITERIA                    |        |        | 1                | 2          | - | - | -            |                               |                                  |            |
| 1                                                                                                                         | Visual             | Surface                                                                                  | Fine, Clean                 |        |        | FINE             | FINE       | - | - | -            |                               | Measuring<br>Instruments I.D No- |            |
|                                                                                                                           |                    | Sizewise No of Pcs.<br>With Internal Parts                                               | As per Drg. No.<br>of Parts | 15     | 15     | 15               | -          | - | - |              | (1) DV-55                     |                                  |            |
|                                                                                                                           |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA     | NA     | NA               | -          | - | - |              | (2) PP-01                     |                                  |            |
|                                                                                                                           |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | NA     | NA     | NA               | -          | - | - |              |                               |                                  |            |
|                                                                                                                           |                    | Marking                                                                                  | WO Ref. No.                 | NA     | NA     | NA               | -          | - | - |              | ASM No :-<br>AEX260714-05     |                                  |            |
|                                                                                                                           |                    | Assembly Perfection                                                                      | As per Drg.                 |        |        | OK               | OK         | - | - | -            |                               |                                  |            |
|                                                                                                                           |                    | Inner Packing                                                                            | Labeling &<br>Printing      |        | OK     | OK               | -          | - | - |              |                               |                                  |            |
|                                                                                                                           |                    | Outer Packing                                                                            | Printing & Stamping         |        |        | OK               | OK         | - | - | -            |                               |                                  |            |
|                                                                                                                           |                    | All Dimensions Are In MM                                                                 |                             |        |        |                  |            |   |   |              |                               |                                  |            |
| 2                                                                                                                         | DIMENSION          |                                                                                          | VALUE                       | -      | +      | 1                | 2          | - | - | -            |                               |                                  |            |
|                                                                                                                           |                    | T.L                                                                                      | 175.00                      | 174.20 | 175.80 | 175.19           | 175.22     | - | - | -            |                               |                                  |            |
|                                                                                                                           |                    | I.D                                                                                      | 65.00                       | 64.20  | 65.80  | 65.14            | 65.16      | - | - | -            |                               |                                  |            |
|                                                                                                                           |                    |                                                                                          |                             |        |        |                  |            |   |   |              |                               |                                  |            |
| INSPECTED BY:                                                                                                             |                    | Jay Hadiyal                                                                              |                             |        |        | APPROVED BY:     |            |   |   | Shreekant    |                               |                                  |            |

Conclusion :



Accept



Reject



Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |       |       |                  |            |   |   |              |                               |                                  |            |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|-------|-------|------------------|------------|---|---|--------------|-------------------------------|----------------------------------|------------|
| INSP. No.                                                                        | FIR-014            | Product Name                                                                             | NYLON WASHER                |       |       | Size             | 1.1/2" NPT |   |   | Drawing No.  | -                             | Date:                            | 20-07-2026 |
| Wo No.                                                                           | 26000134           | Total Quantity                                                                           | 2                           |       |       | Lot Quantity     | 2          |   |   | Sample Size- | 2                             | Variable & Gauging               | 2PCS       |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |       |       | OBSERVED RESULTS |            |   |   |              | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                    |       |       | 1                | 2          | - | - | -            |                               |                                  |            |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean                 |       |       | FINE             | FINE       | - | - | -            |                               | Measuring<br>Instruments I.D No- |            |
|                                                                                  |                    | Sizewise No of Pcs.<br>With Internal Parts                                               | As per Drg. No.<br>of Parts | 15    | 15    | 15               | -          | - | - |              | (1) DV-55                     |                                  |            |
|                                                                                  |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA    | NA    | NA               | -          | - | - |              | (2) PP-01                     |                                  |            |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | NA    | NA    | NA               | -          | - | - |              |                               |                                  |            |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.                 | NA    | NA    | NA               | -          | - | - |              | ASM No :-<br>AEX260714-05     |                                  |            |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.                 |       |       | OK               | OK         | - | - | -            |                               |                                  |            |
|                                                                                  |                    | Inner Packing                                                                            | Labeling &<br>Printing      |       | OK    | OK               | -          | - | - |              |                               |                                  |            |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping         |       |       | OK               | OK         | - | - | -            |                               |                                  |            |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                             |       |       |                  |            |   |   |              |                               |                                  |            |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                       | -     | +     | 1                | 2          | - | - | -            |                               |                                  |            |
|                                                                                  |                    | THICKNESS                                                                                | 1.50                        | 1.30  | 1.70  | 1.48             | 1.50       | - | - | -            |                               |                                  |            |
|                                                                                  |                    | I.D                                                                                      | 51.00                       | 50.20 | 51.80 | 51.05            | 51.07      | - | - | -            |                               |                                  |            |
|                                                                                  |                    |                                                                                          |                             |       |       |                  |            |   |   |              |                               |                                  |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                             |       |       | APPROVED BY:     |            |   |   | Shreekant    |                               |                                  |            |

Conclusion :

☒

Accept

☐

Reject

☐

Hold



|  |                    | <h2 style="text-align: center;">MetalMech-08500-FR-QX-08-Final Inspection Report-EX</h2> |                             |       |              |                  |       |              |           |   |                               |                                  |            |
|----------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------|-----------------------------|-------|--------------|------------------|-------|--------------|-----------|---|-------------------------------|----------------------------------|------------|
| INSP. No.                                                                        | FIR-014            | Product Name                                                                             | STAR WASHER                 |       | Size         | 1.1/2" NPT       |       | Drawing No.  | -         |   | Date:                         | 20-07-2026                       |            |
| Wo No.                                                                           | 26000134           | Total Quantity                                                                           | 2                           |       | Lot Quantity | 2                |       | Sample Size- | 2         |   | Variable & Gauging            | 2PCS                             |            |
| Sr. No.                                                                          | Checking Parameter | REQUIRED PARAMETER                                                                       |                             |       |              | OBSERVED RESULTS |       |              |           |   | REJECTION<br>REWORK<br>DETAIL | REMARK                           | CHECKED BY |
|                                                                                  |                    | PARAMETER                                                                                | CRITERIA                    |       |              | 1                | 2     | -            | -         | - |                               |                                  |            |
| 1                                                                                | Visual             | Surface                                                                                  | Fine, Clean                 |       |              | FINE             | FINE  | -            | -         | - |                               | Measuring<br>Instruments I.D No- |            |
|                                                                                  |                    | Sizewise No of Pcs.<br>With Internal Parts                                               | As per Drg. No.<br>of Parts | 15    | 15           | 15               | -     | -            | -         |   | (1) DV-55                     |                                  |            |
|                                                                                  |                    | Washing & Plating                                                                        | Surface<br>Finishing        | NA    | NA           | NA               | -     | -            | -         |   | (2) PP-01                     |                                  |            |
|                                                                                  |                    | RUBBER MARKING                                                                           | AS PER DRG.                 | NA    | NA           | NA               | -     | -            | -         |   |                               |                                  |            |
|                                                                                  |                    | Marking                                                                                  | WO Ref. No.                 | NA    | NA           | NA               | -     | -            | -         |   | ASM No :-<br>AEX260714-05     |                                  |            |
|                                                                                  |                    | Assembly Perfection                                                                      | As per Drg.                 |       |              | OK               | OK    | -            | -         | - |                               |                                  |            |
|                                                                                  |                    | Inner Packing                                                                            | Labeling &<br>Printing      |       | OK           | OK               | -     | -            | -         |   |                               |                                  |            |
|                                                                                  |                    | Outer Packing                                                                            | Printing & Stamping         |       |              | OK               | OK    | -            | -         | - |                               |                                  |            |
|                                                                                  |                    | All Dimensions Are In MM                                                                 |                             |       |              |                  |       |              |           |   |                               |                                  |            |
| 2                                                                                | DIMENSION          |                                                                                          | VALUE                       | -     | +            | 1                | 2     | -            | -         | - |                               |                                  |            |
|                                                                                  |                    | T.L                                                                                      | 5.00                        | 4.70  | 5.30         | 5.04             | 5.06  | -            | -         | - |                               |                                  |            |
|                                                                                  |                    | O.D                                                                                      | 66.00                       | 65.20 | 66.80        | 66.03            | 66.05 | -            | -         | - |                               |                                  |            |
|                                                                                  |                    | I.D                                                                                      | 51.00                       | 50.20 | 51.80        | 50.85            | 50.84 | -            | -         | - |                               |                                  |            |
|                                                                                  |                    |                                                                                          |                             |       |              |                  |       |              |           |   |                               |                                  |            |
| INSPECTED BY:                                                                    |                    | Jay Hadiyal                                                                              |                             |       | APPROVED BY: |                  |       |              | Shreekant |   |                               |                                  |            |

Conclusion :



Accept



Reject



Hold

